

### **DEPICT-1 Principal Investigators**

#### Australia:

**Joseph Proietto**, Heidelberg Repatriation Hospital, Melbourne, Victoria, Australia; **Stephen Stranks**, Repatriation General Hospital, Adelaide, South Australia, Australia; **Roger Chen**, Concord Repatriation General Hospital, Sydney, New South Wales, Australia; **David O'Neal**, University of Melbourne, Victoria, Australia; **Alexia Pape**, Wollongong Hospital, Wollongong, New South Wales, Australia; **Mark Forbes**, Gold Coast Hospital, Southport, Queensland, Australia; **Claire Morbey**, AIM Centre, Newcastle, New South Wales, Australia.

#### Austria:

**Anton Luger**, AKH Wien, Vienna, Austria; **Ursula Hanusch**, Zentrum für klinische Studien Dr. Hanusch GmbH, Vienna, Austria; **Christoph Schnack**, Krakenhaus Rudolfstiftung, Vienna, Austria; **Evelyn Fliesser-Goerzer**, Ordination Dr. Fliesser-Goerzer, St. Stefan, Austria; **Bertram Hoelzl**, St. Veit im Pongau, Austria; **Christoph Ebenbichler**, LKH Innsbruck, Innsbruck, Austria; **Rudolf Prager**, Krankenhaus Hietzing, Vienna, Austria.

#### Belgium:

**Luc Van Gaal**, Universitair Ziekenhuis Antwerpen, Edegem, Belgium; **Chris Vercammen**, Imelda Ziekenhuis, Bonheiden, Belgium; **Andre Scheen**, Chu Du Sart Tilman, Liege, Belgium; **Chantal Mathieu**, University of Leuven, Leuven, Belgium; **Francis Duyck**, Diabetes and endocrinology/diabetes clinic, Onthaal, Belgium; **Frank Nobels**, Onze-Lieve-Vrouw Ziekenhuis, Aalst Moorselbaan, Belgium; **Johannes Ruige**, University of Ghent, Ghent, Belgium.

#### Canada:

**Naresh Aggarwal**, Aggarwal And Associates, Brampton, Ontario, Canada; **Vincent Woo**, Health Sciences Centre Diabetes Research Centre, Winnipeg, Manitoba, Canada; **Bruno St-Pierre**, Université du Québec à Rimouski, Québec) Canada; **Richard Dumas**, Centre De Recherche Clinique De Laval, Laval, Québec, Canada; **Irene Hramiak**, St. Josephs Health Care, London, Ontario, Canada; **Thomas Elliott**, University of British Columbia, Vancouver, British Columbia, Canada.

#### Denmark:

**Troels Krarup Hansen**, Aarhus Universitets Hospital, Aarhus, Denmark; **Jan Erik Henriksen**, Odense University Hospital, Odense, Denmark; **Jeppé Gram**, Sydvestjysk Sygehus Esbjerg, Esbjerg, Denmark; **Aina Lihn**, Regionshospitalet Randers, Randers, Denmark; **Jens Bruun**, Aarhus University Hospital, Aarhus, Denmark.

#### Finland:

**Juha Saltevo**, Suomen Terveys Talo Jyväskylä, Jyväskylä, Finland; **Jyrki Taurio**, FinnMedi OY, Tampere, Finland; **Jorma Strand**, Terveystalo Oulu Diapools, Oulu, Finland; **Timo Valle**, Mehiläinen Diabetes Clinic, Helsinki, Finland; **Sakari Nieminen**, Ite Lasaretti, Kuopio, Finland; **Kirsi Pietiläinen**, Biomedicum Obesity Research Unit, University of Helsinki, Helsinki.

#### France:

**Bruno Guerci**, Hopital De Brabois- C H U De Nancy, Vandoeuvre les Nancy, France; **Samy Hadjadj**, CHU de la Miletrie, Poitiers Cedex, France; **Bertrand Cariou**, Hopital Nord Laennec Chu De Nantes, Saint Herblain Cedex, France; **Bruno Verges**, Centre Hospitalier Universitaire Dijon Bocage, Dijon, France; **Sophie Borot**, CHU Hopital Jean Minjot, Besancon, France; **Alfred Penfornis**, Centre Hospitalier Sud Francilien, Corbeil Essonnes, France.

#### Germany:

**Diethelm Tschöpe**, Ruhr University, Bochum, Germany; **Thomas Schaum**, RED Institut GmbH, Oldenburg, Germany; **Cornelia Marck**, Praxis Dr. Marck, Pohlheim, Germany;

## SUPPLEMENTARY DATA

**Thomas Horacek**, Forschungszentrum Ruhr, Witten, Germany; **Ludger Rose**, Institut für Diabetesforschung GmbH, Münster, Germany; **Gerhard Klausmann**, Crc For Hematology, Oncology And Diabetic Diseases, Bavaria, Germany; **Joerg Luedemann**, Praxis Dr. Ludemann, Falkensee, Germany; **Steffi Appelt**, Ambulanzentrum Dr. Mueller Dr. Appelt, Schweinfurt, Germany; **Ulrich Aigner**, Praxis Dr. Aigner, Sulzbach-Rosenberg, Germany; **Rolf Goebel**, Praxis Dres. R. Goebel und Ch. Iglar, Asslar, Germany; **Thomas Behnke**, Diabetological Competence Center Neuwied, Neuwied, Germany; **Anette-Gabriele Ziegler**, Institute of Diabetes Research, Helmholtz Zentrum, München.

### Hungary:

**Eva Peterfai**, Drc Gyogyszervizsgalo Kozpont Kft, Balatonfured, Hungary; **Zsuzsanna Kerenyi**, Trantor 99 BT, Budapest, Hungary; **Tamas Oroszlan**, Zala Megyei Korhaz, Zalaegerszeg, Hungary; **Gyula G. Kiss**, Swan Med Hungary Kft., Letavertes, Hungary; **Laszlo Konyves**, Lausmed Kft, Baja, Hungary; **Gyorgyi Piros**, Szegedi Tudomanyegyetem II.sz. Belklinika es Kardiologiai Kozpont, Szeged, Hungary.

### Israel:

**Moshe Phillip**, Schneider Children's Medical Center of Israel, Petah Tikva, Israel; **Ofri Mosenzon**, Hadassah Ein-Karem Medical Center, Jerusalem, Israel; **Naim Shehadeh**, Rambam Medical Center, Haifa, Israel; **Faiad Adawi**, Ziv Medical Center, Maimonides, Safed, Israel; **Julio Wainstein**, Edith Wolfson Medical Center, Holon, Israel.

### Italy:

**Francesco Dotta**, Azienda Ospedaliera Universitaria Senese, Siena, Italy; **Piermarco Piatti**, Ospedale San Raffaele, Milano, Italy; **Stefano Genovese**, IRCCS Multimedica, Milano, Italy; **Agostino Consoli**, CeSI Universita' D'Annunzio, Chieti, Italy; **Paolo Di Bartolo**, Azienda Usl Di Ravenna, Ravenna, Italy; **Edoardo Mannucci**, A.O.U. Careggi, Firenze, Italy; **Carla Giordano**, A.O.U. Policlinico Paolo Giaccone, Palermo, Italy; **Annunziata Lapolla**, UOC Diabetologia e Dietetica, Padova, Italy.

### Mexico:

**Carlos Aguilar**, Instituto Nacional De Ciencias Medicas Y Nutricion S.Z, Distrito Federal, Distrito Federal, Mexico; **Alberto Esteban Bazzoni Ruiz**, Centro Para Des. De Med. Y De Asist. Med. Esp. S. C. Torreon, Torreon, Coahuila, Mexico; **Guillermo Mondragon Ramirez**, Instituto Mexicano De Transplantes, Cuernavaca, Morelos, Mexico; **Emilia Pelayo Orozco**, Centro de Investigacion Medica de Occidente S.C., Zapopan, Jalisco, Mexico; **Carlos Alejandro Stobschinski de Alba**, Centro de Investigacion Medica Integral, Guadalajara, Jalisco, Mexico; **Carlos Eduardo Medina Pech**, Medical Care And Research, Merida, Yucatán, Mexico; **Jose Garza Ruiz**, Internal Medicine Clin Trials, Monterrey, Nuevo Leon, Mexico; **Leobardo Sauque Reyna**, Instituto de Diabetes Obesidad y Nutrición S.C., Cuernavaca, Morelos, Mexico; **Guillermo Llamas Esperon**, Hospital Cardiologica De Aguascalientes, Aguascalientes, Aguascalientes, Mexico; **Luis Alejandro Nevarez Ruiz**, Investigacion en Salud y Metabolismo SC, Chihuahua, Chihuahua, Mexico; **Maricela Vidrio Velazquez**, Unidad de Investigación Clínica CardioMetabólica de Occidente, Guadalajara, Jalisco, Mexico; **Fernando Flores Lozano**, Hospital "Dr. Angel Leano", Zapopan, Jalisco, Mexico; **Jose Gerardo Gonzalez Gonzalez**, Hospital Universitario Dr. Jose Eleuterio Gonzalez, Monterrey, Nuevo Leon, Mexico; **Pedro Alberto Garcia-Hernandez**, Hospital Universitario Dr. Jose Eleuterio Gonzalez, Monterrey, Nuevo Leon, Mexico; **Roberto Araujo Silva**, Monterrey International Research Center, Monterrey, Nuevo Leon, Mexico; **Efrain Villeda-Espinosa**, Hospital De Jesus, Mexico City, Distrito Federal, Mexico.

### Romania:

**Cristina Mistodie**, CMI DR. Mistodie Cristina Victoria, Galati, Romania; **Daniela Popescu**, Kristef MED SRL, Dolj, Romania; **Ciprian Constantin**, Dr Carol Davila Central Military, București, Romania; **Alina Nicolau**, Inst Nat de Diab, Nutritie si Boli Metabolice NC

## SUPPLEMENTARY DATA

Paulescu, București, Romania; **Bogdan Popa**, Emergency County Hospital, Ploiesti, Romania; **Romulus Timar**, County Emergency Hospital Timisoara, Timisoara, Romania; **Cristian Serafinceanu**, Inst Nat de Diab, Nutritie si Boli Metabolice NC Paulescu, București, Romania; **Ella Pintilei**, Consultmed SRL, Iasi, Romania.

### Spain:

**Alfonso Soto**, Complejo Hospitalario Universitario A Coruna, A Coruna, Spain; **Margarita Gimenez**, Hospital Clinic I Provincial, Barcelona, Spain; **Juan Merino**, Hospital Universitario La Fe, Valencia, Spain; **Cristobal Morales**, Hosp Univ Virgen Macarena, Sevilla, Spain; **Pedro Mezquita**, Clinica San Pedro, Almeria, Spain.

### Sweden:

**Johan Jendle**, Karlstad Central Hospital, Karlstad, Sweden; **Bengt-Olov Tengmark**, City Diabetes, Stockholm, Sweden; **Jan Eriksson**, Uppsala University Hospital, Uppsala, Sweden; **Magnus Londahl**, Skanes University Hospital, Lund, Sweden; **Bjorn Eliasson**, Sahlgrenska University Hospital, Gothenberg, Sweden.

### United Kingdom:

**Anthony Gunstone**, Staploe Medical Centre, Soham, Ely, Cambridgeshire, United Kingdom; **Simon R Heller**, Northern General Hospital, Sheffield, Yorkshire, United Kingdom; **Ken Darzy**, Queen Elizabeth II Hospital, Howlands, Welwyn Garden City, Hertfordshire, United Kingdom; **Peter Mansell**, Nottingham University Hospitals NHS Trust, Nottingham, United Kingdom; **Melanie Davies**, Diabetes Research Centre, University of Leicester, Leicester General Hospital, Leicester, United Kingdom; **Rory Reed**, Aston Clinton Surgery, Aston Clinton, Aylesbury, Buckinghamshire, United Kingdom; **Duncan Browne**, Royal Cornwall Hospital, Truro, Cornwall, United Kingdom; **Hamish Courtney**, Royal Victoria Hospital, Belfast, County Durham, United Kingdom; **Wayne Turner**, Burbage Surgery, Burbage, Hinckley, Leicestershire, United Kingdom; **Mark Blagden**, Ashgate Medical Practice, Chesterfield, Derbyshire, United Kingdom; **Rory McCrimmon**, Ninewells Hospital and Medical School, Dundee, United Kingdom.

### United States of America:

**Paresh Dandona**, State University of New York at Buffalo, Buffalo, NY, USA; **Richard Bergenstal**, International Diabetes Center, Minneapolis, USA; **Wendy Lane**, Mountain Diabetes And Endocrine Center, Asheville, North Carolina, USA; **Kathryn Lucas**, Diabetes & Endocrinology Consultants, Morehead City, North Carolina, USA; **Alexander White**, Progressive Medical Research, Port Orange, Florida, USA; **Shichun Bao**, Vanderbilt Diabetes Center, Nashville, Tennessee, USA; **Judith White**, Holston Medical Group, Kingsport, Tennessee, USA; **Curtis Jantzi**, Wellmont Holston Valley Medical Center, Kingston, Tennessee; **Neda Rasouli**, Denver Va Medical Center, Denver, Colorado, USA; **William Ervin**, InterMmed PA, Portland, Maine, USA; **Lorena Lewy-Alterbaum**, ALL Medical Research LLC, Cooper City, Florida, USA; **Yehuda Handelsman**, Metabolic Institute of America, Tarzana, California, USA; **Bresta Miranda-Palma**, University Of Miami Diabetes Research Institute, Miami, Florida, USA; **Alan Cleland**, Solutions Through Advanced Research Inc, Jacksonville, Florida, USA; **Raymond Fink**, Diabetes And Endocrine Associates, La Mesa, California, USA; **Helena Rodbard**, Drs. Rodbard and Dempsey, Rockville, Maryland, USA; **Samer Nakhle**, Palm Research Center, Inc, Las Vegas, Nevada, USA; **Craig Greenberg**, Borgess Research Institute, Kalamazoo, Michigan, USA; **Alan Schorr**, St Mary Medica Center, Research Institute, Langhorne, Pennsylvania, USA; **Harold Bays**, L-Marc Research Center, Louisville, Kentucky, USA; **Debra Simmons**, Utah Diabetes and Endocrinology Center (UDEC), Salt Lake City, Utah, USA; **Eric Klein**, Capital Clinical Research Center, Olympia, Washington, USA; **Laurie Kane**, Nisus Research, Petoskey, Michigan, USA; **Norman Fishman**, Diabetes & Endocrinology Specialists Inc, Chesterfield, Missouri, USA; **Eli Ipp**, LA Biomed Research Institute at

## SUPPLEMENTARY DATA

Harbor-UCLA Medical Center, Torrance, California, USA; **Satish Garg**, University of Colorado, Barbara Davis Center, Aurora, Colorado; **Anuj Bhargava**, Iowa Diabetes And Endocrinology Research Center, Plc, Des Moines, Iowa, USA; **Michelle Zaniewski Singh**, Michelle Zaniewski Md.,Pa, Houston, Texas, USA; **Julio Rosenstock**, Dallas Diabetes & Endocrine Center, Dallas, Texas, USA; **James Thrasher**, Medical Investigations, Inc., Little Rock, Arkansas, USA; **Mark Warren**, Physicians East P.A., Greenville, North Carolina, USA; **Laura Young**, University of North Carolina, Chapel Hill, North Carolina, USA; **Vanita Aroda**, MedStar Health Research Institute, Hyattsville, Maryland, USA; **Jeremy Pettus**, VA San Diego Healthcare System, San Diego, California, USA; **David Liljenquist**, Rocky Mountain Diabetes And Osteoporosis Center, Idaho Falls, Idaho, USA; **Robert Busch**, Albany Medical College, Albany, New York, USA; **Jonathan Wise**, Diabetes and metabolism Associates, Metairie, Louisiana, USA; **David Kayne**, The Medical Group of Encino, Encino, California, USA; **William Biggs**, Amarillo Medical Specialists, LLP, Amarillo, Texas, USA.

### DEPICT-2 Principal Investigators

#### Argentina:

**Cecilia Luquez**, Centro Medico Luquez, Cordoba, Argentina; **Federico Perez Manghi**, Centro De Investigaciones Metabolicas (Cinme), Ciudad Autónoma De Buenos Aires, Argentina; **Maria Rosa Ulla**, ILAIM, Instituto Latinoamericano de Investigaciones Medicas, Codoba, Argentina; **Maria Alejandra Moissello**, Instituto Medico Especializado (IME), Ciudad Autonoma de Buenos, Argentina; **Virginia Visco**, DIM Clinica Privada, Ramos Mejia, Buenos Aires, Argentina; **Silvia Gorban De Lapertoza**, Centro Universitario De Investigacion En Farmacologia Clinica - CUIFC - Universidad Nacional Del Nordeste, Corrientes, Argentina; **Silvana Ernestina Solis**, Centro Diabetologico Córdoba Dr. Waitman, Cordoba, Argentina; **Javier Farias**, Sanatorio Guemes, Buenos Aires, Argentina; **Georgina Sposetti**, Instituto de Investigaciones Clinicas (IIC) Mar del Plata, Buenos Aires, Argentina.

#### Belgium:

**Pieter Gillard**, Universitaire Ziekenhuizen Leuven – Campus Gasthuisberg, Herestraat, Leuven, Belgium; **Pascale Abrams**, Sint-Vincentius ziekenhuis, Antwerpen, Belgium; **Marina van Ypersele de Strihou**, Cliniques De L'Europe- Sainte-Elisabeth, Brussels, Belgium.

#### Canada:

**James Conway**, Canadian Centre for Research on Diabetes, Smiths Falls, Ontario, Canada; **Sue Pedersen**, C-ENDO Diabetes and Endocrinology Clinic, Calgary, Alberta, Canada; **Peter Senior**, Alberta Diabetes Institute - University of Alberta, Edmonton, Alberta, Canada; **Joanne F Liutkus**, Joanne F. Liutkus, Medicine Professional Corporation, Cambridge, Ontario, Canada; **Churn-Ern Yip**, Nova Scotia Health Authority, Halifax, Nova Scotia, Canada; **Zubin Punthakee**, McMaster University, Hamilton, Ontario, Canada; **Frederic Bernier**, Centre Hospitalier Universitaire de Sherbrooke(CHUS), Sherbrooke, Quebec, Canada; **Heather Lochnan**, The Ottawa Hospital - Riverside Campus, University Of Ottawa, Ottawa, Ontario, Canada; **Vincent Woo**, Winnipeg Regional Health Authority, Health Sciences Centre Winnipeg, Winnipeg, Manitoba, Canada; **Thomas Elliott**, BC Diabetes, Vancouver, British Columbia, Canada.

#### Chile:

**Juan Palma**, Hospital y CRS El Pino, San Bernardo, Santiago, Chile; **Carmen Solis**

## SUPPLEMENTARY DATA

**Merino**, Investigacion y Terapias reumatologicas innovadoras Ltda, Providencia,,Santiago, Chile; **Alfredo Danin Vargas**, Centro de Investigacion Clinica del Sur, Temuco, Region de la Araucan, Chile.

### Germany:

**Ulrich Wendisch**, Gemeinschaftspraxis fuer Innere Medizin und Diabetologie, Hamburg, Germany; **Andreas Reichel**, Universitätsklinikum Dresden, Dresden, Germany; **Jochen Seufert**, Universitaetsklinikum Freiburg, Freiburg, Germany; **Bernd Becker**, Praxis Am Markt (Dr. Becker), Nordrhein-Westfalen, Germany; **Hasan Alawi**, Diabetes Zentrum Saarlouis Diabetologische Praxis, Saarlouis, Germany; **Andreas L Birkenfeld**, GWT-TUD GmbH, Studienzentrum Professor Hanefel, Dresden, Germany; **Christoph Hasslacher**, Diabetesinstitut Am St. Josefskrankenhaus, Heidelberg, Germany; **Joerg Luedemann**, Schwerpunktpraxis Dr. Luedemann fuer Diabetes Gefaess- und Ernaehrungsmedizin, Falkensee, Germany; **Thomas Schaum**, Sana Kliniken Ostholstein GmbH, Schleswig-Holstein, Germany; **Cornelia Marck**, Gemeinschaftspraxis Marck Marck Linn Pickel, Pohlheim, Germany; **Joachim Sauter**, Office of Dr. Joachim Sauter MD, Wangen, Germany; **Ulrich Aigner**, Versdias GmbH, Zentrum Für Klinische Studien, Sulzbach-Rosenberg, Germany.

### Japan:

**Yukiko Onishi**, 2-2-6 Nihombashibakuro-cho, Chuo-ku, Tokyo-To, Japan; **Hiroaki Seino**, 6-192-2 Kaisei, Koriyama-shi, Fukushima-Ken, Japan; **Yuichi Sato**, 422 Tsubukuhon-machi, Kurume-shi, Fukuoka-Ken, Japan; **Kiyohide Nunoi**, 422 Tsubukuhon-machi, Kurume-shi, Fukuoka-Ken, Japan; **Akira Yamauchi**, 9-23Shimizu-ku Shofuku-cho, Shizuoka-shi, Shizuoka-Ken, Japan; **Eitaro Nakashima**, 1-10-6 Minato-ku Komei , Nagoya-shi, Aichi-Ken, Japan; **Hiroki Ikeda**, 1-18-5 Tsukaguchi-cho,Amagasakishi, Hyogo-Ken, Japan; **Toshihiko Shiraiwa**, 4-10-24 Hozenji, Kashiwara-shi, Osaka-Fu, Japan; **Yoshimitsu Yamasaki**, 3-3-45 Kitaku Umeda, Osaka-shi, Osaka-Fu, Japan; **Hiroki Yokoyama**, 6-4-3 Nishi 6jo Minami, Obihiro-shi, Hokkaido, Japan; **Kunihiko Nakamura**, 1-17-22 Fuchu-cho Osu,Aki-gun,Hiroshima-Ken, Japan; **Masayuki Noritake**, 5-3-2 Hitachinohigashi,Ushiku-shi,Ibaraki-Ken, Japan; **Shozo Miyauchi**, 1-1 Goten-machi,Uwajima-shi,Ehime-Ken, Japan; **Tomomi Hakoda**, 1844 Daimon-cho Tsunoshita,Fukuyamashi, Hiroshima-Ken, Japan; **Yoshihide Hirohata**, 2-19-15 Yahatanishi-ku Hokuchiku, Kitakyushu-shi, Fukuoka-Ken, Japan; **Atsushi Hasegawa**, 1-5-3 Hokuyo, Chitose-shi, Hokkaido, Japan; **Yoshihide Fukumoto**, Omure 1-32-24, Ibusuki-shi, Kagoshima-Ken, Japan; **Hiroataka Nagashima**, 1-22-17 Hyakunin-cho, Shinjuku-ku, Tokyo-To, Japan; **Masahiro Takihata**, 1738-1, Kamimiyada, Minamishitaura-machi, Miura-shi, Kanagawa-Ken, Japan; **Tetsuro Kamada**, Horie-cho 17-1, Kagoshima-shi, Kagoshima-Ken, Japan; **Hideaki Jinnouchi**, 6-2-3 Kuhonji, Chuo-ku, Kumamoto-shi, Kumamoto-Ken, Japan; **Yuri Ono**, 3-3-27 Kita 1jo Nishi Chuo-ku, Sapporo-shi, Hokkaido, Japan; **Takayuki Watanabe**, 3-12-1 Shinyamashita, Naka-ku, Yokohamashi, Kanagawa-Ken, Japan; **Hiroshi Ohashi**, 1-32-1 Ekihigashidori, Oyama-shi, Tochigi-Ken, Japan; **Masahiko Takai**, 1-26-27 Ofuna, Kamakura-shi, Kanagawa-Ken, Japan; **Tadashi Seguchi**, 476 Bunyo, Oita-shi, Oita-Ken, Japan; **Katsuya Yamazaki**, 715-1 Higashihiratsuka, Tsukuba-shi, Ibaraki-Ken, Japan; **Hajime Maeda**, 4-1-4-102 Yokodai, Isogo-ku, Yokohama-shi, Kanagawa-Ken, Japan; **Shingo Iwasaki**, 1-2-8 Kosakahon-machi, Higashiosakashi, Osaka-Fu, Japan.

### Netherlands:

**H.W. De Valk**, Universitair Medisch Centrum (UMC) Utrecht - Locatie AZU, Utrecht, Netherlands; **Adriaan Kooy**, Bethesda Diabetes Research Center, Hoogeveen, Drenthe,

## SUPPLEMENTARY DATA

Netherlands; **Sabine Landewe-Cleuren**, MUMC, Maastricht, Netherlands;

### Poland:

**Katarzyna Madziarska**, WroMedica S.C., Department of Medicine/Nephrology, Wroclaw, Poland; **Andrzej Stankiewicz**, Medyczne Centrum Diabetologiczno-Endokrynologiczno-Metaboliczne DIABENDO-MET Sp z o.o., Krakow, Poland; **Katarzyna Wasilewska**, Zdrowie Osteo-Medic s.c. Lidia I Artur Racewicz, Podlaskie, Poland; **Gottfried Rudofsky**, Kantonsspital Olten, Solothurn, Poland; **Maciej Malecki**, Oddzial Kliniczny Chorob Metabolicznych Szpital Uniwersytecki w Krakowie, Krakow, Poland; **Ewa Pankowska**, Instytut Diabetologii Sp. z o.o., Warszawa, Poland; **Ewa Szyprowska**, CenterMed Lublin Sp.z o.o, Niepubliczny Zaklad Opieki Zdrowotnej, Lubelskie, Poland; **Monika Lukaszewicz**, Centrum Badan Klinicznych PI-House, Poradnia Diabetologiczna, Gdansk, Poland; **Lidia Tokarska**, Landa Specjalistyczne Gabinety Lekarskie, Krakow, Malopolskie, Poland.

### Russia:

**Irina Bondar**, Novosibirsk State Medical University of Ministry of Healthcare of the Russian Federation, Novosibirsk, Russia; **Irina Karpova**, City Diagnostic Consulting Center, Saint Petersburg Territorial Diabetic Center, St. Petersburg, Russia; **Ludmila Ruyatkina**, SBRIHPE, Novosibirsk State Medical University of MHSU, Novosibirsk, Russia; **Alsu Zalevskaya**, City hospital #2, St. Petersburg, Russia; **Ruslan Sardinov**, Outpatient clinic, 1 Russian Academy of Science, Universitetskaya, St. Petersburg, Russia; **Yury Khalimov**, Federal State Budgetary Institution Of Higher Professional Education – Northwestern State Medical University N.A.I.I.Mechnikov, St. Petersburg, Russia.

### Sweden:

**Folke Sjoberg**, Clinical Trials Consultants AB, Linkoping, Sweden; **Pekka Koskinen**, Pharmasite AB, Helsingborg, Scania, Sweden; **Dan Curiac**, CTC (Clinical Trial Center) Sahlgrenska University Hospital, Vastra Gotaland, Sweden; **Marcus Lind**, NU Hospital Group, Diabetes outpatient clinic, Uddevalla Hospital, Uddevalla, Sweden.

### Switzerland:

**Birgit Bach-Kliegel**, Diabetes Adipositas Zentrum Zuerich (DAZZ), Zollikerberg, Zuerich, Switzerland; **Bernd Schultes**, eSwiss Medical & Surgical Center, St Gallen, Switzerland.

### United Kingdom:

**Basil G Issa**, University Hospital Of South Manchester, Wythenshawe, Manchester, England, United Kingdom; **Anne Kilvert**, Northampton General Hospital (NGH) NHS Trust, Cliftonville, Northampton, England, United Kingdom; **Olivia Pereira**, Edna Coates Diabetes Centre-Pinderfields Hospital-MidYorkshire NHS Trust, Wakefield, England, United Kingdom; **Stephen Bain**, Swansea University, Swansea, Wales, United Kingdom; **Biswa Mishra**, The Royal Oldham Hospital, Oldham, Lancashire, England, United Kingdom; **Deepak Bhatnagar**, The Royal Oldham Hospital, Oldham, Lancashire, England, United Kingdom;

### United States of America:

**Leonard Chuck**, Diablo Clinical Research, Walnut Creek, California, USA; **David Gorson**, Office Of Dr. David Gorson Md, Bennington, Vermont, USA; **David Robertson**, Atlanta Diabetes Associates, Georgia, USA; **Luis Casaubon**, Texas Diabetes & Endocrinology, Austin, Texas, USA; **Louis Chaykin**, Meridien Research, Bradenton, Florida, USA; **Juan Pablo Frias**, National Research Institute, Los Angeles, California, USA; **Stanley Hsia**,

## SUPPLEMENTARY DATA

National Research Institute, Los Angeles, California, USA; **Robert Jenders**, National Research Institute, Los Angeles, California, USA; **Sam Lerman**, The Center for Diabetes and Endocrine Care, Fort Lauderdale, Florida, USA; **Scott Segel**, East Coast Institute for Research, LLC at Baker-Gilmour Cardiovascular Institute, Jacksonville, Florida, USA; **Peter Weissman**, Baptist Diabetes Associates, Miami, Florida, USA; **Anna Chang**, John Muir Physician Network, Concord, California, USA; **John Reed**, Endocrine Research Solutions, Inc., Roswell, Georgia, USA; **Ivy-Joan Madu**, Diabetes Associates Medical Group, Orange, California, USA; **Peter Bressler**, North Texas Endocrine Center, Dallas, Texas, USA; **Lisa Abbott**, Northern Nevada Endocrinology, Reno, Nevada, USA; **Sumana Gangi**, Southern Endocrinology Associates PA, Mesquite, Texas, USA; **Kate Wheeler**, Laureate Clinical Medical Group At Northside, Atlanta, Georgia, USA; **Kenneth Cohen**, New West Physicians, Golden, Colorado, USA; **William Biggs**, Amarillo Medical Specialists, Amarillo, Texas, USA; **Serge Jabbour**, Thomas Jefferson University Hospital, Philadelphia, Pennsylvania, USA; **Dennis Karounos**, Lexington VA Medical Center, Lexington, Kentucky, USA; **Sajeev Menon**, Kansas City Internal Medicine, Overland Park, Kansas, USA; **Wendell Miers**, Kentucky Diabetes And Endocrinology Center, Lexington, Kentucky, USA; **Grazia Aleppo**, Northwestern University, The Feinberg School Of Me, Chicago, Illinois, USA; **Gigi Lefebvre**, Meridien Research, Saint Petersburg, Florida, USA; **Danny Sugimoto**, Cedar Crosse Research Center, Chicago, Illinois, USA; **Robert Ferraro**, Southwest Endocrinology Associates, Albuquerque, New Mexico, USA; **Richard Kelly**, Precision Trials, Phoenix, Arizona, USA; **Marcel Twahirwa**, Doctors Hospital at Renaissance, Edinburg, Texas, USA; **Christopher Case**, Jefferson City Medical Group (JCMG) – JCMG Medical Building, Jefferson City, Missouri, USA; **Paul Norwood**, Valley Research, Fresno, California, USA; **David Klonoff**, Mills-Peninsula Health Services Diabetes Research Institute, San Mateo, California, USA; **Paul Denker**, Gulfcoast Endocrine and Diabetes Center, Clearwater, Florida, USA; **Priscilla Hollander**, Baylor Endocrine Center, Dallas, Texas, USA; **Michelle Welch**, Consano Clinical Research, Shavano Park, Texas, USA; **Matthew Leinung**, Albany Medical Center, Albany, New York, USA; **Larry Kotek**, Radiant Research Inc., Edina, Minnesota, USA; **Janet McGill**, Washington University School of Medicine, St. Louis, Missouri, USA; **Yshay Shlesinger**, NorCal Endocrinology and Internal Medicine, San Ramon, California, USA; **Cynthia Huffman**, Meridien Research, Tampa, Florida, USA; **Stephen Aronoff**, Research Institute of Dallas, Dallas, Texas, USA; **Daniel Lorber**, New York Hospital Queens, Flushing, New York, USA; **Antonio Terrelonge**, Ocean Blue Medical Research Center, Miami Springs, Florida, USA; **Firas Akhrass**, Endeavor Clinical Trials, Pa, San Antonio, Texas, USA; **Cindy Bredefeld**, Winthrop-University Hospital, Clinical Trials Center, Mineola, New York, USA; **Kenneth Hershon**, North Shore Diabetes and Endocrine Associates, New Hyde Park, New York, USA; **James Lenhard**, Christiana Care Health Services, Inc, Newark, Delaware, USA; **Daniel Donovan**, Mount Sinai School of Medicine, New York, New York, USA; **Larry Stonesifer**, Office of Dr. Larry D. Stonesifer, MD, Seattle, Washington, USA; **Craig Greenberg**, Western Michigan University School Of Medicine, Kalamazoo, Michigan, USA; **Eli Ipp**, Los Angeles Biomedical Research Institute at Harbor UCLA Medical Center, Torrance, California, USA; **Anuj Bhargava**, Iowa Diabetes and Endocrinology Research Center (IDERC), West Des Moines, Iowa, USA; **Shichun Bao**, Vanderbilt University Medical Center, Nashville, Tennessee, USA.

SUPPLEMENTARY DATA

**Supplementary Table S1.** Percent (%) and approximate number of hours of glucose readings from CGM falling in the ranges  $\leq 3.9$  mmol/L,  $>3.9\text{--}\leq 10.0$  mmol/L and  $>10.0$  mmol/L at baseline, Week 12 and Week 24

CGM variable		Dapagliflozin 5 mg + insulin	Dapagliflozin 10 mg + insulin	Placebo + insulin
24-hour glucose readings in the range at baseline, % (SD)[approximate hours in the specified range <sup>†</sup> ]	N	490	494	491
	$\leq 3.9$ mmol/L ( $\leq 70$ mg/dL)	4.96 (4.64) [1.2]	5.30 (4.90) [1.3]	5.14 (5.56) [1.2]
	$>3.9\text{--}\leq 10.0$ mmol/L ( $>70\text{--}\leq 180$ mg/dL)	43.38 (12.22) [10.4]	43.98 (12.32) [10.6]	43.66 (12.64) [10.5]
	$>10.0$ mmol/L ( $>180$ mg/dL)*	51.66 [12.4]	50.72 [12.1]	51.20 [12.3]
24-hour glucose readings in the range at Week 12, % (SD)[approximate hours in the specified range <sup>†</sup> ]	N	480	485	477
	$\leq 3.9$ mmol/L ( $\leq 70$ mg/dL)	5.21 (5.30) [1.3]	5.36 (5.00) [1.3]	4.56 (4.94) [1.1]
	$>3.9\text{--}\leq 10.0$ mmol/L ( $>70\text{--}\leq 180$ mg/dL)	53.54 (12.99) [12.8]	54.67 (12.75) [13.1]	43.11 (13.08) [10.3]
	$>10.0$ mmol/L ( $>180$ mg/dL)*	41.25 [9.9]	39.97 [9.6]	52.33 [12.6]
24-hour glucose reading in the range at Week 24, % (SD)[approximate hours in the specified range <sup>†</sup> ]	N	452	444	439
	$\leq 3.9$ mmol/L ( $\leq 70$ mg/dL)	4.85 (4.89) [1.2]	5.10 (4.44) [1.2]	4.83 (4.72) [1.2]
	$>3.9\text{--}\leq 10.0$ mmol/L ( $>70\text{--}\leq 180$ mg/dL)	51.69 (14.49) [12.4]	53.89 (13.26) [12.9]	43.10 (13.97) [10.3]
	$>10.0$ mmol/L ( $>180$ mg/dL)*	43.46 [10.4]	41.01 [9.9]	52.07 [12.5]

\*percentage of readings  $>10.0$  mmol/L ( $>180$  mg/L) was estimated from  $100\% -$  percentage of readings in the other two ranges; <sup>†</sup>estimated by 24 hours multiplied by percentage of readings in a range.