

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (►) are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Original Articles

Clinical Care/Education/Nutrition

1197 Lipid profile, glucose homeostasis, blood pressure, and obesity-anthropometric markers in macrosomic offspring of nondiabetic mothers

E.N. Evangelidou, D.N. Kiortsis, E.T. Bairaktari, V.I. Giapros, V.K. Cholevas, C.S. Tzallas, S.K. Andronikou

1202 Prediction of diabetic foot ulcer occurrence using commonly available clinical information: the Seattle Diabetic Foot Study
E.J. Boyko, J.H. Ahroni, V. Cohen, K.M. Nelson, P.J. Heagerty

1208 Idiosyncratic personal explanations for blood glucose events are associated with poorer self-management and glycemic control in adult patients with long-standing type 1 diabetes
A.J. Wearden, K. Hynd, H. Smith, R. Davies, N. TARRIER

1214 1,5-anhydroglucitol and postprandial hyperglycemia as measured by continuous glucose monitoring system in moderately controlled patients with diabetes
K.M. Dungan, J.B. Buse, J. Largay, M.M. Kelly, E.A. Button, S. Kato, S. Wittlin

1220 Effect of lowering LDL cholesterol substantially below currently recommended levels in patients with coronary heart disease and diabetes: the Treating to New Targets (TNT) study
J. Shepherd, P. Barter, R. Carmena, P. Deedwania, J.-C. Fruchart, S. Haffner, J. Hsia, A. Breazna, J. LaRosa, S. Grundy, D. Waters, for the Treating to New Targets Investigators

1227 Dietary fat intake predicts 1-year change in body fat in adolescent girls with type 1 diabetes
S. Särnblad, U. Ekelund, J. Åman

Epidemiology/Health Services/Psychosocial Research

1231 Derivation and validation of a prediction score for major coronary heart disease events in a U.K. type 2 diabetic population
P.T. Donnan, L. Donnelly, J.P. New, A.D. Morris

► **1237** An evaluation of cost sharing to finance a diet and physical activity intervention to prevent diabetes
R.T. Ackermann, D.G. Marrero, K.A. Hicks, T.J. Hoerger, S. Sorensen, P. Zhang, M.M. Engelgau, R.E. Ratner, W.H. Herman

1242 Impact of office systems and improvement strategies on costs of care for adults with diabetes
T.P. Gilmer, P.J. O'Connor, W.A. Rush, A.L. Crain, R.R. Whitebird, A.M. Hanson, L.I. Solberg

1249 Health care and patient-reported outcomes: results of the cross-national Diabetes Attitudes, Wishes and Needs (DAWN) study
R.R. Rubin, M. Peyrot, L.M. Siminerio, on behalf of the International DAWN Advisory Panel

1256 Physician and nurse use of psychosocial strategies in diabetes care: results of the cross-national Diabetes Attitudes, Wishes and Needs (DAWN) study
M. Peyrot, R.R. Rubin, L.M. Siminerio, on behalf of the International DAWN Advisory Panel

1263 Prevalence of diabetes and impaired fasting glucose in adults in the U.S. population: National Health and Nutrition Examination Survey 1999–2002

C.C. Cowie, K.F. Rust, D.D. Byrd-Holt, M.S. Eberhardt, K.M. Flegal, M.M. Engelgau, S.H. Saydah, D.E. Williams, L.S. Geiss, E.W. Gregg

Emerging Treatments and Technologies

1269 A 26-week, randomized, parallel, treat-to-target trial comparing insulin detemir with NPH insulin as add-on therapy to oral glucose-lowering drugs in insulin-naïve people with type 2 diabetes

K. Hermansen, M. Davies, T. Derezinski, G. Martinez Ravn, P. Clauson, P. Home, on behalf of the Levemir Treat-to-Target Study Group

1275 Clinical evaluation of alternative-site glucose measurements in patients after major cardiac surgery

M. Ellmerer, M. Haluzik, J. Blaha, J. Kremen, S. Svacina, W. Toller, J. Mader, L. Schaupp, J. Plank, T. Pieber

1282 An open, randomized, parallel-group study to compare the efficacy and safety profile of inhaled human insulin (Exubera) with metformin as adjunctive therapy in patients with type 2 diabetes poorly controlled on a sulfonylurea

A.H. Barnett, M. Dreyer, P. Lange, M. Serdarevic-Pehar, on behalf of the Exubera Phase III Study Group

Pathophysiology/Complications

1288 Risk factors for foot infections in individuals with diabetes
L.A. Lavery, D.G. Armstrong, R.P. Wunderlich, M.J. Mohler, C.S. Wendel, B.A. Lipsky

1294 Lifestyle intervention for pre-diabetic neuropathy
A.G. Smith, J. Russell, E.L. Feldman, J. Goldstein, A. Peltier, S. Smith, J. Hamwi, D. Pollari, B. Bixby, J. Howard, J.R. Singleton

1300 Prevalence of diabetes complications in adolescents with type 2 compared with type 1 diabetes
M.C. Eppens, M.E. Craig, J. Cusumano, S. Hing, A.K.F. Chan, N.J. Howard, M. Silink, K.C. Donaghue

1307 Prevalence and risk factors for urinary incontinence in women with type 2 diabetes and impaired fasting glucose: findings from the National Health and Nutrition Examination Survey (NHANES) 2001–2002
J.S. Brown, E. Vittinghoff, F. Lin, L.M. Nyberg, J.W. Kusek, A.M. Kanaya

1313 Perilipin gene variation determines higher susceptibility to insulin resistance in Asian women when consuming a high-saturated fat, low-carbohydrate diet
D. Corella, L. Qi, E.S. Tai, M. Deurenberg-Yap, C.E. Tan, S.K. Chew, J.M. Ordovas

1320 The 11482G>A polymorphism in the perilipin gene is associated with weight gain with rosiglitazone treatment in type 2 diabetes
E.S. Kang, B.S. Cha, H.J. Kim, H.J. Kim, S.H. Kim, K.Y. Hur, H.J. Lee, W.S. Shim, C.W. Ahn, H.C. Lee

1325 Relations between carotid artery wall thickness and liver histology in subjects with nonalcoholic fatty liver disease
G. Targher, L. Bertolini, R. Padovani, S. Rodella, G. Zoppini, L. Zenari, M. Cigolini, G. Falezza, G. Arcaro

1331 Assessment of patients' and physicians' compliance to an ACE inhibitor treatment based on urinary *N*-acetyl Ser-Asp-Lys-Pro determination in the Noninsulin-Dependent Diabetes, Hypertension, Microalbuminuria, Proteinuria, Cardiovascular Events, and Ramipril (DIABHYCAR) study

M. Azizi, J. Ménard, S. Peyrard, M. Lièvre, M. Marre, G. Chatellier

1337 Effect of calorie restriction with or without exercise on insulin sensitivity, β -cell function, fat cell size, and ectopic lipid in overweight subjects

D.E. Larson-Meyer, L.K. Heilbronn, L.M. Redman, B.R. Newcomer, M.I. Frisard, S. Anton, S.R. Smith, A. Alfonso, E. Ravussin, the Pennington CALERIE Team

1345 Hyperinsulinemia in cord blood in mothers with type 2 diabetes and gestational diabetes mellitus in New Zealand
J.A. Westgate, R.S. Lindsay, J. Beattie, N.S. Pattison, G. Gamble, L.F.J. Mildenhall, B.H. Breier, F.D. Johnstone

Cardiovascular and Metabolic Risk

► **1351** High-risk individuals' willingness to pay for diabetes risk-reduction programs
F.R. Johnson, R. Manjunath, C.A. Mansfield, L.J. Clayton, T.J. Hoerger, P. Zhang

1357 Measurement of the high-molecular weight form of adiponectin in plasma is useful for the prediction of insulin resistance and metabolic syndrome

K. Hara, M. Horikoshi, T. Yamauchi, H. Yago, O. Miyazaki, H. Ebinuma, Y. Imai, R. Nagai, T. Kadowaki

1363 Cardiovascular death and the metabolic syndrome: role of adiposity-signaling hormones and inflammatory markers
C. Langenberg, J. Bergstrom, C. Scheidt-Nave, J. Pfeilschifter, E. Barrett-Connor

1370 Iron intake and the risk of type 2 diabetes in women: a prospective cohort study
S. Rajpathak, J. Ma, J. Manson, W.C. Willett, F.B. Hu

Brief Reports

Clinical Care/Education/Nutrition

1377 Low serum levels of high-molecular weight adiponectin in Indo-Asian women during pregnancy: evidence of ethnic variation in adiponectin isoform distribution
R. Retnakaran, A.J.G. Hanley, P.W. Connelly, G. Maguire, M. Sermer, B. Zinman

1380 Effectiveness of gastric bypass surgery in a patient with familial partial lipodystrophy
K.M. Utzschneider, D.L. Trence

Epidemiology/Health Services/Psychosocial Research

1383 South-Asian type 2 diabetic patients have higher incidence and faster progression of renal disease compared with Dutch-European diabetic patients
P.K. Chandie Shaw, F. Baboe, L.A. van Es, J.C. van der Vijver, M.A. van de Ree, N. de Jonge, T.J. Rabelink

► **1386** Frequent outpatient contact and decreasing medication affordability in patients with diabetes from 1997 to 2004
R.W. Grant, E.P. McCarthy, D.E. Singer, J.B. Meigs

1389 Depressive symptoms in children and adolescents with type 1 diabetes: association with diabetes-specific characteristics
K.K. Hood, S. Huestis, A. Maher, D. Butler, L. Volkening, L.M.B. Laffel

Emerging Treatments and Technologies

1392 Intranasal calcitonin in the treatment of acute Charcot neuroosteoarthropathy: a randomized controlled trial
R. Bem, A. Jirkovská, V. Fejfarová, J. Skibová, E.B. Jude

1395 Comparison of the glycemic effects of rosiglitazone and pioglitazone in triple oral therapy in type 2 diabetes
M.T. Tran, M.D. Navar, M.B. Davidson

Pathophysiology/Complications

1397 Younger age at onset of type 1 diabetes in concordant sibling pairs is associated with increased risk for autoimmune thyroid disease
G. Goodwin, L.K. Volkening, L.M.B. Laffel

1399 Cytotoxin-associated gene A strains of *Helicobacter pylori* represent a risk factor for the development of microalbuminuria in type 2 diabetes
A. Pietrojusti, M. Giuliano, A. Magrini, A. Bergamaschi, A. Galante

1402 Increased fasting triglyceride levels are associated with hepatic insulin resistance in Caucasian but not African-American adolescents
R.P. Hoffman

Cardiovascular and Metabolic Risk

1405 All pre-diabetes is not the same: metabolic and vascular risks of impaired fasting glucose at 100 versus 110 mg/dl: the Screening for Impaired Glucose Tolerance Study 1 (SIGT 1)

L.S. Phillips, W.S. Weintraub, D.C. Ziemer, P. Kolm, J.K. Foster, V. Vaccarino, M.K. Rhee, R.K. Budhwani, J.M. Caudle

1408 Emergence of cardiovascular risk factors from mild obesity in Japanese elementary school children
M. Yoshinaga, K. Sameshima, M. Jougasaki, H. Yoshikawa, Y. Tanaka, J. Hashiguchi, H. Tahara, T. Ichiki, S. Shimizu, K. Nakamura

1411 Prognostic value of NH₂-terminal pro B-type natriuretic peptide in patients with diabetes and stable coronary heart disease
C. Kraglund, I. Gustafsson, T. Omland, B. Grønning, L. Køber, J. Faber, S. Strand, R. Steffensen, P. Hildebrandt

1414 Ethnic-specific criteria for the metabolic syndrome: evidence from China

J. Liu, S.M. Grundy, W. Wang, S.C. Smith, Jr., G.L. Vega, Z. Wu, Z. Zeng, W. Wang, D. Zhao

1417 Waist girth does not predict metabolic complications in severely obese men

I. Lemieux, V. Drapeau, D. Richard, J. Bergeron, P. Marceau, S. Biron, P. Maurière

Reviews/Commentaries/ADA Statements

1420 Review

Diabetes and advanced glycation end products
A.G. Huebschmann, J.G. Regensteiner, H. Vlassara, J.E.B. Reusch

1433 Consensus Statement

Physical activity/exercise and type 2 diabetes: a consensus statement from the American Diabetes Association

R.J. Sigal, G.P. Kenny, D.H. Wasserman, C. Castaneda-Sceppa, R.D. White

1439 Perspectives on the News

Atypical antipsychotic agents, retinopathy, nephropathy, and cardiovascular disease
Z.T. Bloomgarden

Editorials

1447 Editorial

Preventing diabetes: the time is now
S. Teutsch

1449 Point-Counterpoint

Point: are insulin pumps underutilized in type 1 diabetes? Yes
J.C. Pickup

Table of Contents continues on vii

1453 Point-Counterpoint

Counterpoint: are insulin pumps underutilized in type 1 diabetes?
No
D.S. Schade, V. Valentine

Letters: Observations

1456 Measurement of the walking duration with therapeutic shoes in neuropathic diabetic patients by a novel device (Show-me)
T. Kästenbauer, J. Wassermann, E. Krippl, R. Prager, K. Irsigler

1456 Prevalence of metabolic syndrome in rural Bangladeshi women
M.M. Zaman, J. Ahmed, S.R. Choudhury, S.M. Numan, M.S. Islam, K. Parvin

1457 Feeding attitudes of pregnant women with diabetes
M. Johnston, C. Graves, P.G. Arbogast, W.O. Cooper

1458 Treatment of hyperglycemia in a 7-year-old child diagnosed with neonatal diabetes
E. Hathout, J. Mace, G.I. Bell, P.R. Njølstad

1458 Circulating vitamin D concentrations in two neighboring populations with markedly different incidence of type 1 diabetes
H. Viskari, A. Kondrashova, P. Koskela, M. Knip, H. Hyöty

1459 Soluble tumor necrosis factor receptor 2 is independently associated with brachial-ankle pulse-wave velocity in nonobese Japanese type 2 diabetic patients
M. Ohgushi, A. Taniguchi, M. Fukushima, Y. Nakai, A. Kuroe, M. Ohya, Y. Seino

1460 Divergent relationships among soluble tumor necrosis factor- α receptors 1 and 2, insulin resistance, and endothelial function
E. Esteve, A. Castro, A. López-Bermejo, J. Vendrell, W. Ricart, J.-M. Fernández-Real

Letters: Comments and Responses

1461 Race differences in long-term diabetes management in an HMO: response to Adams et al.
C.B. Hart

1462 Race differences in long-term diabetes management in an HMO: response to Hart
A.S. Adams, F. Zhang, C.M. Trinacty, R.W. Grant, K. Kleinman, J.B. Meigs, D. Ross-Degnan

1462 Testing the accelerator hypothesis: body size, β -cell function, and age at onset of type 1 (autoimmune) diabetes: response to Dabelea et al.
T.J. Wilkin

1463 Testing the accelerator hypothesis: body size, β -cell function, and age at onset of type 1 (autoimmune) diabetes: response to Wilkin
D. Dabelea for the SEARCH for Diabetes in Youth Study Group

1465 Key Global Literature

1467 Issues and Updates

1468 SI Units Table

1469 Classified Advertising