

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (▶) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Bench to Clinic Symposia

- ▶ **2425** Interactive behavior change technology to support diabetes self-management: where do we stand?
J.D. Piette
- ▶ **2433** Behavioral and psychosocial interventions in diabetes: a conceptual review
M. Peyrot, R.R. Rubin
- ▶ **2441** Transitioning from pediatric to adult care: a new approach to the post-adolescent young person with type 1 diabetes
J. Weissberg-Benchell, H. Wolpert, B.J. Anderson

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

- 2447** Comparison of pharmacokinetics and dynamics of the long-acting insulin analogs glargine and detemir at steady state in type 1 diabetes: a double-blind, randomized, crossover study
F. Porcellati, P. Rossetti, N.R. Busciantella, S. Marzotti, P. Lucidi, S. Luzio, D.R. Owens, G.B. Bolli, C.G. Fanelli
- 2453** Differences in A1C by race and ethnicity among patients with impaired glucose tolerance in the Diabetes Prevention Program
W.H. Herman, Y. Ma, G. Uwaijo, S. Haffner, S.E. Kahn, E.S. Horton, J.M. Lachin, M.G. Montez, T. Brenneman, E. Barrett-Connor, for the Diabetes Prevention Program Research Group
- 2458** Pioglitazone and rosiglitazone have different effects on serum lipoprotein particle concentrations and sizes in patients with type 2 diabetes and dyslipidemia
M.A. Deeg, J.B. Buse, R.B. Goldberg, D.M. Kendall, A.J. Zagar, S.J. Jacober, M.A. Khan, A.T. Perez, M.H. Tan, on behalf of the GLAI Study Investigators
- 2465** Type 2 diabetes prevention in the "real world": one-year results of the GOAL Implementation Trial
P. Absetz, R. Valve, B. Oldenburg, H. Heinonen, A. Nissinen, M. Fogelholm, V. Ilvesmäki, M. Talja, A. Uutela
- 2471** Diabetes personal trainer outcomes: short-term and 1-year outcomes of a diabetes personal trainer intervention among youth with type 1 diabetes
T.R. Nansel, R.J. Iannotti, B.G. Simons-Morton, C. Cox, L.P. Plotnick, L.M. Clark, L. Zeitoff
- 2478** Patient perceptions of quality of life with diabetes-related complications and treatments
E.S. Huang, S.E.S. Brown, B.G. Ewigman, E.C. Foley, D.O. Meltzer
- 2484** Depressive symptoms, race, and glucose concentrations: the role of cortisol as mediator
S.H. Boyle, R.S. Surwit, A. Georgiades, B.H. Brummett, M.J. Helms, R.B. Williams, J.C. Barefoot
- 2489** Preventive counseling among women with histories of gestational diabetes mellitus
C. Kim, L.N. McEwen, E.A. Kerr, J.D. Piette, M.C. Chames, A. Ferrara, W.H. Herman

2496 Prepregnancy diabetes and risk of placental vascular disease
T. Becker, M.J. Vermeulen, P.R. Wyatt, C. Meier, J.G. Ray

2499 Factors correlating with improved A1C in children using continuous subcutaneous insulin infusion
J.J.F. McVean, J.C. Eickhoff, M.J. MacDonald

2501 Seasonal changes in preprandial glucose, A1C, and blood pressure in diabetic patients
W.W. Liang

2503 Ultradian variation of blood glucose in intensive care unit patients receiving insulin infusions
S.M. Smith, K.E. Oveson, W. Strauss, K. Raven, M.C. Lefevre, A.J. Ahmann, D.S. Hagg

2506 Dose-response relationship of insulin glulisine in subjects with type 1 diabetes
R.H.A. Becker, A.D. Frick, L. Nosek, L. Heinemann, K. Rave

2508 Body weight changes associated with insulin therapy: a retrospective pooled analysis of inhaled human insulin (Exubera) versus subcutaneous insulin in five controlled Phase III trials
P.A. Hollander, A. Krasner, S. Klioze, P. Schwartz, W. Duggan

2511 Exercise training improves glycemic control in long-standing insulin-treated type 2 diabetic patients
H.M. De Feyter, S.F. Praet, N.M. van den Broek, H. Kuipers, C.D. Stehouwer, K. Nicolay, J.J. Prompers, L.J.C. van Loon

2514 Adiponectin decreases postprandially following a heat-processed meal in individuals with type 2 diabetes: an effect prevented by benfotiamine and cooking method
A. Stirban, M. Negrean, B. Stratmann, C. Götting, J. Salomon, K. Kleesiek, D. Tschoepe

Epidemiology/Health Services Research

- 2517** Family history and prevalence of diabetes in the U.S. population: the 6-year results from the National Health and Nutrition Examination Survey (1999–2004)
R. Valdez, P.W. Yoon, T. Liu, M.J. Khoury
- 2523** Diabetic nephropathy in 27,805 children, adolescents, and adults with type 1 diabetes: effect of diabetes duration, A1C, hypertension, dyslipidemia, diabetes onset, and sex
K. Raile, A. Galler, S. Hofer, A. Herbst, D. Dunstheimer, P. Busch, R.W. Holl
- 2529** Association of oxidative stress, insulin resistance, and diabetes risk phenotypes: the Framingham Offspring Study
J.B. Meigs, M.G. Larson, C.S. Fox, J.F. Keaney, Jr., R.S. Vasan, E.J. Benjamin
- 2536** Pelvic floor disorders, diabetes, and obesity in women: findings from the Kaiser Permanente Continence Associated Risk Epidemiology Study
J.M. Lawrence, E.S. Lukacz, I.-L. Amy Liu, C.W. Nager, K.M. Luber
- 2542** Determinants of incident hyperglycemia 6 years after delivery in young rural Indian mothers: the Pune Maternal Nutrition Study (PMNS)
S.R. Kulkarni, C.H.D. Fall, N.V. Joshi, H.G. Lubree, V.U. Deshpande, R.V. Pasarkar, D.S. Bhat, S.S. Naik, C.S. Yajnik
- 2548** Cost-effectiveness of the interventions in the primary prevention of diabetes among Asian Indians: within-trial results of the Indian Diabetes Prevention Programme (IDPP)
A. Ramachandran, C. Snehalatha, A. Yamuna, S. Mary, Z. Ping

Table of Contents continues on page vii

2553 Costs of the metabolic syndrome in elderly individuals: findings from the Cardiovascular Health Study
L.H. Curtis, B.G. Hammill, M.A. Bethel, K.J. Anstrom, J.S. Gottdiener, K.A. Schulman

2559 Risk factors for mortality in a diverse cohort of patients with childhood-onset diabetes in Chicago
D.L. Burnet, A.J. Cooper, M.L. Drum, R.B. Lipton

2564 Tonsillectomy and adenoidectomy are not associated with an altered risk of childhood-onset type 1 diabetes
C.R. Cardwell, D.J. Carson, E.J. McNaboe, C.C. Patterson

2566 Abnormal liver function test predicts type 2 diabetes: a community-based prospective study
N.H. Cho, H.C. Jang, S.H. Choi, H.R. Kim, H.K. Lee, J.C.N. Chan, S. Lim

2569 Serum 25-hydroxyvitamin D concentration and subsequent risk of type 2 diabetes
C. Mattila, P. Knekt, S. Männistö, H. Rissanen, M.A. Laaksonen, J. Montonen, A. Reunanen

Emerging Treatments and Technologies

2571 The effect of exercise on the absorption of inhaled human insulin via the AERx insulin diabetes management system in people with type 1 diabetes
A.H. Petersen, G. Köhler, S. Korsatko, A. Wutte, M. Wonisch, O.K. Jeppesen, T. Sparre, P. Clauson, T. Laursen, P. Wollmer, T.R. Pieber

2577 Nonwindowed nonremovable fiberglass off-loading cast versus removable pneumatic cast (AircastXP Diabetic Walker) in the treatment of neuropathic noninfected plantar ulcers: a randomized prospective trial
C. Caravaggi, A. Sganzeroli, M. Fabbi, P. Cavaiani, I. Pogliaghi, R. Ferraresi, F. Capello, A. Morabito

Pathophysiology/Complications

2579 Single oral challenge by advanced glycation end products acutely impairs endothelial function in diabetic and nondiabetic subjects
J. Uribarri, A. Stirban, D. Sander, W. Cai, M. Negrean, C.E. Buenting, T. Koschinsky, H. Vlassara

2583 Possible role of α -cell insulin resistance in exaggerated glucagon responses to arginine in type 2 diabetes
N. Tsuchiyama, T. Takamura, H. Ando, M. Sakurai, A. Shimizu, K. Kato, S. Kurita, S. Kaneko

2588 Serum levels of adipokine retinol-binding protein-4 in relation to renal function
M. Ziegelmeier, A. Bachmann, J. Seeger, U. Lossner, J. Kratzsch, M. Blüher, M. Stumvoll, M. Fasshauer

2593 Higher prevalence of elevated albumin excretion in youth with type 2 than type 1 diabetes: the SEARCH for Diabetes in Youth Study
D.M. Maahs, B.M. Snively, R.A. Bell, L. Dolan, I. Hirsch, G. Imperatore, B. Linder, S.M. Marcovina, E.J. Mayer-Davis, D.J. Pettitt, B.L. Rodriguez, D. Dabelea

2599 Carotid intima-media thickness in pediatric type 1 diabetic patients
R.R. Rodriguez, R.A. Gómez-Díaz, J.T. Haj, F.J.A. Garnica, E.R. Soriano, E.N. Meguro, C.A. Aguilar-Salinas, N.H. Wacher

2603 Differing causes of pregnancy loss in type 1 and type 2 diabetes
T. Cundy, G. Gamble, L. Neale, R. Elder, P. McPherson, P. Henley, J. Rowan

2608 Corneal confocal microscopy detects early nerve regeneration after pancreas transplantation in patients with type 1 diabetes
S. Mehra, M. Tavakoli, P.A. Kallinikos, N. Efron, A.J.M. Boulton, T. Augustine, R.A. Malik

2613 Subclinical neuropathy among diabetes control and complications trial participants without diagnosable neuropathy at trial completion: possible predictors of incident neuropathy?
J.W. Albers, W.H. Herman, R. Pop-Busui, C.L. Martin, P. Cleary, B. Waberski, for the Diabetes Control and Complications Trial (DCCT)/Epidemiology of Diabetes Intervention and Complications (EDIC) Research Group

2619 Challenges in design of multicenter trials: end points assessed longitudinally for change and monotonicity
P.J. Dyck, J.E. Norell, H. Tritschler, K. Schuette, R. Samigullin, D. Ziegler, E.J. Bastyr, III, W.J. Litchy, P.C. O'Brien

2626 Factors that impact symptomatic diabetic peripheral neuropathy in placebo-administered patients from two 1-year clinical trials
S. Tesfaye, R. Tandan, E.J. Bastyr, III, K.A. Kles, V. Skljarevski, K.L. Price, for the Ruboxistaurin Study Group

2633 Reduced incidence of lower-limb amputations in the diabetic population of a German city, 1990–2005: results of the Leverkusen Amputation Reduction Study (LARS)
C. Trautner, B. Haastert, P. Mauckner, L.-M. Gätcke, G. Giani

2638 Intrauterine growth retardation, insulin resistance, and nonalcoholic fatty liver disease in children
V. Nobili, M. Marcellini, G. Marchesini, E. Vanni, M. Manco, A. Villani, E. Bugianesi

2641 An evaluation of three wound measurement techniques in diabetic foot wounds
J. Shaw, C.M. Hughes, K.M. Lagan, P.M. Bell, M.R. Stevenson

2643 Peak plantar pressure and shear locations: relevance to diabetic patients
M. Yavuz, A. Erdemir, G. Botek, G.B. Hirschman, L. Bardsley, B.L. Davis

2646 Intensive treatment of diabetes is associated with a reduced rate of peripheral arterial calcification in the Diabetes Control and Complications Trial
R.E. Carter, D.T. Lackland, P.A. Cleary, E. Yim, M.F. Lopes-Virella, G.E. Gilbert, T.J. Orchard, for the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications (DCCT/EDIC) Study Research Group

2649 Association between urinary albumin excretion and plasma 5-hydroxyindole-3-acetic acid concentration in men with type 2 diabetes
M. Fukui, H. Ose, G. Hasegawa, T. Yoshikawa, N. Nakamura

2652 Taurine intestinal absorption and renal excretion test in diabetic patients: a pilot study
M. Merheb, R.T. Daher, M. Nasrallah, R. Sabra, F.N. Ziyadeh, K. Barada

Cardiovascular and Metabolic Risk

2655 Contribution of metabolic syndrome components to cognition in older individuals
M.G. Dik, C. Jonker, H.C. Comijs, D.J.H. Deeg, A. Kok, K. Yaffe, B.W. Penninx

2661 Measurement of cord insulin and insulin-related peptides suggests that girls are more insulin resistant than boys at birth
B.M. Shields, B. Knight, H. Hopper, A. Hill, R.J. Powell, A.T. Hattersley, P.M. Clark

2667 Serum adipocyte fatty acid-binding protein as a new biomarker predicting the development of type 2 diabetes: a 10-year prospective study in a Chinese cohort
A.W.K. Tso, A. Xu, P.C. Sham, N.M.S. Wat, Y. Wang, C.H.Y. Fong, B.M.Y. Cheung, E.D. Janus, K.S.L. Lam

2673 Relationship of liver enzymes to insulin sensitivity and intra-abdominal fat
T.M. Wallace, K.M. Utzschneider, J. Tong, D.B. Carr, S. Zraika, D.D. Bankson, R.H. Knopp, S.E. Kahn

Table of Contents continues on viii

2679 Exercise capacity and cardiovascular/metabolic characteristics of overweight and obese individuals with type 2 diabetes: the Look AHEAD clinical trial
P.M. Ribisl, W. Lang, S.A. Jaramillo, J.M. Jakicic, K.J. Stewart, J. Bahnson, R. Bright, J.F. Curtis, R.S. Crow, J.E. Soberman, on behalf of the Look AHEAD Research Group

2685 Insulin sensitivity, vascular function, and iron stores in voluntary blood donors
H. Zheng, M. Patel, R. Cable, L. Young, S.D. Katz

2690 Relationship among alcohol, body weight, and cardiovascular risk factors in 27,030 Korean men
K.-C. Sung, S.H. Kim, G.M. Reaven

2695 Risk of type 2 diabetes attributable to C-reactive protein and other risk factors
A. Dehghan, M. van Hoek, E.J.G. Sijbrands, T. Stijnen, A. Hofman, J.C.M. Witteman

2700 Parental history and risk of type 2 diabetes in overweight Latino adolescents: a longitudinal analysis
L.A. Kelly, C.J. Lane, M.J. Weigensberg, C. Koebnick, C.K. Roberts, J.N. Davis, C.M. Toledo-Corral, G.Q. Shaibi, M.I. Goran

2706 HDL composition predicts new-onset cardiovascular disease in patients with type 1 diabetes
P.-H. Groop, M.C. Thomas, M. Rosengård-Bärlund, V. Mills, M. Rönnback, S. Thomas, C. Forsblom, M.-R. Taskinen, G. Veberti

Reviews/Commentaries/ADA Statements

2708 Review Article
Retinal vascular changes in pre-diabetes and prehypertension: new findings and their research and clinical implications
T.T. Nguyen, J.J. Wang, T.Y. Wong

2716 Review Article
Routine psychological screening in youth with type 1 diabetes and their parents: a notion whose time has come?
F.J. Cameron, E.A. Northam, G.R. Ambler, D. Daneman

2725 Commentary
Do we know what homeostasis model assessment measures? If not, does it matter?
E.J. Boyko, C.C. Jensen

2729 Consensus Statement
Screening for coronary artery disease in patients with diabetes
J.J. Bax, L.H. Young, R.L. Frye, R.O. Bonow, H.O. Steinberg, E.J. Barrett

2737 Perspectives on the News
Exploring treatment strategies for type 2 diabetes
Z.T. Bloomgarden

Editorials

2746 Editorial
A call for more effectively integrating behavioral and social science principles into comprehensive diabetes care
L. Fisher, R.E. Glasgow

2450 Editorial (see Uribarri et al., p. 2579)
Macronutrients, advanced glycation end products, and vascular reactivity
P. Dandona, A. Chaudhuri, P. Mohanty

2752 Editorial (see Dyck et al., p. 2619)
Whither clinical research in diabetic sensorimotor peripheral neuropathy?: problems of end point selection for clinical trials
A.J.M. Boulton

2754 Editorial (see Shields et al., p. 2661)
Fetal programming of type 2 diabetes: is sex important?
C.S. Yajnik, K. Godbole, S.R. Otiv, H.G. Lubree

2756 Editorial (see Herman et al., p. 2453)
A1C: does one size fit all?
R.M. Cohen

2759 Key Global Literature

2761 Errata

2764 Issues and Updates

2765 SI Units Table

2766 Classified Advertising

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Online Letters: Observations

e104 Early glibenclamide treatment in a clinical newborn with *KCNJ11* gene mutation
G. Däublin, B. Lorenz-Depiereux, T.M. Strom, O. Blankenstein, K. Raile

e105 Self-monitoring of blood glucose in type 2 diabetes: steps toward consensus
The International SMBG Working Group

Online Letters: Comments and Responses

e106 Insulin resistance and hyperinsulinemia are related to plasma aldosterone levels in hypertensive patients: response to Colussi et al.
A. Perciaccante, A. Fiorentini, R. Valente, A. Di Stefano, L. Tubani

e107 Insulin resistance and hyperinsulinemia are related to plasma aldosterone levels in hypertensive patients: response to Perciaccante et al.
G. Colussi, C. Catena, R. Lapenna, E. Nadalini, A. Chiuch, L.A. Sechi