

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (►) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

2767 Exploring the substitution of exenatide for insulin in patients with type 2 diabetes treated with insulin in combination with oral antidiabetes agents
S.N. Davis, D. Johns, D. Maggs, H. Xu, J.H. Northrup, R.G. Brodows

2773 Pioglitazone use and heart failure in patients with type 2 diabetes and preexisting cardiovascular disease: data from the PROactive Study (PROactive 08)
E. Erdmann, B. Charbonnel, R.G. Wilcox, A.M. Skene, M. Massi-Benedetti, J. Yates, M. Tan, R. Spanheimer, E. Standl, J.A. Dormandy on behalf of the PROactive Investigators

2779 Comparison of accuracy measures of two screening tests for gestational diabetes mellitus
M. van Leeuwen, E.J.K. Zweers, B.C. Opmeer, E. van Ballegooie, H.G. ter Brugge, H.W. de Valk, B.W.J. Mol, G.H.A. Visser

2785 Changes in the glycemic profiles of women with type 1 and type 2 diabetes during pregnancy
H.R. Murphy, G. Rayman, K. Duffield, K.S. Lewis, S. Kelly, B. Johal, D. Fowler, R.C. Temple

2792 Lactation after normal pregnancy is not associated with blood glucose fluctuations
R. Bentley-Lewis, A.B. Goldfine, D.E. Green, E.W. Seely

2794 Pramlintide improved glycemic control and reduced weight in patients with type 2 diabetes using basal insulin
M. Riddle, J. Frias, B. Zhang, H. Maier, C. Brown, K. Lutz, O. Kolterman

2800 The effect of glucosamine on serum HDL cholesterol and apolipoprotein AI levels in people with diabetes
S.G. Albert, R. Fishman Oiknine, S. Parseghian, A.D. Mooradian, M.J. Haas, T. McPherson

2804 Supplementation of conventional therapy with the novel grain Salba (*Salvia hispanica L.*) improves major and emerging cardiovascular risk factors in type 2 diabetes: results of a randomized controlled trial
V. Vuksan, D. Whitham, J.L. Sievenpiper, A.L. Jenkins, A.L. Rogovik, R.P. Bazinet, E. Vidgen, A. Hanna

2811 Glycemic index, dietary fiber, and risk of type 2 diabetes in a cohort of older Australians
A.W. Barclay, V.M. Flood, E. Rochtchina, P. Mitchell, J.C. Brand-Miller

2814 Vinegar ingestion at bedtime moderates waking glucose concentrations in adults with well-controlled type 2 diabetes
A.M. White, C.S. Johnston

2816 Dietary cod protein improves insulin sensitivity in insulin-resistant men and women: a randomized controlled trial
V. Ouellet, J. Marois, S.J. Weisnagel, H. Jacques

2822 The decision not to drive during hypoglycemia in patients with type 1 and type 2 diabetes according to hypoglycemia awareness
A.D.M. Stork, T.W. van Haeften, T.F. Veneman

2827 Cognitive function and army rejection rate in young adult male offspring of women with diabetes: a Danish population-based cohort study
G.L. Nielsen, C. Dethlefsen, H.T. Sørensen, J.F. Pedersen, L. Molsted-Pedersen

► **2832** Effectiveness of a self-management intervention in patients with screen-detected type 2 diabetes
B. Thoelen, D. de Ridder, J. Bensing, C. Maas, S. Griffin, K. Gorter, G. Rutten

2838 Changes in vigorous physical activity and incident diabetes in male runners
P.T. Williams

2843 Development of an evaluation scale for self-management behavior related to physical activity of type 2 diabetic patients
Y. Nakawatase, C. Taru, A. Tsutou, H. Shiotani, Y. Kido, T. Ohara, W. Ogawa, I. Miyawaki

2849 Glucose control, self-care behaviors, and the presence of the chronic care model in primary care clinics
M.L. Parchman, J.A. Pugh, C.-P. Wang, R.L. Romero

2855 Patient perspectives on consistency of medical care with recommended care in type 2 diabetes
J.S. Tabrizi, A.J. Wilson, P.K. O'Rourke, E.T. Coyne

2857 Internet diabetic patient management using a short messaging service automatically produced by a knowledge matrix system
C. Kim, H. Kim, J. Nam, M. Cho, J. Park, E. Kang, C. Ahn, B. Cha, E. Lee, S. Lim, K. Kim, H. Lee

2859 Does age at diabetes diagnosis influence long-term physical and behavioral outcomes?
A.E. Carroll, R.T. Ackermann, E.J. Brizendine, C. Shen, D.G. Marrero

2861 Five-year prevalence and persistence of disturbed eating behavior and eating disorders in girls with type 1 diabetes
P.A. Colton, M.P. Olmsted, D. Daneman, A.C. Rydall, G.M. Rodin

Epidemiology/Health Services Research

2863 The CETP TaqIB polymorphism is associated with the risk of sudden death in type 2 diabetic patients
I. Porchay-Baldérelli, F. Péan, N. Bellili, R. Jaziri, M. Marre, F. Fumeron, for the DIABHYCAR Study Group

2868 Symptoms of diabetes and their association with the risk and presence of diabetes: findings from the Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes (SHIELD)
N.G. Clark, K.M. Fox, S. Grandy, for the SHIELD Study Group

2874 Cost-effectiveness of screening for pre-diabetes among overweight and obese U.S. adults
T.J. Hoerger, K.A. Hicks, S.W. Sorensen, W.H. Herman, R.E. Ratner, R.T. Ackermann, P. Zhang, M.M. Engelgau

Pathophysiology/Complications

2880 Skeletal muscle deoxygenation after the onset of moderate exercise suggests slowed microvascular blood flow kinetics in type 2 diabetes
T.A. Bauer, J.E.B. Reusch, M. Levi, J.G. Regensteiner

2886 Increases in central aortic impedance precede alterations in arterial stiffness measures in type 1 diabetes
N.K. Sweitzer, M. Shenoy, J.H. Stein, S. Keles, M. Palta, T. LeCaire, G.F. Mitchell

► **2892** Resolution of asymptomatic myocardial ischemia in patients with type 2 diabetes in the Detection of Ischemia in Asymptomatic Diabetics (DIAD) Study
F.J. Th. Wackers, D.A. Chyun, L.H. Young, G.V. Heller, A.E. Iskandrian, J.A. Davey, E.J. Barrett, R. Taillefer, S.D. Wittlin, N. Filipchuk, R.E. Ratner, S.E. Inzucchi, for the Detection of Ischemia in Asymptomatic Diabetics (DIAD) Investigators

2899 Plasma asymmetric dimethylarginine (ADMA) is associated with retinopathy in type 2 diabetes
M.T. Malecki, A. Undas, K. Cyganek, B. Mirkiewicz-Sieradzka, P. Wolkow, G. Osmenda, M. Walus-Miarka, T.J. Guzik, J. Sieradzki

2902 Lower somatostatin expression is an early event in diabetic retinopathy and is associated with retinal neurodegeneration
E. Carrasco, C. Hernández, A. Miralles, P. Huguet, J. Farrés, R. Simó

2909 White blood cells telomere length is shorter in males with type 2 diabetes and microalbuminuria
N. Tentolouris, R. Nzietchung, V. Cattan, G. Poitevin, P. Lacolley, A. Papazafiroglou, D. Perrea, N. Katsilambros, A. Benetos

► **2916** Pancreatic fat content and β-cell function in men with and without type 2 diabetes
M.E. Tushuizen, M.C. Bunc, P.J. Pouwels, S. Bontemps, J.H.T. van Waesberghe, R.K. Schindhelm, A. Mari, R.J. Heine, M. Diamant

2922 Dehydroepiandrosterone administration counteracts oxidative imbalance and advanced glycation end product formation in type 2 diabetic patients
E. Brignardello, C. Runzo, M. Aragno, M.G. Catalano, M. Cassader, P. Cavallo Perin, G. Bocuzzi

Cardiovascular and Metabolic Risk

2928 Long-term predictors of insulin resistance: role of lifestyle and metabolic factors in middle-aged men
U. Risérus, J. Årnlöv, L. Berglund

2934 Osteoprotegerin: a novel independent marker for silent myocardial ischemia in asymptomatic diabetic patients
A. Avignon, A. Sultan, C. Piot, D. Mariano-Goulart, J.-F. Thuau dit Dieudonné, J.P. Cristol, A.M. Dupuy

2940 Nonalcoholic fatty liver disease is a risk factor for type 2 diabetes in middle-aged Japanese men
M. Shibata, Y. Kihara, M. Taguchi, M. Tashiro, M. Otsuki

2945 Effect of weight loss on LDL and HDL kinetics in the metabolic syndrome: associations with changes in plasma retinol-binding protein-4 and adiponectin levels
T.W.K. Ng, G.F. Watts, P.H.R. Barrett, K.-A. Rye, D.C. Chan

2951 Insulin resistance, metabolic syndrome, and subclinical atherosclerosis: the multi-ethnic study of atherosclerosis (MESA)
A.G. Bertoni, N.D. Wong, S. Shea, S. Ma, K. Liu, S. Preethi, D.R. Jacobs, Jr., C. Wu, M.F. Saad, M. Szklaruk

2957 Mediterranean diet inversely associated with the incidence of metabolic syndrome: the SUN prospective cohort
A. Tortosa, M. Bes-Rastrollo, A. Sanchez-Villegas, F.J. Basterra-Gortari, J.M. Nuñez-Cordoba, M.A. Martínez-González

2960 Relationship between leg length and gestational diabetes mellitus in Chinese pregnant women
R. Ma, T.T. Lao, C. Ma, S. Liao, Y. Lu, M. Du, H. Xiao, L. Zhang, M. Yang, X. Xiao

2962 Behavior of insulin resistance and its metabolic correlates in prepubertal children: a longitudinal study (EarlyBird 32)
A.N. Jeffery, S. Alba, M.J. Murphy, L.D. Voss, B.S. Metcalf, J. Hosking, D.S.-L. Gardner, N. Sattar, T.J. Wilkin

Reviews/Commentaries/ADA Statements

2965 Perspectives on the News
Type 1 diabetes and glucose monitoring
Z.T. Bloomgarden

Editorials

2972 Editorial (see Davis et al., p. 2767)
Missing the point: substituting exenatide for nonoptimized insulin: going from bad to worse!
J. Rosenstock, V. Fonseca

2974 Editorial (see Tentolouris et al., p. 2909)
Pathogenetic loop between diabetes and cell senescence
R. Testa, A. Ceriello

2976 Point-Counterpoint (see p. 2980)
Point: Oral hypoglycemic agents should not be used to treat diabetic pregnant women
L. Jovanovic

2980 Point-Counterpoint (see p. 2976)
Counterpoint: Oral hypoglycemic agents should be used to treat diabetic pregnant women
E.J. Coetzee

2983 Key Global Literature

2985 Issues and Updates

2987 Classified Advertising

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Online Letters: Observations

e108 Sulfonylurea treatment in permanent neonatal diabetes due to G53D mutation in the KCNJ11 gene: improvement in glycemic control and neurological function
L.C. Gurgel, F. Crispim, M.H.S. Noffs, E. Belzunces, M.A. Rahal, R.S. Moisés

e109 Elevated plasma adiponectin and leptin levels in sisters with genetically defective insulin receptors
Y. Hattori, N. Hirama, K. Suzuki, S. Hattori, K. Kasai

Online Letters: Comments and Responses

e110 Insulin sensitivity and insulin secretion determined by homeostasis model assessment and risk of diabetes in a multiethnic cohort of women: the Women's Health Initiative Observational Study: response to Song et al.
E.J. Boyko, D. Magliano, J.E. Shaw

e111 Insulin sensitivity and insulin secretion determined by homeostasis model assessment and risk of diabetes in a multiethnic cohort of women: the Women's Health Initiative Observational Study: response to Boyko et al.
Y. Song, S. Liu

e112 An evaluation of methods of assessing impaired awareness of hypoglycemia in type 1 diabetes: response to Geddes et al.
U. Pedersen-Bjergaard, T. Høi-Hansen, B. Thorsteinsson

e113 An evaluation of methods of assessing impaired awareness of hypoglycemia in type 1 diabetes: response to Pedersen-Bjergaard et al.
J. Geddes, B.M. Frier

e114 Prospective study of type 1 and type 2 diabetes and risk of stroke subtypes: the Nurses' Health Study: response to Janghorbani et al.
A. Tuttolomondo, A. Pinto, D. Di Raimondo, G. Licata

e115 Prospective study of type 1 and type 2 diabetes and risk of stroke subtypes: the Nurses' Health Study: response to Tuttolomondo et al.

M. Janghorbani, K.M. Rexrode, G. Logroscino

e116 National standards for diabetes self-management education: response to Funnell et al.

A. T.Y. Shiu

e117 National standards for diabetes self-management education: response to Shiu

R.M. Anderson, M.M. Funnell

e118 Seasonal changes in preprandial glucose, A1C, and blood pressure in diabetic patients: response to Liang
M.C. Honeyman, S. Elkassaby, L.C. Harrison

e119 Seasonal changes in preprandial glucose, A1C, and blood pressure in diabetic patients: response to Honeyman et al.
W.W. Liang

e120 Thyroid autoimmunity at onset of type 1 diabetes as a predictor of thyroid dysfunction: response to González et al.
R.E. Warren, B.M. Frier

e121 Thyroid autoimmunity at onset of type 1 diabetes as a predictor of thyroid dysfunction: response to Warren and Frier
G. Carreras-González, A. Pérez

e122 Monounsaturated fat-rich diet prevents central body fat distribution and decreases postprandial adiponectin expression

induced by a carbohydrate-rich diet in insulin-resistant subjects: response to Paniagua et al.
K.Z. Walker, K. O'Dea

e123 Monounsaturated fat-rich diet prevents central body fat distribution and decreases postprandial adiponectin expression induced by a carbohydrate-rich diet in insulin-resistant subjects: response to Walker and O'Dea
J.A. Paniagua, A. Vidal-Puig

e124 Intrauterine growth retardation, insulin resistance, and nonalcoholic fatty liver disease in children: response to Nobili et al.
A. Fraser, S. Ebrahim, Y. Ben-Shlomo, G. Davey Smith, D.A. Lawlor

e125 Intrauterine growth retardation, insulin resistance, and nonalcoholic fatty liver disease in children: response to Fraser et al.
G. Marchesini, V. Nobili, E. Bugianesi

e126 High titer of autoantibodies to GAD identifies a specific phenotype of adult-onset autoimmune diabetes: response to Buzzetti et al.
T. Kobayashi, S. Tanaka, A. Shimada, T. Maruyama

e127 High titer of autoantibodies to GAD identifies a specific phenotype of adult-onset autoimmune diabetes: response to Kobayashi et al.
R. Buzzetti, A. Petrone, M. Capizzi, E. Bosi, for the Non Insulin Requiring Autoimmune Diabetes (NIRAD) Study Group