

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (▶) are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Original Articles

Clinical Care/Education/Nutrition

203 Physical activity in U.S. adults with diabetes and at risk for developing diabetes, 2003

E.H. Morrato, J.O. Hill, H.R. Wyatt, V. Ghushchyan, P.W. Sullivan

210 Effect of adjunctive pramlintide treatment on treatment satisfaction in patients with type 1 diabetes

D.G. Marrero, J. Crean, B. Zhang, T. Kellmeyer, M. Gloster, K. Herrmann, R. Rubin, N. Fineberg, O. Kolterman

217 Comparison of vildagliptin and rosiglitazone monotherapy in patients with type 2 diabetes: a 24-week, double-blind, randomized trial

J. Rosenstock, M.A. Baron, S. Dejager, D. Mills, A. Schweizer

224 Effect of a nurse-directed diabetes disease management program on urgent care/emergency room visits and hospitalizations in a minority population

M.B. Davidson, A. Ansari, V.J. Karlan

Epidemiology/Health Services/Psychosocial Research

228 Progression from newly acquired impaired fasting glucose to type 2 diabetes

G.A. Nichols, T.A. Hillier, J.B. Brown

234 Androgens and diabetes in men: results from the Third National Health and Nutrition Examination Survey (NHANES III)

E. Selvin, M. Feinleib, L. Zhang, S. Rohrmann, N. Rifai, W.G. Nelson, A. Dobs, S. Basaria, S.H. Golden, E.A. Platz

239 Serum adiponectin and renal dysfunction in men with type 2 diabetes

J. Lin, F.B. Hu, G. Curhan

245 Impact of self-reported patient characteristics upon assessment of glycemic control in the Veterans Health Administration

M. Maney, C.-L. Tseng, M.M. Safford, D.R. Miller, L.M. Pogach

▶ **252** Increasing expenditure on health care incurred by diabetic subjects in a developing country: a study from India

A. Ramachandran, S. Ramachandran, C. Snehalatha, C. Augustine, N. Murugesan, V. Viswanathan, A. Kapur, R. Williams

Pathophysiology/Complications

257 The BIGTT test: a novel test for simultaneous measurement of pancreatic β -cell function, insulin sensitivity, and glucose tolerance

T. Hansen, T. Drivsholm, S.A. Urhammer, R.T. Palacios, A. Vølund, K. Borch-Johnsen, O. Pedersen

263 The loss of postprandial glycemic control precedes stepwise deterioration of fasting with worsening diabetes

L. Monnier, C. Colette, G.J. Dunseath, D.R. Owens

270 Probe-to-bone test for diagnosing diabetic foot osteomyelitis: reliable or relic?

L.A. Lavery, D.G. Armstrong, E.J.G. Peters, B.A. Lipsky

275 Functional vascular endothelial growth factor $-634G>C$ SNP is associated with proliferative diabetic retinopathy: a case-control study in a Brazilian population of European ancestry

F.I.V. Errera, L.H. Canani, M.E.R. Silva, E. Yeh, W. Takahashi, K.G. Santos, K.E.P. Souto, B. Tschiedel, I. Roisenberg, J.L. Gross, M.R. Passos-Bueno

280 Total and high-molecular weight adiponectin in relation to metabolic variables at baseline and in response to an exercise treatment program: comparative evaluation of three assays

M. Blüher, A.M. Brennan, T. Kelesidis, J. Kratzsch, M. Fasshauer, S. Kralisch, C.J. Williams, C.S. Mantzoros

286 Ethnicity, insulin resistance, and inflammatory adipokines in women at high and low risk for vascular disease

J.V. Silha, B.L.G. Nyomba, W.D. Leslie, L.J. Murphy

292 Retinopathy predicts cardiovascular mortality in type 2 diabetic men and women

A. Juutilainen, S. Lehto, T. Rönnemaa, K. Pyörälä, M. Laakso

300 How reliable is estimation of glomerular filtration rate at diagnosis of type 2 diabetes?

R.A. Chudleigh, G. Dunseath, W. Evans, J.N. Harvey, P. Evans, R. Ollerton, D.R. Owens

306 Effect of periodontitis on overt nephropathy and end-stage renal disease in type 2 diabetes

W.A. Shultis, E.J. Weil, H.C. Looker, J.M. Curtis, M. Shlossman, R.J. Genco, W.C. Knowler, R.G. Nelson

312 Prevalence of *Candida glabrata* and its response to boric acid vaginal suppositories in comparison with oral fluconazole in patients with diabetes and vulvovaginal candidiasis

D. Ray, R. Goswami, U. Banerjee, V. Dadhwal, D. Goswami, P. Mandal, V. Sreenivas, N. Kochupillai

Cardiovascular and Metabolic Risk

318 Insulin resistance as estimated by homeostasis model assessment predicts incident symptomatic cardiovascular disease in Caucasian subjects from the general population: the Bruneck Study

E. Bonora, S. Kiechl, J. Willeit, F. Oberhollenzer, G. Egger, J.B. Meigs, R.C. Bonadonna, M. Muggeo

325 Cardiometabolic risk in impaired fasting glucose and impaired glucose tolerance: the Atherosclerosis Risk in Communities study

J.S. Pankow, D.K. Kwan, B.B. Duncan, M.I. Schmidt, D.J. Couper, S. Golden, C.M. Ballantyne

▶ **332** High risk of cardiovascular mortality in individuals with impaired fasting glucose is explained by conversion to diabetes: the Hoorn Study

J.M. Rijkkelijkhuizen, G. Nijpels, R.J. Heine, L.M. Bouter, C.D.A. Stehouwer, J.M. Dekker

337 Physical activity and metabolic risk in individuals with a family history of type 2 diabetes

U. Ekelund, S.J. Griffin, N.J. Wareham, ProActive Research Group

343 Should central obesity be an optional or essential component of the metabolic syndrome? Ischemic heart disease risk in the Singapore Cardiovascular Cohort Study

J. Lee, S. Ma, D. Heng, C.-E. Tan, S.-K. Chew, K. Hughes, E.-S. Tai

348 Visceral fatness and insulin sensitivity in women with a previous history of gestational diabetes mellitus

S. Lim, S.H. Choi, Y.J. Park, K.S. Park, H.K. Lee, H.C. Jang, N.H. Cho, B.E. Metzger

Table of Contents continues on page v

354 Sex differences in endothelial function markers before conversion to pre-diabetes: does the clock start ticking earlier among women? The Western New York Study
R.P. Donahue, K. Rejman, L.B. Rafalson, J. Dmochowski, S. Stranges, M. Trevisan

Brief Reports

Clinical Care/Education/Nutrition

360 An assessment of eligibility for inhaled insulin (Exubera): the Fremantle Diabetes Study
T.M.E. Davis, W.A. Davis

362 Clinical outcomes and cost-effectiveness of retinopathy screening in youth with type 1 diabetes
B. Huo, A.T. Steffen, K. Swan, K. Sikes, S.A. Weinzimer, W.V. Tamborlane

Epidemiology/Health Services/Psychosocial Research

364 Depression and depression care in diabetes: relationship to perceived discrimination in African Americans
J. Wagner, G. Abbott

367 Prevalence of hyper- and hypoglycemia among inpatients with diabetes: a national survey of 44 U.S. hospitals
D.J. Wexler, J.B. Meigs, E. Cagliero, D.M. Nathan, R.W. Grant

Emerging Treatments and Technologies

370 Larval therapy: a novel treatment in eliminating methicillin-resistant *Staphylococcus aureus* from diabetic foot ulcers
F.L. Bowling, E.V. Salgami, A.J.M. Boulton

Pathophysiology/Complications

372 Platelet response to clopidogrel is attenuated in diabetic patients undergoing coronary stent implantation
T. Geisler, N. Anders, M. Paterok, H. Langer, K. Stellos, S. Lindemann, C. Herdeg, A.E. May, M. Gawaz

375 Circulating levels of the antiangiogenic marker soluble FMS-like tyrosine kinase 1 are elevated in women with pregestational diabetes and preeclampsia: angiogenic markers in preeclampsia and preexisting diabetes
A. Cohen, K.-H. Lim, Y. Lee, S. Rana, S.A. Karumanchi, F. Brown

378 Bacterial load predicts healing rate in neuropathic diabetic foot ulcers
L. Xu, S.V. McLennan, L. Lo, A. Natfaji, T. Bolton, Y. Liu, S.M. Twigg, D.K. Yue

Cardiovascular and Metabolic Risk

381 Diabetes is not treated as a coronary artery disease risk equivalent
B.R. Shah, J.E. Hux, P.C. Austin

Reviews/Commentaries/ADA Statements

384 Meta-Analysis

Thiazolidinediones and risk of repeat target vessel revascularization following percutaneous coronary intervention: a meta-analysis
D.M. Riche, R. Valderrama, N.N. Henyan

389 Meta-Analysis

A systematic review and meta-analysis of hypoglycemia and cardiovascular events: a comparison of glyburide with other secretagogues and with insulin
A.S. Gangji, T. Cukierman, H.C. Gerstein, C.H. Goldsmith, C.M. Clase

395 Review

Pharmacotherapy of childhood obesity: an evidence-based, conceptual approach
M. Freemark

▶ 403 Review

Glucose measurement: confounding issues in setting targets for inpatient management
K. Dungan, J. Chapman, S.S. Braithwaite, J. Buse

410 Review

Prediction of clinical outcome in islet allotransplantation
F. Bertuzzi, C. Ricordi

418 Commentary

Clinical implications of the DREAM study
M.B. Davidson

421 Commentary

Surgical decompression for diabetic sensorimotor polyneuropathy
D.R. Cornblath, A. Vinik, E. Feldman, R. Freeman, A.J.M. Boulton

423 Perspectives on the News

Prevention of cardiovascular disease
Z.T. Bloomgarden

Editorials

432 Point-Counterpoint (see p. 435)

Point: If it is important to prevent type 2 diabetes, it is important to consider all proven therapies within a comprehensive approach
H.C. Gerstein

435 Point-Counterpoint (see p. 432)

Counterpoint: Evidence-based prevention of type 2 diabetes: the power of lifestyle management
J. Tuomilehto

439 Point-Counterpoint (see p. 442)

Point: Pulmonary inhalation of insulin: another “brick in the wall”
W.T. Cefalu

442 Point-Counterpoint (see p. 439)

Counterpoint: No time to inhale: arguments against inhaled insulin in 2007
D.M. Nathan

Letters: Observations

444 Is metformin safe in patients with mild renal insufficiency?
A. Kazory, K. Walsh, E. Harman, Z. Talor

444 Malignant melanoma misdiagnosed as a diabetic foot ulcer
L.C. Rogers, D.G. Armstrong, A.J.M. Boulton, A.J. Freemont, R.A. Malik

Letters: Comments and Responses

445 An open, randomized, parallel-group study to compare the efficacy and safety profile of inhaled human insulin (Exubera) with glibenclamide as adjunctive therapy in patients with type 2 diabetes poorly controlled on metformin: response to Barnett et al.
B. Kanna, H. Abreu-Pacheco

446 An open, randomized, parallel-group study to compare the efficacy and safety profile of inhaled human insulin (Exubera) with glibenclamide as adjunctive therapy in patients with type 2 diabetes poorly controlled on metformin: response to Kanna and Abreu-Pacheco
A.H. Barnett, M. Dreyer, P. Lange, M. Serdarevic-Pehar, Exubera Phase III Study Group

446 Hyperglycemia and diabetes in patients with schizophrenia or schizoaffective disorders: response to Cohen et al.
R.D. Jindal, M.S. Keshavan

447 Hyperglycemia and diabetes in patients with schizophrenia or schizoaffective disorders: response to Jindal and Keshavan
D. Cohen

448 Modeling chronic glycemic exposure variables as correlates and predictors of microvascular complications of diabetes: response to Dyck et al.
T.J. Orchard, T. Costacou, R.G. Miller, C.T. Prince, G. Pambianco

Table of Contents continues on page vi

448 Modeling chronic glycemic exposure variables as correlates and predictors of microvascular complications of diabetes: response to Orchard et al.

P.J. Dyck, J.L. Davies, V.M. Clark, W.J. Litchy, P.J.B. Dyck, C.J. Klein, R.A. Rizza, J.M. Pach, R. Klein, T.S. Larson, L.J. Melton III, P.C. O'Brien

449 A critical appraisal of the continuous glucose–error grid analysis: response to Wentholt et al.

W.L. Clarke, L. Gonder-Frederick, D. Cox, B. Kovatchev

450 A critical appraisal of the continuous glucose–error grid analysis: response to Clarke et al.

I.M. Wentholt, J.B. Hoekstra, J.H. DeVries

451 Breast-feeding and risk for childhood obesity: response to Mayer-Davis et al.

M. Talim

451 Breast-feeding and risk for childhood obesity: response to Mayer-Davis et al.

A. Plagemann, T. Harder, E. Rodekamp, J.W. Dudenhausen

452 Breast-feeding and risk for childhood obesity: response to Plagemann et al.

E.J. Mayer-Davis, S.L. Rifas-Shiman, L. Zhou, F.B. Hu, G.A. Colditz, M.W. Gillman

453 Key Global Literature

455 Errata

456 Issues and Updates

457 SI Units Table

458 Classified Advertising