

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (►) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Bench to Clinic Symposia

1335 Dipeptidyl peptidase-4 inhibition and the treatment of type 2 diabetes: preclinical biology and mechanisms of action
D.J. Drucker

1344 Dipeptidyl peptidase-4 inhibitors: clinical data and clinical implications
B. Ahrén

Original Articles

Clinical Care/Education/Nutrition

1351 Impact of telmisartan versus ramipril on renal endothelial function in patients with hypertension and type 2 diabetes
R.E. Schmieder, C. Delles, A. Mimran, J.P. Fauvel, L.M. Ruilope

1357 Normalization of the IGF-IGFBP axis by sustained nightly insulinization in type 1 diabetes
K. Ekström, J. Salemyr, I. Zachrisson, C. Carlsson-Skwirut, E. Örtqvist, P. Bang

1364 Initiate Insulin by Aggressive Titration and Education (INITIATE): a randomized study to compare initiation of insulin combination therapy in type 2 diabetic patients individually and in groups
H. Yki-Järvinen, L. Juurinen, M. Alvarsson, T. Bystedt, I. Caldwell, M. Davies, S. Lahdenperä, G. Nijpels, M. Vähätalo

1370 Prediction of severe hypoglycemia
D.J. Cox, L. Gonder-Frederick, L. Ritterband, W. Clarke, B.P. Kovatchev

► **1374** Reduction in weight and cardiovascular disease risk factors in individuals with type 2 diabetes: one-year results of the Look AHEAD trial
The Look AHEAD Research Group

1384 Objectively measured light-intensity physical activity is independently associated with 2-h plasma glucose
G.N. Healy, D.W. Dunstan, J. Salmon, E. Cerin, J.E. Shaw, P.Z. Zimmet, N. Owen

1390 A multicenter randomized controlled trial of motivational interviewing in teenagers with diabetes
S.J. Channon, M.V. Huws-Thomas, S. Rollnick, K. Hood, R.L. Cannings-John, C. Rogers, J.W. Gregory

1396 Safe at school: a Virginia experience
M.A. Hellems, W.L. Clarke

1399 Satisfaction and quality of life with premeal inhaled versus injected insulin in adolescents and adults with type 1 diabetes
M.A. Testa, D.C. Simonson

1406 Orange juice or fructose intake does not induce oxidative and inflammatory response
H. Ghanim, P. Mohanty, R. Pathak, A. Chaudhuri, C.L. Sia, P. Dandona

1412 Interindividual variability and intra-individual reproducibility of glycemic index values for commercial white bread
S. Vega-López, L.M. Ausman, J.L. Griffith, A.H. Lichtenstein

Epidemiology/Health Services/Psychosocial Research

1418 Short-term weight change and the incidence of diabetes in midlife: results from the Australian Longitudinal Study on Women's Health
G.D. Mishra, G. Carrigan, W.J. Brown, A.G. Barnett, A.J. Dobson

1425 Insulin resistance is associated with hypercortisolemia in Polynesian patients treated with antipsychotic medication
N.R. Poa, P.F. Edgar

1430 Development of diabetes in Chinese with the metabolic syndrome: a 6-year prospective study
B.M.Y. Cheung, N.M.S. Wat, Y.B. Man, S. Tam, G.N. Thomas, G.M. Leung, C.H. Cheng, J. Woo, E.D. Janus, C. Pak Lau, T.H. Lam, K.S.L. Lam

1437 Severe hypoglycemia and smoking in a long-term type 1 diabetic population: Wisconsin Epidemiologic Study of Diabetic Retinopathy
F.E. Hirai, S.E. Moss, B.E.K. Klein, R. Klein

1442 Relationship of physician volume with process measures and outcomes in diabetes
A. Turchin, M. Shubina, M.L. Pendergrass

1448 How doctors choose medications to treat type 2 diabetes: a national survey of specialists and academic generalists
R.W. Grant, D.J. Wexler, A.J. Watson, W.T. Lester, E. Cagliero, E.G. Campbell, D.M. Nathan

1454 Diabetes care in extended-care facilities: appropriate intensity of care?
R.M. Holt, F.L. Schwartz, J.H. Shubrook

1459 Racial and ethnic variation in access to health care, provision of health care services, and ratings of health among women with histories of gestational diabetes mellitus
C. Kim, B. Sinco, E.A. Kieffer

1466 The underuse of screening services among elderly women with diabetes
A.M. McBean, X. Yu

1473 A cohort study of people with diabetes and their first foot ulcer: the role of depression on mortality
K. Ismail, K. Winkley, D. Stahl, T. Chalder, M. Edmonds

Emerging Treatments and Technologies

1480 A randomized, double-blind, placebo-controlled, multicenter study to assess the efficacy and safety of topiramate controlled release in the treatment of obese type 2 diabetic patients
J. Rosenstock, P. Hollander, K.M. Gadde, X. Sun, R. Strauss, A. Leung, for the OBD-202 Study Group

► **1487** Effects of once-weekly dosing of a long-acting release formulation of exenatide on glucose control and body weight in subjects with type 2 diabetes
D. Kim, L. MacConnell, D. Zhuang, P.A. Kothare, M. Trautmann, M. Fineman, K. Taylor

Pathophysiology/Complications

1494 Massive weight loss decreases corticosteroid-binding globulin levels and increases free cortisol in healthy obese patients: an adaptive phenomenon?
M. Manco, J.M. Fernández-Real, M.E. Valera-Mora, H. Déchaud, G. Nanni, V. Tondolo, M. Calvani, M. Castagneto, M. Pugnat, G. Mingrone

Table of Contents continues on page vii

1501 Plasma resistin, associated with single nucleotide polymorphism -420, is correlated with insulin resistance, lower HDL cholesterol, and high-sensitivity C-reactive protein in the Japanese general population

H. Osawa, Y. Tabara, R. Kawamoto, J. Ohashi, M. Ochi, H. Onuma, W. Nishida, K. Yamada, J. Nakura, K. Kohara, T. Miki, H. Makino

1507 Accelerated loss of skeletal muscle strength in older adults with type 2 diabetes: the Health, Aging, and Body Composition Study
S. Won Park, B.H. Goodpaster, E.S. Strotmeyer, L.H. Kuller, R. Broudeau, C. Kammerer, N. de Rekeneire, T.B. Harris, A.V. Schwartz, F.A. Tylavsky, Y. Cho, A.B. Newman, *Health, Aging, and Body Composition Study*

1513 The relationship between adrenomedullin, metabolic factors, and vascular function in individuals with type 2 diabetes
S.C. Lim, N.G. Morgenthaler, T. Subramaniam, Y.S. Wu, S.K. Goh, C.F. Sum

Cardiovascular and Metabolic Risk

1520 Abnormal left ventricular energy metabolism in obese men with preserved systolic and diastolic functions is associated with insulin resistance

G. Perseghin, G. Ntali, F. De Cobelli, G. Lattuada, A. Esposito, E. Belloni, T. Canu, F. Costantino, F. Ragogna, P. Scifo, A. Del Maschio, L. Luzi

1527 Association of A1C with cardiovascular disease and metabolic syndrome in Asian Indians with normal glucose tolerance
J. Dilley, A. Ganesan, R. Deepa, M. Deepa, G. Sharada, O.D. Williams, V. Mohan

1533 Relationship between metabolic risk factor clustering and cardiovascular mortality stratified by high blood glucose and obesity: NIPPON DATA90, 1990–2000

A. Kadota, A. Hozawa, T. Okamura, T. Kadowak, K. Nakamura, Y. Murakami, T. Hayakawa, Y. Kita, A. Okayama, Y. Nakamura, A. Kashiwagi, H. Ueshima, *NIPPON DATA Research Group*

1539 Exercise capacity and body mass as predictors of mortality among male veterans with type 2 diabetes

P.A. McAuley, J.N. Myers, J.P. Abella, S.Y. Tan, V.F. Froelicher

1544 What is the best predictor of future type 2 diabetes?

M.A. Abdul-Ghani, K. Williams, R.A. DeFronzo, M. Stern

1549 Vitamin D, parathyroid hormone levels, and the prevalence of metabolic syndrome in community-dwelling older adults

J.P. Reis, D. von Mühlen, D. Kritz-Silverstein, D.L. Wingard, E. Barrett-Connor

1556 Is there a single underlying factor for the metabolic syndrome in adolescents? A confirmatory factor analysis

C. Li, E.S. Ford

1562 Effect of BMI on lifetime risk for diabetes in the U.S.

K.M.V. Narayan, J.P. Boyle, T.J. Thompson, E.W. Gregg, D.F. Williamson

1567 Strong association between time watching television and blood glucose control in children and adolescents with type 1 diabetes

H.D. Margeisdóttir, J.R. Larsen, C. Brunborg, L. Sandvik, K. Dahl-Jørgensen, *for the Norwegian Study Group for Childhood Diabetes*

Brief Reports

Clinical Care/Education/Nutrition

1571 Adolescents at risk for MODY3 diabetes prefer genetic testing before adulthood

B. Liljeström, T. Tuomi, B. Isomaa, L. Sarelin, K. Aktan-Collan, H. Kääriäinen

▶ **1574** Thiazolidinedione treatment decreases bone mineral density in type 2 diabetic men

S. Yaturu, B. Bryant, S.K. Jain

1577 Prevention of transition from incipient to overt nephropathy with telmisartan in patients with type 2 diabetes

H. Makino, M. Haneda, T. Babazono, T. Moriya, S. Ito, Y. Iwamoto, R. Kawamori, M. Takeuchi, S. Katayama, *for the INNOVATION Study Group*

1579 Non-glycemic-dependent reduction of late pregnancy A1C levels in women with type 1 diabetes

L. Herranz, L. Saez-de-Ibarra, C. Grande, L.F. Pallardo

1581 Reduction of microalbuminuria in patients with type 2 diabetes: the Shiga Microalbuminuria Reduction Trial (SMART)
The Shiga Microalbuminuria Reduction Trial (SMART) Group

1584 Evaluation of a teaching and treatment program in over 4,000 type 2 diabetic patients after introduction of reimbursement policy for physicians

S. Korsatko, W. Habacher, I. Rakovac, J. Plank, S. Seereiner, P. Beck, R. Gfrerer, P. Mrak, B. Bauer, M. Großschädl, T.R. Pieber

1587 Gain in patients' knowledge of diabetes management targets is associated with better glycemic control

P. Berikiai, P.M. Meyer, R. Kazlauskaitė, B. Savoy, K. Kozik, L. Fogelfeld

1590 Coexistence in the same family of both focal and diffuse forms of hyperinsulinism

V. Valayannopoulos, M. Vaxillaire, Y. Aigrain, F. Jaubert, C. Bellanné-Chantelot, M.-J. Ribeiro, F. Brunelle, P. Froguel, J.-J. Robert, M. Polak, C. Nihoul-Fekété, P. de Lonlay

Epidemiology/Health Services/Psychosocial Research

1593 Relationship between BMI and age at diagnosis of type 1 diabetes in a Mediterranean area in the period of 1990–2004

M. Giménez, E. Aguilera, C. Castell, N. de Lara, J. Nicolau, I. Conget

1596 Extended analyses of the association between serum concentrations of persistent organic pollutants and diabetes
D.-H. Lee, I.-K. Lee, M. Steffes, D.R. Jacobs, Jr.

1599 Maintenance of glucose control in patients with type 1 diabetes during acute mental stress by riding high-speed rollercoasters

P. Wiesli, P.-A. Krayenbühl, O. Kerwer, B. Seifert, C. Schmid

1602 Depression among type 2 diabetes rural Appalachian clinic attendees

M. de Groot, T. Doyle, E. Hockman, C. Wheeler, B. Pinkerman, J. Shubrook, R. Gotfried, F. Schwartz

Emerging Treatments and Technologies

1605 Efonidipine simultaneously improves blood pressure, endothelial function, and metabolic parameters in nondiabetic patients with hypertension

K.K. Koh, M.J. Quon, S.J. Lee, S.H. Han, J.Y. Ahn, J. Kim, W.-J. Chung, Y. Lee, E.K. Shin

1608 Liraglutide, a long-acting human glucagon-like peptide-1 analog, given as monotherapy significantly improves glycemic control and lowers body weight without risk of hypoglycemia in patients with type 2 diabetes

T. Vilsbøll, M. Ždravkovic, T. Le-Thi, T. Krarup, O. Schmitz, J.-P. Courrèges, R. Verhoeven, I. Bugánová, S. Madsbad

Pathophysiology/Complications

1611 Thyroid autoimmunity at onset of type 1 diabetes as a predictor of thyroid dysfunction

G.C. González, I. Capel, J. é Rodríguez-Espinosa, D. Mauricio, A. de Leiva, A. Pérez

1613 Digenic inheritance of hepatocyte nuclear factor-1 α and -1 β with maturity-onset diabetes of the young, polycystic thyroid, and urogenital malformations

B. Karges, C. Bergmann, K. Scholl, E. Heinze, F.M. Rasche, K. Zerres, K.-M. Debatin, M. Wabitsch, W. Karges

Table of Contents continues on viii

1615 Insulin-like growth factor binding protein-related protein 1 (IGFBP-rP1/MAC25) is linked to endothelial-dependent vasodilation in high-ferritin type 2 diabetes
A. López-Bermejo, J. Khosravi, W. Ricart, A. Castro, V. Hwa, K.L. Pratt, R. Casamitjana, R.G. Rosenfeld, J.M. Fernández-Real

Cardiovascular and Metabolic Risk

1618 Leisure-time physical activity is associated with the metabolic syndrome in type 1 diabetes: effect of the PPAR γ Pro12Ala polymorphism: the FinnDiane Study
J. Wadén, L.M. Thorn, C. Forsblom, T. Lakka, M. Saraheimo, M. Rosengård-Bärlund, O. Heikkilä, M. Wessman, J.A. Turunen, M. Parkkonen, H. Tikkanen, P.-H. Groop, on behalf of the FinnDiane Study Group

1621 Additive effects of obesity and TCF7L2 variants on risk for type 2 diabetes among cardiac patients
Q. Ling Duan, M.-P. Dubé, N. Frasure-Smith, A. Barhdadi, F. Lesperance, P. Thérioux, J. St-Onge, G.A. Rouleau, J.M. McCaffery

1624 Metabolic syndrome in hypertensive patients: correlation between anthropometric data and laboratory findings
K. Bulhões, L. Araújo

1627 C-reactive protein is independently associated with glucose but not with insulin resistance in healthy men
A.G. Niehoff, T.W. van Haefen, N.C. Onland-Moret, C.C. Elbers, C. Wijmenga, Y.T. van der Schouw

Reviews/Commentaries/ADA Statements

1630 Standards and Review Criteria

National standards for diabetes self-management education
M.M. Funnell, T.L. Brown, B.P. Childs, L.B. Haas, G.M. Hosey, B. Jensen, M. Maryniuk, M. Peyrot, J.D. Piette, D. Reader, L.M. Siminerio, K. Weinger, M.A. Weiss

1638 ADA Workgroup Report

Computer modeling of diabetes and its complications: a report on the Fourth Mount Hood Challenge Meeting
The Mount Hood 4 Modeling Group

1647 Consensus Statement

Waist circumference and cardiometabolic risk: a consensus statement from Shaping America's Health: Association for Weight Management and Obesity Prevention; NAASO, The Obesity Society; the American Society for Nutrition; and the American Diabetes Association
S. Klein, D.B. Allison, S.B. Heymsfield, D.E. Kelley, R.L. Leibel, C. Nonas, R. Kahn

1653 Consensus Statement

Use of insulin pump therapy in the pediatric age-group: consensus statement from the European Society for Paediatric Endocrinology, the Lawson Wilkins Pediatric Endocrine Society, and the International Society for Pediatric and Adolescent Diabetes, endorsed by the American Diabetes Association and the European Association for the Study of Diabetes
M. Phillip, T. Battelino, H. Rodriguez, T. Danne, F. Kaufman, for the consensus forum participants

1663 Perspectives on the News

Nonalcoholic fatty liver disease and insulin resistance in youth
Z.T. Bloomgarden

Editorials

1670 Editorial

Thiazolidinedione therapy gets complicated: is bone loss the price of improved insulin resistance?
A.V. Schwartz, D.E. Sellmeyer

1672 Point-Counterpoint (see p. 1677)

Point: Recent long-term clinical studies support an enhanced role for thiazolidinediones in the management of type 2 diabetes
S.E. Kahn, B. Zinman

1677 Point-Counterpoint (see p. 1672)

Counterpoint: A Diabetes Outcome Progression Trial (ADOPT): good for sulfonylureas?
E. Al-Ozairi, L. Sibal, P. Home

1681 Key Global Literature

1683 Errata

1684 Errata

1685 Issues and Updates

1686 SI Units Table

1687 Classified Advertising

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Online Letters: Observations

e48 Pioglitazone rapidly increases serum adiponectin levels in men with normal glucose tolerance
Y. Ikeda, H. Takata, K. Inoue, M. Shinahara, S. Inada, H. Maruyama, F. Osaki, T. Suehiro, K. Hashimoto

Online Letters: Comments and Responses

e49 Cortisol secretion in patients with type 2 diabetes: relationship with chronic complications: response to Chiodini et al.
J.I. Castillo-Quan, J.M. Pérez-Osorio

e50 Cortisol secretion in patients with type 2 diabetes: relationship with chronic complications: response to Castillo-Quan and Pérez-Osorio
I. Chiodini, G. Adda, P. Beck-Peccoz, E. Orsi, B. Ambrosi, M. Arosio

e51 Retinopathy predicts cardiovascular mortality in type 2 diabetic men and women: response to Juutilainen et al.
G. Targher, L. Bertolini, G. Zoppini, G. Lippi, L. Zenari

e52 Retinopathy predicts cardiovascular mortality in type 2 diabetic men and women: response to Targher et al.
A. Juutilainen, S. Lehto, T. Rönnemaa, K. Pyörälä, M. Laakso

e53 IGF-binding protein-1 levels are related to insulin-mediated glucose disposal and are a potential serum marker of insulin resistance: response to Maddux et al.
T.W. van Haefen, M.L. Zonderland, L.W.E. Sabelis, J. van Doorn

e54 IGF-binding protein-1 levels are related to insulin-mediated glucose disposal and are a potential serum marker of insulin resistance: response to van Haefen et al.
B.A. Maddux, A. Chan, E.A. De Filippis, L.J. Mandarino, I.D. Goldfine MD

e55 Prevalence of nonalcoholic fatty liver disease and its association with cardiovascular disease among type 2 diabetic patients: response to Targher et al. and Hu et al.
M. Talim

e56 Prevalence of nonalcoholic fatty liver disease and its association with cardiovascular disease among type 2 diabetic patients: response to Talim
G. Hu, P. Jousilahti, J. Tuomilehto

e57 Primary prevention of cardiovascular diseases in people with diabetes mellitus: a scientific statement from the American Heart Association and the American Diabetes Association: response to Buse et al.
A. Nicolucci, G. De Berardis, M. Sacco, G. Tognoni

e58 Primary prevention of cardiovascular diseases in people with diabetes mellitus: a scientific statement from the American Heart Association and the American Diabetes Association: response to Nicolucci et al.
J.B. Buse, M.P. Pignone, for the ADA/AHA Primary Prevention Consensus Panel