

All articles in *Diabetes Care* are available on the World Wide Web at [www.diabetes.org/diabetescare](http://www.diabetes.org/diabetescare). Cover articles (▶) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

## Original Research

### Clinical Care/Education/Nutrition/Psychosocial Research

- ▶ **2181** Randomized study of basal-bolus insulin therapy in the inpatient management of patients with type 2 diabetes (RABBIT 2 Trial)

G.E. Umpierrez, D. Smiley, A. Zisman, L.M. Prieto, A. Palacio, M. Ceron, A. Puig, R. Mejia

- 2187** Survey on acute and chronic complications in children and adolescents with type 1 diabetes at Muhimbili National Hospital in Dar es Salaam, Tanzania

E.S. Majaliwa, E. Munubhi, K. Ramaiya, R. Mpembeni, A. Sanywa, A. Mohn, F. Chiarelli

- 2193** Participant and parent experiences in the parenteral insulin arm of the Diabetes Prevention Trial for Type 1 Diabetes

S. Bennett Johnson, A.E. Baughcum, K. Hood, L.E. Rafkin-Mervis, D.A. Schatz, for the DPT-1 Study Group

- 2199** Development and validation of a new measure to evaluate psychological resistance to insulin treatment

F. Petrak, E. Stridde, F. Leverkus, A.A. Crispin, T. Forst, A. Pfützner

- 2205** The effect of resistance training on functional capacity and quality of life in individuals with high and low numbers of metabolic risk factors

I. Levinger, C. Goodman, D.L. Hare, G. Jerums, S. Selig

- 2211** Hyperglycemia and externalizing behavior in children with type 1 diabetes

C.M. McDonnell, E.A. Northam, S.M. Donath, G.A. Werther, F.J. Cameron

- 2216** Depression screening disparities among veterans with diabetes compared with the general veteran population

L.E. Jones, C. Carney Doebbeling

- 2222** Depression, self-care, and medication adherence in type 2 diabetes: relationships across the full range of symptom severity

J.S. Gonzalez, S.A. Safren, E. Cagliero, D.J. Wexler, L. Delahanty, E. Wittenberg, M.A. Blais, J.B. Meigs, R.W. Grant

- 2228** Association between diabetes and mental disorders in two American Indian reservation communities

L. Jiang, J. Beals, N.R. Whitesell, Y. Roubideaux, S.M. Manson, for the AI-SUPERPPF Team

- 2230** Improved metabolic risk markers following two 6-month physical activity programs among socioeconomic marginalized women of Native American ancestry in Lima, Peru

F. Lindgärde, B. Åhrén

- 2233** Utility of A1C for diabetes screening in the 1999–2004 NHANES population

C. Buell, D. Kermah, M.B. Davidson

- 2236** Effect of cinnamon on glucose and lipid levels in non-insulin-dependent type 2 diabetes

S.M. Blevins, M.J. Leyva, J. Brown, J. Wright, R.H. Scofield, C.E. Aston

- 2238** Diabetes and deafness: is it sufficient to screen for the mitochondrial 3243A>G mutation alone?

R.G. Whittaker, A.M. Schaefer, R. McFarland, R.W. Taylor, M. Walker, D.M. Turnbull

- 2240**  $\alpha$ -Lipoic acid and insulin autoimmune syndrome

Y. Ishida, T. Ohara, Y. Okuno, T. Ito, Y. Hirota, K. Furukawa, K. Sakaguchi, W. Ogawa, M. Kasuga

- 2242** Beneficial effects of combined treatment with rosiglitazone and exercise on cardiovascular risk factors in patients with type 2 diabetes

N.P.E. Kadoglou, F. Iliadis, C.D. Liapis, D. Perrea, N. Angelopoulou, M. Alevizos

### Epidemiology/Health Services Research

- 2245** Continuing stability of center differences in pediatric diabetes care: do advances in diabetes treatment improve outcome? The Hvidoere Study Group on Childhood Diabetes

C.E. de Beaufort, P.G.F. Swift, C.T. Skinner, H.J. Aanstoot, J. Åman, F. Cameron, P. Martul, F. Chiarelli, D. Daneman, T. Danne, H. Dorchy, H. Hoey, E.A. Kaprio, F. Kaufman, M. Kocova, H.B. Mortensen, P.R. Njølstad, M. Phillip, K.J. Robertson, E.J. Schoenle, T. Urakami, M. Vanelli, on behalf of the Hvidoere Study Group on Childhood Diabetes 2005

- 2251** Type 2 diabetes and pneumonia outcomes: a population-based cohort study

J.B. Kornum, R.W. Thomsen, A. Riis, H.-H. Lervang, H.C. Schönheyder, H.T. Sørensen

- 2258** Population-based incidence of type 2 diabetes in northern Spain: the Asturias Study

S. Valdés, P. Botas, E. Delgado, F. Diaz Cadorniga, F. Álvarez

- 2264** Muscle-strengthening activity and its association with insulin sensitivity

Y.J. Cheng, E.W. Gregg, N. De Rekeneire, D.E. Williams, G. Imperatore, C.J. Caspersen, H.S. Kahn

- 2271** Fertility in women with type 1 diabetes: a population-based cohort study in Sweden

J.M. Jonasson, K. Brismar, P. Sparén, M. Lambe, O. Nyrén, C.-G. Östenson, W. Ye

- 2277** Increased incidence of gestational diabetes in women receiving prophylactic 17 $\alpha$ -hydroxyprogesterone caproate for prevention of recurrent preterm delivery

A. Rebarber, N.B. Istwan, K. Russo-Stieglitz, J. Cleary-Goldman, D.J. Rhea, G.J. Stanziano, D.H. Saltzman

- 2281** Risk perception for diabetes among women with histories of gestational diabetes mellitus

C. Kim, L.N. McEwen, J.D. Piette, J. Goewey, A. Ferrara, E.A. Walker

- ▶ **2287** Childhood obesity and metabolic imprinting: the ongoing effects of maternal hyperglycemia

T.A. Hillier, K.L. Pedula, M.M. Schmidt, J.A. Mullen, M.-A. Charles, D.J. Pettitt

- 2293** Self-reported past gestational diabetes mellitus as a risk factor for abnormal glucose tolerance among Australian women

D. Simmons, S. Eaton, J. Shaw, P. Zimmet

- ▶ **2296** Walking to work is an independent predictor of incidence of type 2 diabetes in Japanese men: the Kansai Healthcare Study

K.K. Sato, T. Hayashi, H. Kambe, Y. Nakamura, N. Harita, G. Endo, T. Yoneda

*Table of Contents continues on page vii*

**2299** Variation of the transcription factor 7-like 2 (TCF7L2) gene predicts impaired fasting glucose in healthy young adults: the cardiovascular risk in Young Finns Study  
*O.T. Raitakari, T. Rönnemaa, R. Huupponen, L. Viikari, M. Fan, J. Marniemi, N. Hutri-Kähönen, J.S.A. Viikari, T. Lehtimäki*

## Emerging Treatments and Technologies

**2302** Software for reading and grading diabetic retinopathy: Aravind Diabetic Retinopathy Screening 3.0  
*N. Perumalsamy, N.M. Prasad, S. Sathya, K. Ramasamy*

**2307** Coverage of postprandial blood glucose excursions with inhaled technosphere insulin in comparison to subcutaneously injected regular human insulin in subjects with type 2 diabetes  
*K. Rave, T. Heise, A. Pfützner, A.H. Boss*

## Pathophysiology/Complications

**2309** Increased body iron stores of obese women with polycystic ovary syndrome are a consequence of insulin resistance and hyperinsulinism and are not a result of reduced menstrual losses  
*M. Luque-Ramírez, F. Álvarez-Blasco, J.I. Botella-Carretero, R. Sanchón, J.L. San Millán, H.F. Escobar-Morreale*

**2314** Role of insulin resistance in predicting progression to type 1 diabetes  
*P. Xu, D. Cuthbertson, C. Greenbaum, J.P. Palmer, J.P. Krischer, for the Diabetes Prevention Trial–Type 1 Study Group*

**2321** Matrix metalloproteinase-2 dysregulation in type 1 diabetes  
*K.M. Thrailkill, R.C. Bunn, C.S. Moreau, G.E. Cockrell, P.M. Simpson, H.N. Coleman, J. Paul Frindik, S.F. Kemp, J.L. Fowlkes*

**2327** Microvascular diabetes complications in Wolfram syndrome (diabetes insipidus, diabetes mellitus, optic atrophy, and deafness [DIDMOAD]): an age- and duration-matched comparison with common type 1 diabetes  
*A. Cano, L. Molines, R. Valéro, G. Simonin, V. Paquis-Flucklinger, B. Vialettes, the French Group of Wolfram Syndrome*

**2331** Regional brain volume differences associated with hyperglycemia and severe hypoglycemia in youth with type 1 diabetes  
*D.C. Perantie, J. Wu, J.M. Koller, A. Lim, S.L. Warren, K.J. Black, M. Sadler, N.H. White, T. Hershey*

**2338** Is pubertal onset a risk factor for blindness and renal replacement therapy in childhood-onset type 1 diabetes in Japan?  
*A. Morimoto, R. Nishimura, T. Matsudaira, H. Sano, N. Tajima, for the Diabetes Epidemiology Research International Study Group*

**2341** Preemptive isolation to prevent methicillin-resistant *Staphylococcus aureus* cross-transmission in diabetic foot  
*E. Lecornet, J. Robert, S. Jacqueminet, H. Van Georges, S. Jeanne, F. Bouilloud, C. Veyrie, V. Jarlier, A. Grimaldi, A. Hartemann-Heurtier*

## Cardiovascular and Metabolic Risk

**2343** IGF binding protein 1 predicts cardiovascular morbidity and mortality in patients with acute myocardial infarction and type 2 diabetes  
*M. Wallander, A. Norhammar, K. Malmberg, J. Öhrvik, L. Rydén, K. Brismar*

**2349** Insulin resistance and hyperinsulinemia are related to plasma aldosterone levels in hypertensive patients  
*G. Colussi, C. Catena, R. Lapenna, E. Nadalini, A. Chiuch, L.A. Sechi*

**2355**  $\gamma$ -Glutamyltransferase activity and development of the metabolic syndrome (International Diabetes Federation definition) in middle-aged men and women: Data From the Epidemiological Study on the Insulin Resistance Syndrome (DESIR) cohort  
*P. André, B. Balkau, S. Vol, M.A. Charles, E. Eschwège, on behalf of the DESIR Study Group*

**2362** Serum C3 is a stronger inflammatory marker of insulin resistance than C-reactive protein, leukocyte count, and erythrocyte sedimentation rate: comparison study in an elderly population  
*A. Muscari, S. Antonelli, G. Bianchi, G. Cavrini, S. Dapporto, A. Ligabue, C. Ludovico, D. Magalotti, G. Poggiopollini, M. Zoli, on behalf of the Pianoro Study Group*

**2369** Insulin resistance syndrome in the elderly: assessment of functional, biochemical, metabolic, and inflammatory status  
*W.A. Banks, L.M. Willoughby, D.R. Thomas, J.E. Morley*

**2374** The clamp-like index: a novel and highly sensitive insulin sensitivity index to calculate hyperinsulinemic clamp glucose infusion rates from oral glucose tolerance tests in nondiabetic subjects  
*C. Anderwald, M. Anderwald-Stadler, M. Promintzer, G. Prager, M. Mandl, P. Nowotny, M.G. Bischof, M. Wolzt, B. Ludvik, T. Kästenbauer, G. Pacini, A. Luger, M. Krebs*

**2381** All-cause mortality associated with specific combinations of the metabolic syndrome according to recent definitions  
*L. Guize, F. Thomas, B. Pannier, K. Bean, B. Jego, A. Benetos*

**2388** Obesity and overweight in relation to mortality in men with and without type 2 diabetes/impaired glucose tolerance: the original Whitehall Study  
*G.D. Batty, M. Kivimäki, G. Davey Smith, M.G. Marmot, M.J. Shipley*

**2392** Reduction of visceral fat is associated with decrease in the number of metabolic risk factors in Japanese men  
*Y. Okauchi, H. Nishizawa, T. Funahashi, T. Ogawa, M. Noguchi, M. Ryo, S. Kihara, H. Iwahashi, K. Yamagata, T. Nakamura, I. Shimomura, Y. Matsuzawa*

## Reviews/Commentaries/ADA Statements

### 2395 ADA Statement

American Diabetes Association statement on emergency and disaster preparedness: a report of the Disaster Response Task Force  
*The Disaster Response Task Force*

### 2399 Consensus Statement

Consensus statement on the worldwide standardization of the hemoglobin A1C measurement: the American Diabetes Association, European Association for the Study of Diabetes, International Federation of Clinical Chemistry and Laboratory Medicine, and the International Diabetes Federation  
*Consensus Committee*

### 2401 Perspectives on the News

The Avandia debate  
*Z.T. Bloomgarden*

## Editorials

### 2409 Editorial (see Umpierrez et al., p. 2181)

Sliding-scale insulin: more evidence needed before final exit?  
*A.E. Kitabchi, E. Nyenwe*

### 2411 Point-Counterpoint (see p. 2414)

Point: HOMA—satisfactory for the time being: HOMA: the best bet for the simple determination of insulin sensitivity, until something better comes along  
*K.A. McAuley, J.I. Mann, J.G. Chase, T.F. Lotz, G.M. Shaw*

### 2414 Point-Counterpoint (see p. 2411)

Counterpoint: Appreciating homeostasis model assessment  
*D. Hockaday, M. Sayyad, C. Yajnik*

**2419 Key Global Literature**

**2421 Erratum**

**2422 Issues and Updates**

**2423 SI Units Table**

**2424 Classified Advertising**

## Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

### Online Letters: Observations

**e93** Metabolic syndrome is associated with adherence to an unhealthy diet

*P. Mirmiran, A. Hekmatdoost, F. Azizi*

### Online Letters: Comments and Responses

**e94** Prevalence of nonalcoholic fatty liver disease and its association with cardiovascular disease among type 2 diabetic patients: response to Targher et al.

*R.K. Schindhelm, R.J. Heine, M. Diamant*

**e95** Prevalence of nonalcoholic fatty liver disease and its association with cardiovascular disease among type 2 diabetic patients: response to Schindhelm, Heine, and Diamant

*G. Targher, L. Bertolini, C. Day*

**e96** Accuracy and predictive value of classification schemes for ketosis-prone diabetes: response to Balasubramanyam et al.

*C. Fernández, M. Giménez, G. Díaz, I. Conget*

**e97** Accuracy and predictive value of classification schemes for ketosis-prone diabetes: response to Fernández et al.

*A. Balasubramanyam, M. Maldonado*

**e98** Accuracy of administrative coding for type 2 diabetes in children, adolescents, and young adults: response to Rhodes et al.

*E.L. Ding, Y. Song, J.E. Manson, A.D. Pradhan, J.E. Buring, S. Liu*

**e99** Accuracy of administrative coding for type 2 diabetes in children, adolescents, and young adults: response to Ding et al.

*E.T. Rhodes, L.M.B. Laffel, T.V. Gonzalez, D.S. Ludwig*

**e100** Clinical depression versus distress among patients with type 2 diabetes: not just a question of semantics: response to Fisher et al.

*N. Hermanns, T. Kubiak, B. Kulzer, T. Haak*

**e101** Clinical depression versus distress among patients with type 2 diabetes: not just a question of semantics: response to Hermanns et al.

*L. Fisher, M.M. Skaff, J.T. Mullan, P. Arean, D. Mohr, U. Masharani, R. Glasgow, G. Laurencin*

**e102** Effect of chromium supplementation on glucose metabolism and lipids: a systematic review of randomized controlled trials: response to Balk et al.

*N. Kleefstra, S.T. Houweling, H.J.G. Bilo*

**e103** Effect of chromium supplementation on glucose metabolism and lipids: a systematic review of randomized controlled trials: response to Kleefstra, Houweling, and Bilo

*E.M. Balk, A.H. Lichtenstein, A.G. Pittas*