

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (▶) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

- 381** Relationship of A1C to glucose concentrations in children with type 1 diabetes: assessments by high-frequency glucose determinations by sensors
Diabetes Research in Children Network (DirecNet) Study Group
- 386** Clinical predictors of disease progression and medication initiation in untreated patients with type 2 diabetes and A1C less than 7%
L.N. Pani, D.M. Nathan, R.W. Grant
- ▶ **391** Diabetes-related complications, glycemic control, and falls in older adults
A.V. Schwartz, E. Vittinghoff, D.E. Sellmeyer, K.R. Feingold, N. de Rekeneire, E.S. Strotmeyer, R.I. Shorr, A.I. Vinik, M.C. Odden, S.W. Park, K.A. Faulkner, T.B. Harris, for the Health, Aging, and Body Composition Study
- 397** Association between serum bioavailable testosterone concentration and the ratio of glycosylated albumin to glycated hemoglobin in men with type 2 diabetes
M. Fukui, M. Tanaka, G. Hasegawa, T. Yoshikawa, N. Nakamura
- 402** Short-term effects of an educational program on health-seeking behavior for infections in patients with type 2 diabetes: a randomized controlled intervention trial in primary care
L.M.A.J. Venmans, K.J. Gorter, E. Hak, G.E.H.M. Rutten
- 408** Spanish diabetes self-management with and without automated telephone reinforcement: two randomized trials
K. Lorig, P.L. Ritter, F. Villa, J.D. Piette
- 415** Insulin restriction and associated morbidity and mortality in women with type 1 diabetes
A.E. Goebel-Fabbri, J. Fikkan, D.L. Franko, K. Pearson, B.J. Anderson, K. Weinger
- ▶ **420** Elevated depression symptoms, antidepressant medicine use, and risk of developing diabetes during the Diabetes Prevention Program
R.R. Rubin, Y. Ma, D.G. Marrero, M. Peyrot, E.L. Barrett-Connor, S.E. Kahn, S.M. Haffner, D.W. Price, W.C. Knowler, for the Diabetes Prevention Program Research Group
- 427** Stress burden and diabetes in two American Indian reservation communities
L. Jiang, J. Beals, N.R. Whitesell, Y. Roubideaux, S.M. Manson, the AI-SUPERPPF Team
- 430** Factors affecting use of insulin pens by patients with type 2 diabetes
R.R. Rubin, M. Peyrot
- 433** Reevaluating the digital divide: current lack of Internet use is not a barrier to adoption of novel health information technology
A.J. Watson, A.G. Bell, J.C. Kvedar, R.W. Grant
- 436** Metabolic and immunological features of the failing islet-transplanted patient
P. Fiorina, A. Vergani, A. Petrelli, F. D'Addio, L. Monti, R. Abdi, E. Bosi, P. Maffi, A. Secchi

439 Time to insulin initiation cannot be used in defining latent autoimmune diabetes in adults
S. Brophy, K. Yderstræde, D. Mauricio, S. Hunter, M. Hawa, P. Pozzilli, G. Schernthaner, N. Schoot, R. Buzzetti, H. Davies, D. Leslie, R. Williams, on behalf of the Action LADA Group

442 Human insulin analog-induced lipodystrophy
X. Lopez, M. Castells, A. Ricker, E.F. Velazquez, E. Mun, A.B. Goldfine

445 Effect of LDL cholesterol and treatment with losartan on end-stage renal disease in the RENAAL study
A.M. Tershakovec, W.F. Keane, Z. Zhang, P.A. Lyle, G.B. Appel, J.B. McGill, H.-H. Parving, M.E. Cooper, S. Shahinfar, B.M. Brenner

448 Is a failure to recognize an increase in food intake a key to understanding insulin-induced weight gain?
M. Ryan, M.B.E. Livingstone, P.-H. Ducluzeau, A. Sallé, M. Genaitay, P. Ritz

Epidemiology/Health Services Research

451 Improving the comparability of diabetes mortality statistics in the U.S. and Mexico
C.J.L. Murray, R.H. Dias, S.C. Kulkarni, R. Lozano, G.A. Stevens, M. Ezzati

459 Diabetes- and nondiabetes-related lower extremity amputation incidence before and after the introduction of better organized diabetes foot care: continuous longitudinal monitoring using a standard method
R.J. Canavan, N.C. Unwin, W.F. Kelly, V.M. Connolly

464 Prevalence of polyneuropathy in pre-diabetes and diabetes is associated with abdominal obesity and macroangiopathy: the MONICA/KORA Augsburg Surveys S2 and S3
D. Ziegler, W. Rathmann, T. Dickhaus, C. Meisinger, A. Mielck, for the KORA Study Group

470 Breast-feeding and type 2 diabetes in the youth of three ethnic groups: the SEARCH for Diabetes in Youth Case-Control Study
E.J. Mayer-Davis, D. Dabelea, A. Pande Lamichhane, R.B. D'Agostino, Jr., A.D. Liese, J. Thomas, R.E. McKeown, R.F. Hamman

476 Associations between diabetes and clinical markers of benign prostatic hyperplasia among community-dwelling black and white men
A.V. Sarma, J.P. Burke, D.J. Jacobson, M.E. McGree, J. St. Sauver, C.J. Girman, M.M. Lieber, W. Herman, J. Macoska, J.E. Montie, S.J. Jacobsen

483 Evidence of a relationship between infant birth weight and later diabetes and impaired glucose regulation in a Chinese population
X. Xiao, Z.-X. Zhang, H.J. Cohen, H. Wang, W. Li, T. Wang, T. Xu, A. Liu, M.-Y. Gai, S. Ying, O. Schmitz, Z. Yi

488 Plasma glucose regulation and mortality in Pima Indians
N. Hee Kim, M.E. Pavkov, H.C. Looker, R.G. Nelson, P.H. Bennett, R.L. Hanson, J.M. Curtis, M.L. Sievers, W.C. Knowler

493 Relationship of glycemic control, exogenous insulin, and C-peptide levels to ischemic heart disease mortality over a 16-year period in people with older-onset diabetes: the Wisconsin Epidemiologic Study of Diabetic Retinopathy (WESDR)
F.E. Hirai, S.E. Moss, B.E.K. Klein, R. Klein

498 Incidence and determinants of carpal tunnel decompression surgery in type 2 diabetes: the Fremantle Diabetes Study
A. Makepeace, W.A. Davis, D.G. Bruce, T.M.E. Davis

Table of Contents continues on page vii

501 Influence of elevated cardiometabolic risk factor levels on treatment changes in type 2 diabetes
J. Voorham, F.M. Haaijer-Ruskamp, R.P. Stolk, B.H.R. Wolffenbuttel, P. Denig, the Groningen Initiative to Analyze Type 2 Diabetes Treatment (GIANTT) Group

504 Coffee consumption is associated with higher plasma adiponectin concentrations in women with or without type 2 diabetes: a prospective cohort study
C.J. Williams, J.L. Fargnoli, J.J. Hwang, R.M. van Dam, G.L. Blackburn, F.B. Hu, C.S. Mantzoros

508 Are primary care physicians more likely to record diabetes on death certificates?
L.N. McEwen, N.E. Pomeroy, K. Onyemere, W.H. Herman

511 Trends and disparities in U.S. emergency department visits for hypoglycemia, 1993–2005
A.A. Ginde, J.A. Espinola, C.A. Camargo, Jr.

514 Cognitive function in children and subsequent type 2 diabetes
G.M. Olsson, A.-L. Hulth, S.M. Montgomery

Emerging Treatments and Technologies

517 Skin autofluorescence: a tool to identify type 2 diabetic patients at risk for developing microvascular complications
E.G. Gerrits, H.L. Lutgers, N. Kleefstra, R. Graaff, K.H. Groenier, A.J. Smit, R.O. Gans, H.J. Bilo

522 Multi-site testing with a point-of-care nerve conduction device can be used in an algorithm to diagnose diabetic sensorimotor polyneuropathy
B.A. Perkins, A. Orszag, J. Grewal, E. Ng, M. Ngo, V. Bril

525 FreeStyle Navigator Continuous Glucose Monitoring System use in children with type 1 diabetes using glargine-based multiple daily dose regimens: results of a pilot trial Diabetes Research in Children Network (DirecNet) Study Group
S. Weinzimer, D. Xing, M. Tansey, R. Fiallo-Scharer, N. Mauras, T. Wysocki, R. Beck, W. Tamborlane, K. Ruedy, the Diabetes Research in Children Network (DirecNet) Study Group

Pathophysiology/Complications

▶ **528** A risk score for type 1 diabetes derived from autoantibody-positive participants in the Diabetes Prevention Trial–Type 1
J.M. Sosenko, J.P. Krischer, J.P. Palmer, J. Mahon, C. Cowie, C.J. Greenbaum, D. Cuthbertson, J.M. Lachin, J.S. Skyler, the Diabetes Prevention Trial–Type 1 Study Group

534 The protein tyrosine phosphatase nonreceptor 22 (PTPN22) is associated with high GAD antibody titer in latent autoimmune diabetes in adults: non Insulin Requiring Autoimmune Diabetes (NIRAD) Study 3
A. Petrone, C. Suraci, M. Capizzi, A. Giaccari, E. Bosi, C. Tiberti, E. Cossu, P. Pozzilli, A. Falorni, R. Buzzetti, for the NIRAD Study Group

539 Effect of aging on glucose homeostasis: accelerated deterioration of β -cell function in individuals with impaired glucose tolerance
E. Szoke, M.Z. Shrayyef, S. Messing, H.J. Woerle, T.W. van Haeften, C. Meyer, A. Mitrakou, W. Pimenta, J.E. Gerich

544 Relationship of retinal vascular caliber with diabetes and retinopathy: the Multi-Ethnic Study of Atherosclerosis (MESA)
T.T. Nguyen, J.J. Wang, A.R. Sharrett, F.M.A. Islam, R. Klein, B.E.K. Klein, M.F. Cotch, T.Y. Wong

Cardiovascular and Metabolic Risk

550 A prospective study of cardiorespiratory fitness and risk of type 2 diabetes in women
X. Sui, S.P. Hooker, I.M. Lee, T.S. Church, N. Colabianchi, C.-D. Lee, S.N. Blair

556 Prediction of mortality using measures of cardiac autonomic dysfunction in the diabetic and nondiabetic population: the MONICA/KORA Augsburg Cohort Study
D. Ziegler, C.P. Zentai, S. Perz, W. Rathmann, B. Haastert, A. Döring, C. Meisinger, for the KORA Study Group

562 Should nonalcoholic fatty liver disease be included in the definition of metabolic syndrome? A cross-sectional comparison with adult treatment panel iii criteria in nonobese nondiabetic subjects
G. Musso, R. Gambino, S. Bo, B. Uberti, G. Biroli, G. Pagano, M. Cassader

569 Objectively measured time spent sedentary is associated with insulin resistance independent of overall and central body fat in 9- to 10-year-old Portuguese children
L.B. Sardinha, L.B. Andersen, S.A. Anderssen, A.L. Quitério, R. Ornelas, K. Froberg, C.J. Riddoch, U. Ekelund

576 Overweight Latino children and adolescents have marked endothelial dysfunction and subclinical vascular inflammation in association with excess body fat and insulin resistance
A.E. Caballero, K. Bousquet-Santos, L. Robles-Osorio, V. Montagnani, G. Soodini, S. Porramatikul, O. Hamdy, A.C.L. Nobrega, E.S. Horton

583 Underweight as a predictor of diabetes in older adults: a large cohort study
T. Sairenchi, H. Iso, F. Irie, N. Fukasawa, H. Ota, T. Muto

585 Quantifying the excess risk of type 2 diabetes by body habitus measurements among Australian Aborigines living in remote areas
S. Kondalsamy-Chennakesavan, W.E. Hoy, Z. Wang, J. Shaw

587 Prevalence of the metabolic syndrome among U.S. adolescents using the definition from the International Diabetes Federation
E.S. Ford, C. Li, G. Zhao, W.S. Pearson, A.H. Mokdad

590 Optimal cut points of waist circumference for the clinical diagnosis of metabolic syndrome in the Japanese population
Y. Matoba, T. Inoguchi, S. Nasu, S. Suzuki, T. Yanase, H. Nawata, R. Takayanagi

593 Osteoprotegerin, thiazolidinediones treatment, and silent myocardial ischemia in type 2 diabetic patients
A. Sultan, A. Avignon, F. Galtier, C. Piot, D. Mariano-Goulart, A.M. Dupuy, J.P. Cristol

Reviews/Commentaries/ADA Statements

596 ADA Statement
Economic costs of diabetes in the U.S. in 2007
American Diabetes Association

616 Perspectives on the News
Diabetic neuropathy
Z.T. Bloomgarden

Editorials

622 Editorial (see Sosenko et al., p. 528)
Should we screen for risk of type 1 diabetes?
M. Knip

624 Editorial (see ADA Statement, p. 596)
The economic imperative to conquer diabetes
J. Fradkin, G.P. Rodgers

627 Key Global Literature

629 Issues and Updates

630 Classified Advertising

Diabetes Care Electronic Pages
Available at <http://care.diabetesjournals.org>

Online Letters: Observations

e10 The rosiglitazone meta-analysis: lessons for the future
J.J. Shuster, D.A. Schatz

e11 Dramatic improvement of subcutaneous insulin resistance with nafamostat ointment treatment
S. Kawashima, H. Kaneto, K. Sakamoto, I. Honsho, T. Yasuda, A. Kuroda, T. Shiraiwa, R. Kasami, T. Matsuoka, Y. Yamasaki, M. Matsuhisa

e12 BMI may be better than waist circumference for defining metabolic syndrome in Japanese women
M. Sakurai, T. Takamura, K. Miura, S. Kaneko, H. Nakagawa

e13 Diabetic ketoacidosis: the usual villain or a scapegoat? A novel cause of severe metabolic acidosis in type 1 diabetes
P. Lee, L.V. Campbell

Online Letters: Comments and Responses

e14 Routine psychological screening in youth with type 1 diabetes and their parents: a notion whose time has come? Response to Cameron et al.
M. de Wit, F.J. Snoek

e15 Routine psychological screening in youth with type 1 diabetes and their parents: a notion whose time has come? Response to de Wit and Snoek
F. Cameron, E. Northam, G. Ambler, D. Daneman

e16 Comparison of pharmacokinetics and dynamics of the long-acting insulin analogs glargine and detemir at steady state in type 1 diabetes: a double-blind, randomized, crossover study: response to Porcellati et al.
S. Banarer

e17 Comparison of pharmacokinetics and dynamics of the long-acting insulin analogs glargine and detemir at steady state in type 1 diabetes: a double-blind, randomized, crossover study: response to Banarer
F. Porcellati, P. Rossetti, G.B. Bolli, C.G. Fanelli

e18 Bloodletting ameliorates insulin sensitivity and secretion in parallel to reducing liver iron in carriers of HFE gene mutations: response to Equitani et al.
L. Valenti, P. Dongiovanni, A. Ludovica Fracanzani, S. Fargion

e19 Bloodletting ameliorates insulin sensitivity and secretion in parallel to reducing liver iron in carriers of HFE gene mutations: response to Valenti et al.
M. Manco, G. Mingrone, V. Nobili, F. Equitani

About the American Diabetes Association

The American Diabetes Association is the nation's leading voluntary health organization supporting diabetes research, information, and advocacy. Its mission is to prevent and cure diabetes and to improve the lives of all people affected by diabetes. The American Diabetes Association is the leading publisher of comprehensive diabetes information. Its huge library of books and periodicals covers every aspect of diabetes and diabetes care.

To join the American Diabetes Association: Call 1-800-806-7801 or log on to www.diabetes.org/membership

To subscribe to American Diabetes Association journals: Call 1-800-342-2383 or go to www.diabetesjournals.org

To order American Diabetes Association books: Call 1-800-232-6733 or log on to <http://store.diabetes.org>

To access ADA's library of professional resources: Go to <http://professional.diabetes.org>

For more information about diabetes or ADA programs and services: Call 1-800-342-2383. E-mail: AskADA@diabetes.org or log on to www.diabetes.org

To locate an ADA/NCQA Recognized Provider of quality diabetes care in your area: Visit <http://web.ncqa.org>

To find an ADA Recognized Education Program in your area: Call 1-800-342-2383 or go to www.diabetes.org/for-health-professionals-and-scientists/recognition/edrecognition.jsp

To join the fight to increase funding for diabetes research, end discrimination, and improve insurance coverage: Call 1-800-342-2383 or visit www.diabetes.org/advocacy-and-legalresources/advocacy.jsp

To find out how you can get involved with the programs in your community: Call 1-800-342-2383 or visit <http://www.diabetes.org/communityprograms-and-localevents.jsp>

To find out about an important research project regarding type 2 diabetes: Log on to www.diabetes.org/diabetes-research/research-home.jsp

To obtain information on making a planned gift or charitable bequest: Call 1-888-700-7029 or visit www.wpg.cc/stl/CDA/homepage/1,1006,509,00.html

To make a donation or memorial contribution: Call 1-800-342-2383 or visit www.diabetes.org/support-the-cause/make-a-donation.jsp