

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (▶) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as PDF files.

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

839 Custom therapeutic insoles based on both foot shape and plantar pressure measurement provide enhanced pressure relief
T.M. Owings, J.L. Woerner, J.D. Frampton, P.R. Cavanagh, G. Botek

845 Rosiglitazone-associated fractures in type 2 diabetes: an analysis from A Diabetes Outcome Progression Trial (ADOPT)
S.E. Kahn, B. Zinman, J.M. Lachin, S.M. Haffner, W.H. Herman, R.R. Holman, B.G. Kravitz, D. Yu, M.A. Heise, R.P. Afting, G. Viberti, for the A Diabetes Outcome Progression Trial (ADOPT) Study Group

852 Biphasic insulin aspart 30 three times daily is more effective than a twice-daily regimen, without increasing hypoglycemia, in Chinese subjects with type 2 diabetes inadequately controlled on oral antidiabetes drugs
W. Yang, Q. Ji, D. Zhu, J. Yang, L. Chen, Z. Liu, D. Yu, L. Yan

857 Determinants for the effectiveness of lifestyle intervention in the Finnish Diabetes Prevention Study
J. Lindström, M. Peltonen, J.G. Eriksson, S. Aunola, H. Hämäläinen, P. Ilanne-Parikka, S. Keinänen-Kiukaanniemi, M. Uusitupa, J. Tuomilehto, for the Finnish Diabetes Prevention Study (DPS) Group

863 Evaluation of a diabetes management system based on practice guidelines, integrated care, and continuous quality management in a federal state of Germany: a population-based approach to health care research
U. Rothe, G. Müller, P.E.H. Schwarz, M. Seifert, H. Kunath, R. Koch, S. Bergmann, U. Julius, S.R. Bornstein, M. Hanefeld, J. Schulze

869 Estimating physician effects on glycemic control in the treatment of diabetes: methods, effects sizes, and implications for treatment policy
P.W. Tuerk, M. Mueller, L.E. Egede

874 Measuring functional, communicative, and critical health literacy among diabetic patients
H. Ishikawa, T. Takeuchi, E. Yano

880 Effect of race/ethnicity and persistent recognition of depression on mortality in elderly men with type 2 diabetes and depression
L.K. Richardson, L.E. Egede, M. Mueller

882 Inclusion of educational messages in laboratory reports aids to complete the diagnostic workup of hyperglycemia
J. Pérez-Jáuregui, A.M. González-Cardel, G. Olay-Fuentes, A. Reza-Albarrán, R. Mehta, C.A. Aguilar-Salinas

884 Age, BMI, and race are less important than random plasma glucose in identifying risk of glucose intolerance: the Screening for Impaired Glucose Tolerance Study (SIGT 5)
D.C. Ziemer, P. Kolm, W.S. Weintraub, V. Vaccarino, M.K. Rhee, J.M. Caudle, J.M. Irving, D.D. Koch, K.M.V. Narayan, L.S. Phillips

Epidemiology/Health Services Research

887 Outcome after leg bypass surgery for critical limb ischemia is poor in patients with diabetes: a population-based cohort study
J. Malmstedt, K. Leander, E. Wahlberg, L. Karlström, L. Alfredsson, J. Swedenborg

893 High prevalence of diabetes and cardiovascular risk factors associated with urbanization in India
A. Ramachandran, S. Mary, A. Yamuna, N. Murugesan, C. Snehalatha

899 Trends in the prevalence of preexisting diabetes and gestational diabetes mellitus among a racially/ethnically diverse population of pregnant women, 1999–2005
J.M. Lawrence, R. Contreras, W. Chen, D.A. Sacks

905 Variation in TCF7L2 and increased risk of colon cancer: the Atherosclerosis Risk in Communities (ARIC) Study
A.R. Folsom, J.S. Pankow, J.M. Peacock, S.J. Bielinski, G. Heiss, E. Boerwinkle

910 Association of common C-Reactive Protein (CRP) gene polymorphisms with baseline plasma CRP levels and fenofibrate response: the GOLDN Study
J. Shen, D.K. Arnett, L.D. Parnell, J.M. Peacock, C.-Q. Lai, J.E. Hixson, M.Y. Tsai, M.A. Province, R.J. Straka, J.M. Ordovas

▶ **916** Medication adherence and racial differences in A1C control
A.S. Adams, C.M. Trinacty, F. Zhang, K. Kleinman, R.W. Grant, J.B. Meigs, S.B. Soumerai, D. Ross-Degnan

922 Acute complications and drug misuse are important causes of death for children and young adults with type 1 diabetes: results from the Yorkshire Register of Diabetes in Children and Young Adults
R.G. Feltbower, H.J. Bodansky, C.C. Patterson, R.C. Parslow, C.R. Stephenson, C. Reynolds, P.A. McKinney

927 A1C in children and adolescents with diabetes in relation to certain clinical parameters: the Swedish Childhood Diabetes Registry SWEDIABKIDS
L. Hanberger, U. Samuelsson, B. Lindblad, J. Ludvigsson

930 Serum prostate-specific antigen levels in men with type 2 diabetes
M. Fukui, M. Tanaka, M. Kadono, S. Imai, G. Hasegawa, T. Yoshikawa, N. Nakamura

▶ **932** Prediction of mortality in type 2 diabetes from health-related quality of life (ZODIAC-4)
N. Kleefstra, G.W.D. Landman, S.T. Houweling, L.J. Ubink-Veltmaat, S.J.J. Logtenberg, B. Meyboom-de Jong, J.C. Coyne, K.H. Groenier, H.J.G. Bilo

Emerging Treatments and Technologies

934 Fully automated closed-loop insulin delivery versus semiautomated hybrid control in pediatric patients with type 1 diabetes using an artificial pancreas
S.A. Weinzimer, G.M. Steil, K.L. Swan, J. Dziura, N. Kurtz, W.V. Tamborlane

940 Long-term N-acetylcysteine and L-arginine administration reduces endothelial activation and systolic blood pressure in hypertensive patients with type 2 diabetes
V. Martina, A. Masha, V.R. Gliardi, L. Brocato, E. Manzato, A. Berchio, P. Massarenti, F. Settanni, L. Della Casa, S. Bergamini, A. Iannone

Pathophysiology/Complications

945 Leptin does not directly regulate the pancreatic hormones amylin and pancreatic polypeptide: interventional studies in humans

J.J. Hwang, J.L. Chan, G. Ntali, D. Malkova, C.S. Mantzoros

952 Proliferative diabetic retinopathy in type 2 diabetes is related to coronary artery calcium in the Veterans Affairs Diabetes Trial (VADT)

P.D. Reaven, N. Emanuele, T. Moritz, R. Klein, M. Davis, K. Glander, W. Duckworth, C. Abaira, for the Veterans Affairs Diabetes Trial (VADT)

958 Circulating surfactant protein A (SP-A), a marker of lung injury, is associated with insulin resistance

J.M. Fernández-Real, B. Chico, M. Shiratori, Y. Nara, H. Takahashi, W. Ricart

964 Use of the SINBAD classification system and score in comparing outcome of foot ulcer management on three continents

P. Ince, Z.G. Abbas, J.K. Lutale, A. Basit, S. Mansoor Ali, F. Chohan, S. Morbach, J. Möllenberg, F.L. Game, W.J. Jeffcoate

968 Relation of left ventricular function, mass, and volume to NT-proBNP in type 1 diabetic patients

A.S. Astrup, W.Y. Kim, L. Tarnow, R.M. Botnar, C. Simonsen, L. Brix, L. Pietraszek, P.R. Hansen, W.J. Manning, H.-H. Parving

971 Serial measurements of cystatin C are more accurate than creatinine-based methods in detecting declining renal function in type 1 diabetes

E. Premaratne, R.J. MacIsaac, S. Finch, S. Panagiotopoulos, E. Ekinci, G. Jerums

974 C-reactive protein in relation to the development of microalbuminuria in type 1 diabetes: the Oxford Regional Prospective Study

M.L. Marcovecchio, C. Giannini, B. Widmer, R.N. Dalton, S. Martinotti, F. Chiarelli, D.B. Dunger

977 Plasma adiponectin as a marker of insulin receptor dysfunction: clinical utility in severe insulin resistance

R.K. Semple, E.K. Cochran, M.A. Soos, K.A. Burling, D.B. Savage, P. Gorden, S. O'Rahilly

980 Differences in metabolites in pain-processing brain regions in patients with diabetes and painful neuropathy

L. Sorensen, P.J. Siddall, M.I. Trenell, D.K. Yue

Cardiovascular and Metabolic Risk

982 Determinants of new-onset diabetes among 19,257 hypertensive patients randomized in the Anglo-Scandinavian Cardiac Outcomes Trial—blood pressure lowering arm and the relative influence of antihypertensive medication

A.K. Gupta, B. Dahlöf, J. Dobson, P.S. Sever, H. Wedel, N.R. Poulter, on behalf of the Anglo-Scandinavian Cardiac Outcomes Trial (ASCOT) Investigators

989 Low adiponectin levels are associated with atherogenic dyslipidemia and lipid-rich plaque in nondiabetic coronary arteries

S.P. Marso, S.K. Mehta, A. Frutkin, J.A. House, J.R. McCrary, K.R. Kulkarni

995 Tissue plasminogen activator, von Willebrand factor, and risk of type 2 diabetes in older men

S.G. Wannamethee, N. Sattar, A. Rumley, P.H. Whincup, L. Lennon, G.D.O. Lowe

► **1001** Sleep-disordered breathing and impaired glucose metabolism in normal-weight and overweight/obese individuals: the Sleep Heart Health Study

S. Seicean, H.L. Kirchner, D.J. Gottlieb, N.M. Punjabi, H. Resnick, M. Sanders, R. Budhiraja, M. Singer, S. Redline

1007 Effects of ramipril and rosiglitazone on cardiovascular and renal outcomes in people with impaired glucose tolerance or impaired fasting glucose: results of the Diabetes REduction

Assessment with ramipril and rosiglitazone Medication (DREAM) trial

The DREAM Trial Investigators

1015 Inverse correlation between heart rate recovery and metabolic risks in healthy children and adolescents: insight from the National Health and Nutrition Examination Survey 1999–2002

L.-Y. Lin, H.-K. Kuo, L.-P. Lai, J.-L. Lin, C.-D. Tseng, J.-J. Hwang

1021 Effect of insulin glulisine on microvascular blood flow and endothelial function in the postprandial state

C. Hohberg, T. Forst, M. Larbig, M. Safinowski, S. Diessel, S. Hehenwarter, M.M. Weber, T. Schöndorf, A. Pfützner

1026 Glucose and insulin measurements from the oral glucose tolerance test and mortality prediction

E.J. Metter, B.G. Windham, M. Maggio, E.M. Simonsick, S.M. Ling, J.M. Egan, L. Ferrucci

1031 High birth weight and early postnatal weight gain protect obese children and adolescents from truncal adiposity and insulin resistance: metabolically healthy but obese subjects?

N. Bouhours-Nouet, S. Dufresne, F. Boux de Casson, E. Mathieu, O. Douay, F. Gatelais, S. Rouleau, R. Coutant

1037 Modestly elevated glucose levels during pregnancy are associated with a higher risk of future diabetes among women without gestational diabetes mellitus

D.B. Carr, K.M. Newton, K.M. Utzschneider, J. Tong, F. Gerchman, S.E. Kahn, S.R. Heckbert

1040 Diabetes Risk Calculator: a simple tool for detecting undiagnosed diabetes and pre-diabetes

K.E. Heikes, D.M. Eddy, B. Arondekar, L. Schlessinger

Reviews/Commentaries/ADA Statements

1046 Commentary

Where is the patient in diabetes performance measures? The case for including patient-centered and self-management measures

R.E. Glasgow, M. Peeples, S.E. Skovlund

1051 Special Report

Cure, care, and commitment: what can we look forward to?

R. Rizza, D. Eddy, R. Kahn

1060 Consensus Statement

Managing preexisting diabetes for pregnancy: summary of evidence and consensus recommendations for care

J.L. Kitzmiller, J.M. Block, F.M. Brown, P.M. Catalano, D.L. Conway, D.R. Coustan, E.P. Gunderson, W.H. Herman, L.D. Hoffman, M. Inturrisi, L.B. Jovanovic, S.I. Kjos, R.H. Knopp, M.N. Montoro, E.S. Ogata, P. Paramsothy, D.M. Reader, B.M. Rosenn, A.M. Thomas, M.S. Kirkman

1080 Perspectives on the News

Diabetic retinopathy

Z.T. Bloomgarden

Editorials

1084 Editorial (see Heikes et al., p. 1040)

Screening for diabetes

B. Balkau

1086 Key Global Literature

1089 Errata

1090 Issues and Updates

1091 Classified Advertising

Table of Contents continues on v

Online Letters: Observations

e30 Acanthosis Nigricans among women with gestational diabetes mellitus and risk of adverse pregnancy outcomes
J. Daichman, M.J. Vermeulen, J.G. Ray

e31 Psoriatic exacerbation associated with insulin therapy
A.F. Moore, T. Soper, N. Jones, J. Grevelink, N. Abourizk

e32 Early subclinical atherosclerosis in women with previous gestational diabetes mellitus
L. Volpe, I. Cuccuru, C. Lencioni, V. Napoli, A. Ghio, C. Fotino, A. Bertolotto, G. Penno, L. Benzi, S. Del Prato, G. Di Cianni

e33 Effect of fluoride-containing tubes on accuracy of glucometers
H.-Y. Li, C.-H. Hua, Y.-R. Lin, M.-S. Lin, J.-N. Wei

Online Letters: Comments and Responses

e34 Cost-effectiveness of screening for pre-diabetes among overweight and obese U.S. adults: response to Hoerger et al.
J.W. Wechowski

e35 Cost-effectiveness of screening for pre-diabetes among overweight and obese U.S. adults: response to Wechowski
T.J. Hoerger, K.A. Hicks, S.W. Sorensen, W.H. Herman, R.E. Ratner, R.T. Ackermann, P. Zhang, M.M. Engelgau

e36 Mediterranean diet inversely associated with the incidence of metabolic syndrome: the SUN prospective cohort: response to Tortosa et al.
D. Giugliano, A. Ceriello, K. Esposito

e37 Mediterranean diet inversely associated with the incidence of metabolic syndrome: the SUN prospective cohort: response to Giugliano, Ceriello, and Esposito
M.A. Martinez-González, A. Tortosa, F.J. Basterra-Gortari, M. Bes-Rastrollo

e38 Pancreatic fat content and β -cell function in men with and without type 2 diabetes: response to Tushuizen et al.
Y. Saisho, A.E. Butler, P.C. Butler

e39 Pancreatic fat content and β -cell function in men with and without type 2 diabetes: response to Saisho, Butler, and Butler
M.E. Tushuizen, M.C. Bunck, P.J. Pouwels, M. Diamant

e40 Impact of autonomic neuropathy on left ventricular function in normotensive type 1 diabetic patients: a tissue Doppler echocardiographic study: response to Karamitsos et al.
P.M. Humpert, D. Oikonomou, M. Morcos, H. Kuecherer, T. Schilling, A. Bierhaus, P.P. Nawroth, H.A. Katus, G. Korosoglou

e41 Impact of autonomic neuropathy on left ventricular function in normotensive type 1 diabetic patients: a tissue Doppler echocardiographic study: response to Humpert et al.
T.D. Karamitsos, H.I. Karvounis, T. Didangelos, G.E. Parcharidis, D.T. Karamitsos

e42 Should nonalcoholic fatty liver disease be included in the definition of metabolic syndrome? A cross-sectional comparison with Adult Treatment Panel III criteria in nonobese nondiabetic subjects: response to Musso et al.
S. Sookoian, A.L. Burgueño, G. Castaño, C.J. Pirola

e43 Should nonalcoholic fatty liver disease be included in the definition of metabolic syndrome? A cross-sectional comparison with Adult Treatment Panel III criteria in nonobese nondiabetic subjects: response to Sookoian et al.
G. Musso, R. Gambino, S. Bo, M. Cassader

e44 Standards of medical care in diabetes—2008: response to Hirsch, Inzucchi, and Kirkman
J.M. Dora, C.K. Kramer, L.H. Canani

e45 Standards of medical care in diabetes—2008: response to Dora, Kramer, and Canani
I.B. Hirsch, S.E. Inzucchi, M.S. Kirkman

e46 Coffee consumption is associated with higher plasma adiponectin concentrations in women with or without type 2 diabetes: response to Williams et al.
K. Kotani, S. Fujiwara, T. Hamada, K. Tsuzaki, N. Sakane

e47 Coffee consumption is associated with higher plasma adiponectin concentrations in women with or without type 2 diabetes: response to Kotani et al.
R.M. van Dam, F.B. Hu, C.S. Mantzoros