

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (►) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

Editor's Commentary

- 1 Finishing strong
V.A. Fonseca

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

- 2 Results of a successful telephonic intervention to improve diabetes control in urban adults: a randomized trial
E.A. Walker, C. Shmukler, R. Ullman, E. Blanco, M. Scollan-Koliopoulos, H.W. Cohen
- 8 Diabetes preventive services and policy implications in the U.S.
X.Z. He
- 14 Reduction in the incidence of type 2 diabetes with the Mediterranean diet: results of the PREDIMED-Reus nutrition intervention randomized trial
J. Salas-Salvadó, M. Bulló, N. Babio, M.A. Martínez-González, N. Ibarrola-Jurado, J. Basora, R. Estruch, M.I. Covas, D. Corella, F. Arós, V. Ruiz-Gutiérrez, E. Ros, for the PREDIMED Study Investigators
- 20 Effect of adding pharmacists to primary care teams on blood pressure control in patients with type 2 diabetes: a randomized controlled trial
S.H. Simpson, S.R. Majumdar, R.T. Tsuyuki, R.Z. Lewanczuk, R. Spooner, J.A. Johnson
- 27 Pharmacological treatment of the pathogenetic defects in type 2 diabetes: the randomized multicenter South Danish Diabetes Study
J. Gram, J.E. Henriksen, E. Grodum, H. Juhl, T.B. Hansen, C. Christiansen, K. Yderstræde, H. Gjessing, H.M. Hansen, V. Vestergaard, H. Beck-Nielsen, J. Hangaard
- 34 Blood pressure and cardiovascular disease risk in the Veterans Affairs Diabetes Trial
R.J. Anderson, G.D. Bahn, T.E. Moritz, D. Kaufman, C. Abraira, W. Duckworth, for the VADT Study Group
- 39 How many sonograms are needed to reliably predict the absence of fetal overgrowth in gestational diabetes mellitus pregnancies?
U.M. Schaefer-Graf, L. Wendt, D.A. Sacks, O. Kilavuz, B. Gaber, S. Metzner, K. Vetter, M. Abou-Dakn
- 44 Comparison of near-patient capillary glucose measurement and a risk assessment questionnaire in screening for type 2 diabetes in a high-risk population in rural India
G.E. Ritchie, A.P. Kengne, R. Joshi, C. Chow, B. Neal, A. Patel, S. Zoungas
- 50 Improving epinephrine responses in hypoglycemia unawareness with real-time continuous glucose monitoring in adolescents with type 1 diabetes
T.T. Ly, J. Hewitt, R.J. Davey, E.M. Lim, E.A. Davis, T.W. Jones
- 53 Frequent monitoring of A1C during pregnancy as a treatment tool to guide therapy
L. Jovanović, H. Savas, M. Mehta, A. Trujillo, D.J. Pettitt

55 Effects of the Dietary Approaches to Stop Hypertension (DASH) eating plan on cardiovascular risks among type 2 diabetic patients: a randomized crossover clinical trial
L. Azadbakht, N.R.P. Fard, M. Karimi, M.H. Baghaei, P.J. Surkan, M. Rahimi, A. Esmailzadeh, W.C. Willett

58 Comparison of diabetes control among Haitians, African Americans, and non-Hispanic whites in an urban safety-net hospital
V.G. Vimalananda, J.L. Rosenzweig, H.J. Cabral, M.M. David, K.E. Lasser

Epidemiology/Health Services Research

- 61 Impact of BMI and the metabolic syndrome on the risk of diabetes in middle-aged men
J. Årnlöv, J. Sundström, E. Ingelsson, L. Lind
- 66 Prevalence and correlates of latent autoimmune diabetes in adults in Tianjin, China: a population-based cross-sectional study
X. Qi, J. Sun, J. Wang, P.P. Wang, Z. Xu, M. Murphy, J. Jia, J. Wang, Y. Xie, W. Xu
- 71 Association of depressive symptoms with impaired glucose regulation, screen-detected, and previously known type 2 diabetes: findings from the Finnish D2D Survey
P. Mäntyselkä, K. Korniloff, T. Saaristo, H. Koponen, J. Eriksson, H. Puolijoki, M. Timonen, J. Sundvall, H. Kautiainen, M. Vanhala
- 77 A1C and cardiovascular outcomes in type 2 diabetes: a nested case-control study
D.C. Colayco, F. Niu, J.S. McCombs, T.C. Cheetham
- 84 Performance of A1C for the classification and prediction of diabetes
E. Selvin, M.W. Steffes, E. Gregg, F.L. Brancati, J. Coresh
- 90 Risk of cardiovascular disease events in patients with type 2 diabetes prescribed the glucagon-like peptide 1 (GLP-1) receptor agonist exenatide twice daily or other glucose-lowering therapies: a retrospective analysis of the LifeLink database
J.H. Best, B.J. Hoogwerf, W.H. Herman, E.M. Pelletier, D.B. Smith, M. Wenten, M.A. Hussein
- 96 Ethnicity and sex affect diabetes incidence and outcomes
N.A. Khan, H. Wang, S. Anand, Y. Jin, N.R.C. Campbell, L. Pilote, H. Quan
- 102 High levels of education are associated with an increased risk of latent autoimmune diabetes in adults: results from the Nord-Trøndelag Health Study
L. Olsson, A. Ahlbom, V. Grill, K. Midthjell, S. Carlsson
- 108 Multivitamins, individual vitamin and mineral supplements, and risk of diabetes among older U.S. adults
Y. Song, Q. Xu, Y. Park, A. Hollenbeck, A. Schatzkin, H. Chen
- 115 Extended family history of diabetes and autoimmune diseases in children with and without type 1 diabetes
S. Alhonen, S. Korhonen, P. Tapanainen, M. Knip, R. Veijola
- 118 The prevalence of metabolic syndrome and associated risk factors in Northern Plains and Southwest American Indians
K.A. Sinclair, A. Bogart, D. Buchwald, J.A. Henderson
- 121 Genetic risk reclassification for type 2 diabetes by age below or above 50 years using 40 type 2 diabetes risk single nucleotide polymorphisms
J.M. de Miguel-Yanes, P. Shrader, M.J. Pencina, C.S. Fox, A.K. Manning, R.W. Grant, J. Dupuis, J.C. Florez, R.B. D'Agostino Sr., L.A. Cupples, J.B. Meigs, the MAGIC Investigators, the DIAGRAM+ Investigators

Table of Contents continues on page vi

126 Serum uric acid levels predict new-onset type 2 diabetes in hospitalized patients with primary hypertension: the MAGIC study
F. Viazzi, G. Leoncini, M. Vercelli, G. Deferrari, R. Pontremoli

129 Metformin and cancer occurrence in insulin-treated type 2 diabetic patients

M. Monami, C. Colombi, D. Balzi, I. Dicembrini, S. Giannini, C. Melani, V. Vitale, D. Romano, A. Barchielli, N. Marchionni, C.M. Rotella, E. Mannucci

Pathophysiology/Complications

132 Leptin and amylin act in an additive manner to activate overlapping signaling pathways in peripheral tissues: in vitro and ex vivo studies in humans
H.-S. Moon, J.P. Chamberland, K.N. Diakopoulos, C.G. Fiorenza, F. Ziemke, B. Schneider, C.S. Mantzoros

► **139** Fetal exposure to altered amniotic fluid glucose, insulin, and insulin-like growth factor-binding protein 1 occurs before screening for gestational diabetes mellitus
D.K. Tisi, D.H. Burns, G.W. Luskey, K.G. Koski

145 Glycemic thresholds for diabetes-specific retinopathy: implications for diagnostic criteria for diabetes
S. Colagiuri, C.M.Y. Lee, T.Y. Wong, B. Balkau, J.E. Shaw, K. Borch-Johnsen, the DETECT-2 Collaboration Writing Group

151 Human enterovirus RNA in monthly fecal samples and islet autoimmunity in Norwegian children with high genetic risk for type 1 diabetes: the MIDIA study
G. Tapia, O. Cinek, T. Rasmussen, E. Witsø, B. Grinde, L.C. Stene, K.S. Rønningen

156 Fетuin-A levels are increased in patients with type 2 diabetes and peripheral arterial disease
D.P. Lorant, M. Grujicic, C. Hoebaus, J.-M. Brix, F. Hoellerl, G. Schernthaner, R. Koppensteiner, G.-H. Schernthaner

162 Glutathione synthesis is diminished in patients with uncontrolled diabetes and restored by dietary supplementation with cysteine and glycine
R.V. Sekhar, S.V. McKay, S.G. Patel, A.P. Guthikonda, V.T. Reddy, A. Balasubramanyam, F. Jahoor

168 Identification of autoantibody-negative autoimmune type 2 diabetic patients
B.M. Brooks-Worrell, J.L. Reichow, A. Goel, H. Ismail, J.P. Palmer

174 Exercise-induced changes in metabolic intermediates, hormones, and inflammatory markers associated with improvements in insulin sensitivity
K.M. Huffman, C.A. Slentz, L.A. Bateman, D. Thompson, M.J. Muehlbauer, J.R. Bain, R.D. Stevens, B.R. Wenner, V.B. Kraus, C.B. Newgard, W.E. Kraus

177 The acute effect of clamped hyperglycemia on the urinary excretion of inflammatory cytokines/chemokines in uncomplicated type 1 diabetes: a pilot study
D.Z.I. Cherney, J.W. Scholey, E. Sochett, T.J. Bradley, H.N. Reich

181 Retinal and gingival hemorrhaging and chronic hyperglycemia
P.P. Hujjoel, M. Stott-Miller

184 Untreated type 2 diabetes and its complications are associated with subcortical infarctions
R.O. Roberts, K. Kantarci, Y.E. Geda, D.S. Knopman, S.A. Przybelski, S.D. Weigand, R.C. Petersen, C.R. Jack Jr.

Cardiovascular and Metabolic Risk

187 Do physical activity and aerobic fitness moderate the association between birth weight and metabolic risk in youth? The European Youth Heart Study
C.L. Ridgway, S. Brage, S.A. Anderssen, L.B. Sardinha, L.B. Andersen, U. Ekelund

193 Metabolic risk and health behaviors in minority youth at risk for type 2 diabetes
M.G. Holl, S.S. Jaser, J.A. Womack, V.L. Jefferson, M. Grey

► **198** Repeated episodes of hypoglycemia as a potential aggravating factor for preclinical atherosclerosis in subjects with type 1 diabetes
M. Giménez, R. Gilabert, J. Monteagudo, A. Alonso, R. Casamitjana, C. Paré, I. Conget

204 Five-year outcomes in high-risk participants in the Detection of Ischemia in Asymptomatic Diabetics (DIAD) study: a post hoc analysis
S. Bansal, F.J.T. Wackers, S.E. Inzucchi, D.A. Chyun, J.A. Davey, L.H. Staib, L.H. Young, for the DIAD Investigators

210 Prevalence, metabolic features, and prognosis of metabolically healthy obese Italian individuals: the Cremona Study
G. Calori, G. Lattuada, L. Piemonti, M.P. Garancini, F. Ragogni, M. Villa, S. Mannino, P. Crosignani, E. Bosi, L. Luzi, G. Ruotolo, G. Perseghin

216 Persistent increase of prevalence of metabolic syndrome among U.S. adults: NHANES III to NHANES 1999–2006
A. Mozumdar, G. Liguori

220 Noninvasive assessment of exercise-related intramyocellular acetylcarnitine in euglycemia and hyperglycemia in patients with type 1 diabetes using ¹H magnetic resonance spectroscopy: a randomized single-blind crossover study
A. Boss, R. Kreis, S. Jenni, M. Ith, J.-M. Nuoffer, E. Christ, C. Boesch, C. Stettler

Reviews/Commentaries/ADA Statements

► 223 Meta-Analysis

Physical activity before and during pregnancy and risk of gestational diabetes mellitus: a meta-analysis
D.K. Tobias, C. Zhang, R.M. van Dam, K. Bowers, F.B. Hu

230 Meta-Analysis

Meta-analysis of the significance of asymptomatic bacteriuria in diabetes
M. Renko, P. Tapanainen, P. Tossavainen, T. Pokka, M. Uhari

236 Commentary

Depression in diabetes: have we been missing something important?
J.S. Gonzalez, L. Fisher, W.H. Polonsky

Editorials

240 Editorial (see Walker et al., p. 2)

New technologies to advance self-management support in diabetes: not just a bunch of cool apps!
L. Fisher, W.P. Dickinson

244 Editorial (see Ritchie et al., p. 44)

Early identification of type 2 diabetes: policy should be aligned with health systems strengthening
K.M.V. Narayan, J. Chan, V. Mohan

247 Errata

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Perspectives on the News

e1 The American Diabetes Association's 57th Annual Advanced Postgraduate Course: diabetes risk, vitamin D, polycystic ovary syndrome, and obstructive sleep apnea
Z.T. Bloomgarden

Online Letters: Observations

e7 Measuring abdominal obesity: effects of height on distribution of cardiometabolic risk factors risk using waist circumference and waist-to-height ratio

H.J. Schneider, J. Klotsche, S. Silber, G.K. Stalla, H.-U. Wittchen

e8 Pancreatic β -cell function in women with gestational diabetes mellitus defined by new consensus criteria

K. Miyakoshi, Y. Saisho, M. Tanaka, A. Shimada, H. Itoh, Y. Yoshimura

e9 Paternally inherited proinsulin mutations may result in earlier onset of monogenic diabetes mutation identity effect in monogenic diabetes

W. Fendler, M. Borowiec, K. Antosik, B. Jaroszewska-Swiatek, E. Szwarcowicz-Warowicka, M. Malecki, M. Mysliwiec, W. Mlynarski

Online Letters: Comments and Responses

e10 Maternal glucose at 28 weeks of gestation is not associated with obesity in 2-year-old offspring: the Belfast Hyperglycemia and Adverse Pregnancy Outcome (HAPO) family study: comment on Pettit et al.

L. Chatzi, E. Papadopoulou, M. Vafiadi, A. Pappas, M. Kogevinas