

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (►) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

Bench to Clinic Symposia

789 Bromocriptine: a sympatholytic, D2-dopamine agonist for the treatment of type 2 diabetes
R.A. DeFronzo

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

► **795** Effect of continuous glucose monitoring on hypoglycemia in type 1 diabetes
T. Battelino, M. Phillip, N. Bratina, R. Nimri, P. Oskarsson, J. Bolinder

801 Psychometric properties of the Hypoglycemia Fear Survey-II for adults with type 1 diabetes
L.A. Gonder-Frederick, K.M. Schmidt, K.A. Vajda, M.L. Greear, H. Singh, J.A. Shepard, D.J. Cox

807 Effect of intensive glycemic lowering on health-related quality of life in type 2 diabetes: ACCORD trial

R.T. Anderson, K.M.V. Narayan, P. Feeney, D. Goff Jr., M.K. Ali, D.L. Simmons, J.-A. Sperl-Hillen, T. Bigger, R. Cuddihy, P.J. O'Conner, A. Sood, P. Zhang, M.D. Sullivan, for the Action to Control Cardiovascular Risk in Diabetes (ACCORD) Investigators

813 Dairy consumption and the incidence of hyperglycemia and the metabolic syndrome: results from a French prospective study, Data from the Epidemiological Study on the Insulin Resistance Syndrome (DESIR)
F. Fumeron, A. Lamri, C. Abi Khalil, R. Jaziri, I. Porchay-Baldérelli, O. Lantieri, S. Vol, B. Balkau, M. Marre, the Data from the Epidemiological Study on the Insulin Resistance Syndrome (DESIR) Study Group

818 A comparative evaluation of amitriptyline and duloxetine in painful diabetic neuropathy: a randomized, double-blind, cross-over clinical trial
H. Kaur, D. Hota, A. Bhansali, P. Dutta, D. Bansal, A. Chakrabarti

823 Effects of carbohydrate counting on glucose control and quality of life over 24 weeks in adult patients with type 1 diabetes on continuous subcutaneous insulin infusion: a randomized, prospective clinical trial (GIOCAR)

A. Laurenzi, A.M. Bolla, G. Panigoni, V. Doria, A.C. Uccellatore, E. Peretti, A. Saibene, G. Galimberti, E. Bosi, M. Scavini

828 Testosterone replacement in hypogonadal men with type 2 diabetes and/or metabolic syndrome (the TIMES2 study)

T.H. Jones, S. Arver, H.M. Behre, J. Buvat, E. Meuleman, I. Moncada, A.M. Morales, M. Volterrani, A. Yellowlees, J.D. Howell, K.S. Channer, TIMES2 Investigators

838 Randomized trial of a literacy-sensitive, culturally tailored diabetes self-management intervention for low-income Latinos: Latinos en Control

M.C. Rosal, I.S. Ockene, A. Restrepo, M.J. White, A. Borg, B. Olendzki, J. Scavron, L. Candib, G. Welch, G. Reed

845 Valsartan improves β -cell function and insulin sensitivity in subjects with impaired glucose metabolism: a randomized controlled trial
N.J. van der Zijl, C.C.M. Moors, G.H. Goossens, M.M.H. Hermans, E.E. Blaak, M. Diamant

852 Diagnostic accuracy of point-of-care testing for diabetic ketoacidosis at emergency-department triage: β -hydroxybutyrate versus the urine dipstick
S. Arora, S.O. Henderson, T. Long, M. Menchine

855 A decrease in glucose variability does not reduce cardiovascular event rates in type 2 diabetic patients after acute myocardial infarction: a reanalysis of the HEART2D study
S.E. Siegelar, L. Kerr, S.J. Jacober, J.H. Devries

858 Binge eating, mood, and quality of life in youth with type 2 diabetes: baseline data from the TODAY study
The TODAY Study Group

Epidemiology/Health Services Research

861 The association between dietary sodium intake, ESRD, and all-cause mortality in patients with type 1 diabetes
M.C. Thomas, J. Moran, C. Forsblom, V. Harjutsalo, L. Thorn, A. Ahola, J. Wadén, N. Tolonen, M. Saraheimo, D. Gordin, P.-H. Groop, for the FinnDiane Study Group

867 Progression and regression: distinct developmental patterns of diabetic retinopathy in patients with type 2 diabetes treated in the Diabetes Care System West-Friesland, the Netherlands
H. Zavrelva, T. Hoekstra, M. Alsema, L.M.C. Welschen, G. Nijpels, A.C. Moll, H.C.W. de Vet, B.C.P. Polak, J.M. Dekker

873 Blood pressure and the risk of developing diabetes in African Americans and whites: ARIC, CARDIA, and the Framingham Heart Study
G.S. Wei, S.A. Coady, D.C. Goff Jr., F.L. Brancati, D. Levy, E. Selvin, R.S. Vasan, C.S. Fox

880 Dietary patterns and incident type 2 diabetes in Chinese men and women: the Singapore Chinese Health Study
A.O. Odegaard, W.-P. Koh, L.M. Butler, S. Duval, M.D. Gross, M.C. Yu, J.-M. Yuan, M.A. Pereira

886 Pulse pressure predicts incident cardiovascular disease but not diabetic nephropathy in patients with type 1 diabetes (the FinnDiane Study)
D. Gordin, J. Wadén, C. Forsblom, L. Thorn, M. Rosengård-Bärlund, N. Tolonen, M. Saraheimo, V. Harjutsalo, P.-H. Groop, for the FinnDiane Study Group

892 Association between passive and active smoking and incident type 2 diabetes in women
L. Zhang, G.C. Curhan, F.B. Hu, E.B. Rimm, J.P. Forman

898 Validation of a pediatric diabetes case definition using administrative health data in Manitoba, Canada
A.B. Dart, P.J. Martens, E.A. Sellers, M.D. Brownell, C. Rigatto, H.J. Dean

904 Metabolic syndrome and onset of depressive symptoms in the elderly: findings from the Three-City Study
T.N. Akbaraly, M.-L. Ancelin, I. Jaussent, C. Ritchie, P. Barberger-Gateau, C. Dufouil, M. Kivimaki, C. Berr, K. Ritchie

910 Diabetes and risk of Parkinson's disease
Q. Xu, Y. Park, X. Huang, A. Hollenbeck, A. Blair, A. Schatzkin, H. Chen

916 Risk of bladder cancer among diabetic patients treated with pioglitazone: interim report of a longitudinal cohort study
J.D. Lewis, A. Ferrara, T. Peng, M. Hedderson, W.B. Bilker, C.P. Quesenberry Jr., D.J. Vaughn, L. Nessel, J. Selby, B.L. Strom

Table of Contents continues on page vi

923 Cohort study of pioglitazone and cancer incidence in patients with diabetes

A. Ferrara, J.D. Lewis, C.P. Quesenberry Jr., T. Peng, B.L. Strom, S.K. Van Den Eeden, S.F. Ehrlich, L.A. Habel

930 Heterogeneity of diabetes outcomes among Asians and Pacific Islanders in the U.S.: the Diabetes Study of Northern California (DISTANCE)

A.M. Kanaya, N. Adler, H.H. Moffet, J. Liu, D. Schillinger, A. Adams, A.T. Ahmed, A.J. Karter

938 Regional, geographic, and racial/ethnic variation in glycemic control in a national sample of veterans with diabetes

L.E. Egede, M. Gebregziabher, K.J. Hunt, R.N. Axon, C. Echols, G.E. Gilbert, P.D. Mauldin

944 Hemoglobin A_{1c} as a diagnostic tool for diabetes screening and new-onset diabetes prediction: a 6-year community-based prospective study

S.H. Choi, T.H. Kim, S. Lim, K.S. Park, H.C. Jang, N.H. Cho

950 Incidence of type 2 diabetes using proposed HbA_{1c} diagnostic criteria in the European Prospective Investigation of Cancer–Norfolk cohort: implications for preventive strategies

P. Channan, R.K. Simmons, N.G. Forouhi, R.N. Luben, K.-T. Khaw, N.J. Wareham, S.J. Griffin

957 Are the same clinical risk factors relevant for incident diabetes defined by treatment, fasting plasma glucose, and HbA_{1c}?

B. Balkau, S. Soulimane, C. Lange, A. Gautier, J. Tichet, S. Vol, the DESIR Study Group

Pathophysiology/Complications

960 Nontraditional markers of glycemia: associations with microvascular conditions

E. Selvin, L.M.A. Francis, C.M. Ballantyne, R.C. Hoogeveen, J. Coresh, F.L. Brancati, M.W. Steffes

► **968** Protection from retinopathy and other complications in patients with type 1 diabetes of extreme duration: the Joslin 50-Year Medalist Study

J.K. Sun, H.A. Keenan, J.D. Cavallerano, B.F. Asztalos, E.J. Schaefer, D.R. Sell, C.M. Strauch, V.M. Monnier, A. Doria, L.P. Aiello, G.L. King

975 Glomerular and tubular damage markers are elevated in patients with diabetes

F.L. Nauta, W.E. Boertien, S.J.L. Bakker, H. van Goor, W. van Oeveren, P.E. de Jong, H. Bilo, R.T. Gansevoort

982 Association between insulin resistance and development of microalbuminuria in type 2 diabetes: a prospective cohort study

C.-C. Hsu, H.-Y. Chang, M.-C. Huang, S.-J. Hwang, Y.-C. Yang, T.-Y. Tai, H.-J. Yang, C.-T. Chang, C.-J. Chang, Y.-S. Li, S.-J. Shin, K.N. Kuo

988 Interaction of onset and duration of diabetes on the percent of GAD and IA-2 antibody-positive subjects in the Type 1 Diabetes Genetics Consortium Database

D.M. Tridgell, C. Spiekerman, R.S. Wang, C.J. Greenbaum

994 Fasting indicators of insulin sensitivity: effects of ethnicity and pubertal status

T.C. Adam, R.E. Hasson, C.J. Lane, J.N. Davis, M.J. Weigensberg, D. Spruijt-Metz, M.I. Goran

1000 Skin intrinsic fluorescence correlates with autonomic and distal symmetrical polyneuropathy in individuals with type 1 diabetes

B.N. Conway, V.R. Aroda, J.D. Maynard, N. Matter, S. Fernandez, R.E. Ratner, T.J. Orchard

1006 The relationship between β -cell function and glycated hemoglobin: results from the Veterans Administration Genetic Epidemiology Study

M. Kanat, D. Winnier, L. Norton, N. Arar, C. Jenkinson, R.A. DeFronzo, M.A. Abdul-Ghani

1011 A1C variability as an independent risk factor for microalbuminuria in young people with type 1 diabetes

M.L. Marcovecchio, R.N. Dalton, F. Chiarelli, D.B. Dunger

Cardiovascular and Metabolic Risk

► **1014** Exposure to the Chinese famine in early life and the risk of metabolic syndrome in adulthood

Y. Li, V.W. Jaddoe, L. Qi, Y. He, D. Wang, J. Lai, J. Zhang, P. Fu, X. Yang, F.B. Hu

1019 Lifecourse childhood adiposity trajectories associated with adolescent insulin resistance

R.-C. Huang, N.H. de Klerk, A. Smith, G.E. Kendall, L.I. Landau, T.A. Mori, J.P. Newnham, F.J. Stanley, W.H. Oddy, B. Hands, L.J. Beilin

► **1026** Relationship between neck circumference and cardiometabolic parameters in HIV-infected and non-HIV-infected adults

K.V. Fitch, T.L. Stanley, S.E. Looby, A.M. Rope, S.K. Grinspoon

1032 The prevalence of metabolic syndrome and determination of the optimal waist circumference cutoff points in a rural South African community

A.A. Motala, T. Esterhuizen, F.J. Pirie, M.A.K. Omar

1038 High-normal HbA_{1c} is a strong predictor of type 2 diabetes in the general population

E. Bonora, S. Kiechl, A. Mayr, G. Zoppini, G. Targher, R.C. Bonadonna, J. Willeit

Reviews/Commentaries/ADA Statements

1041 Review

Beyond the monofilament for the insensate diabetic foot: a systematic review of randomized trials to prevent the occurrence of plantar foot ulcers in patients with diabetes

Y. Arad, V. Fonseca, A. Peters, A. Vinik

1047 Review

Patient-Centered Medical Home and diabetes

T. Bojadzievski, R.A. Gabbay

1054 Commentary

Diabetes management in the age of national health reform

R.E. Ratner

Editorials

1058 Editorial (see Siegelar et al., p. 855)

Glycemic variability: can we bridge the divide between controversies? L. Monnier, C. Colette

1060 Editorial (see Sun et al., p. 968)

The question is, my dear Watson, why did the dog not bark?

The Joslin 50-Year Medalist Study

A. Vinik

1064 Editorial (see Fumeron et al., p. 813)

Dairy products and metabolic risk factors: how much do we know?

J. Wylie-Rosett

1066 Editorial (see Zavrelova et al., p. 867)

Diabetic retinopathy in 2011: further insights from new epidemiological studies and clinical trials

E.L. Lamoureux, T.Y. Wong

1068 Erratum

1069 Issues and Events

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Perspectives on the News

e36 Diabetes treatment and cardiovascular safety

Z.T. Bloomgarden

Table of Contents continues on page vii

Online Letters: Observations

e43 Prognostic relevance of hypoglycemia following an oral glucose challenge for cystic fibrosis-related diabetes
K. Radike, K. Molz, R.W. Holl, B. Poeter, H. Hebestreit, M. Ballmann

Online Letters: Comments and Responses

e44 Comment on: Chen et al. Utilizing the second-meal effect in type 2 diabetes: practical use of a soya-yogurt snack. *Diabetes Care* 2010;33:2552–2554
F.K. Knop

e45 Response to comment on: Chen et al. Utilizing the second-meal effect in type 2 diabetes: practical use of a soya-yogurt snack. *Diabetes Care* 2010;33:2552–2554
R. Taylor, M.J. Chen