

All articles in *Diabetes Care* are available on the World Wide Web at [www.diabetes.org/diabetescare](http://www.diabetes.org/diabetescare). Cover articles (▶) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

## Kelly West Award Lecture

**1249** Globalization of diabetes: the role of diet, lifestyle, and genes  
*F.B. Hu*

## Original Research

### Clinical Care/Education/Nutrition/Psychosocial Research

**1258** Serum carotenoids and fat-soluble vitamins in women with type 1 diabetes and preeclampsia: a longitudinal study  
*M. Azar, A. Basu, A.J. Jenkins, A.J. Nankervis, K.F. Hanssen, H. Scholz, T. Henriksen, S.K. Garg, S.M. Hammad, J.A. Scardo, C.E. Aston, T.J. Lyons*

**1265** Incidence of diabetes following ramipril or rosiglitazone withdrawal  
*The DREAM Trial Investigators*

▶ **1270** Influence of time of day of blood pressure-lowering treatment on cardiovascular risk in hypertensive patients with type 2 diabetes  
*R.C. Hermida, D.E. Ayala, A. Mojón, J.R. Fernández*

**1277** Differential effect of low-dose aspirin for primary prevention of atherosclerotic events in diabetes management: a subanalysis of the JPAD trial

*S. Okada, T. Morimoto, H. Ogawa, M. Kanauchi, M. Nakayama, S. Uemura, N. Doi, H. Jimnouchi, M. Waki, H. Soejima, M. Sakuma, Y. Saito, for the Japanese Primary Prevention of Atherosclerosis With Aspirin for Diabetes (JPAD) Trial Investigators*

**1284** Vitamin D status in relation to glucose metabolism and type 2 diabetes in septuagenarians  
*C. Dalgård, M.S. Petersen, P. Weihe, P. Grandjean*

**1289** Minority status and diabetes screening in an ambulatory population  
*A. Sheehy, N. Pandhi, D.B. Coursin, G.E. Flood, S.A. Kraft, H.M. Johnson, M.A. Smith*

**1295** Effect of gastric bypass surgery on the absorption and bioavailability of metformin  
*R.S. Padwal, R.Q. Gabr, A.M. Sharma, L.-A. Langkaas, D.W. Birch, S. Karmali, D.R. Brocks*

**1301** Primary dietary intervention study to reduce the risk of islet autoimmunity in children at increased risk for type 1 diabetes: the BABYDIET study  
*S. Hummel, M. Pflüger, M. Hummel, E. Bonifacio, A.-G. Ziegler*

**1306** Utility of hemoglobin A<sub>1c</sub> for diagnosing prediabetes and diabetes in obese children and adolescents  
*P. Nowicka, N. Santoro, H. Liu, D. Lartaud, M.M. Shaw, R. Goldberg, C. Guandalini, M. Savoye, P. Rose, S. Caprio*

**1312** Pharmacokinetics and pharmacodynamics of therapeutic doses of basal insulins NPH, glargine, and detemir after 1 week of daily administration at bedtime in type 2 diabetic subjects: a randomized cross-over study  
*P. Lucidi, F. Porcellati, P. Rossetti, P. Candeloro, P. Cioli, S. Marzotti, A. Marinelli Andreoli, R. Fede, G.B. Bolli, C.G. Fanelli*

**1315** Persistence of individual variations in glycated hemoglobin: analysis of data from the Juvenile Diabetes Research Foundation Continuous Glucose Monitoring Randomized Trial  
*D.M. Wilson, D. Xing, J. Cheng, R.W. Beck, I. Hirsch, C. Kollman, L. Laffel, J.M. Lawrence, N. Mauras, K.J. Ruedy, E. Tsalikian, H. Wolpert, for the Juvenile Diabetes Research Foundation Continuous Glucose Monitoring Study Group*

**1318** Adopting 3-year screening intervals for sight-threatening retinal vascular lesions in type 2 diabetic subjects without retinopathy  
*E. Agardh, P. Tababat-Khani*

**1320** Performance of the Chronic Kidney Disease Epidemiology Collaboration equation to estimate glomerular filtration rate in diabetic patients  
*N. Rognant, S. Lemoine, M. Laville, A. Hadj-Aissa, L. Dubourg*

### Epidemiology/Health Services Research

**1323** Increasing prevalence of metabolic syndrome in Korea: the Korean National Health and Nutrition Examination Survey for 1998–2007

*S. Lim, H. Shin, J.H. Song, S.H. Kwak, S.M. Kang, J.W. Yoon, S.H. Choi, S.I. Cho, K.S. Park, H.K. Lee, H.C. Jang, K.K. Koh*

▶ **1329** Glycemic control, complications, and death in older diabetic patients: the Diabetes and Aging Study  
*E.S. Huang, J.Y. Liu, H.H. Moffet, P.M. John, A.J. Karter*

▶ **1337** Trends in the risk for coronary heart disease among adults with diagnosed diabetes in the U.S.: findings from the National Health and Nutrition Examination Survey, 1999–2008  
*E.S. Ford*

**1344** Impact of diabetes on work cessation: data from the GAZEL cohort study  
*E. Herquelot, A. Guéguen, S. Bonenfant, R. Dray-Spira*

**1350** Time-dependent impact of diabetes on mortality in patients after major lower extremity amputation: survival in a population-based 5-year cohort in Germany  
*A. Icks, M. Scheer, S. Morbach, J. Genz, B. Haastert, G. Giani, G. Glaeske, F. Hoffmann*

**1355** Glycated hemoglobin predicts all-cause, cardiovascular, and cancer mortality in people without a history of diabetes undergoing coronary angiography  
*G. Silbernagel, T.B. Grammer, B.R. Winkelmann, B.O. Boehm, W. März*

**1362** Prevalence of abnormal glucose tolerance and risk factors in urban and rural Malaysia  
*N. Mustafa, N.A. Kamarudin, A.A. Ismail, A.S. Khir, I.S. Ismail, K.I. Musa, K.A. Kadir, N.A. Yaacob, O. Ali, S.H. Md Isa, W.M. Wan Bebakar, W.N. wan Mohamad*

**1365** Association between diagnosed diabetes and self-reported cancer among U.S. adults: findings from the 2009 Behavioral Risk Factor Surveillance System  
*C. Li, L.S. Balluz, E.S. Ford, C.A. Okoro, J. Tsai, G. Zhao*

**1369** Assessing the association of pioglitazone use and bladder cancer through drug adverse event reporting  
*C. Piccinni, D. Motola, G. Marchesini, E. Poluzzi*

**1372** Normal fasting plasma glucose and risk of type 2 diabetes  
*P. Brambilla, E. La Valle, R. Falbo, G. Limonta, S. Signorini, F. Cappellini, P. Mocarrelli*

**1375** Diabetes comorbidity and age influence rehabilitation outcomes after hip fracture  
*T.A. Reistetter, J.E. Graham, A. Deutsch, S.J. Markello, C.V. Granger, K.J. Ottenbacher*

## Emerging Treatments and Technologies

**1378** Accuracy of the Neuropad test for the diagnosis of distal symmetric polyneuropathy in type 2 diabetes  
N. Papanas, P. Paschos, D. Papazoglou, K. Papatheodorou, K. Paletas, E. Maltezos, A. Tsapas

**1383** Impact of intranasal insulin on insulin antibody affinity and isotypes in young children with HLA-conferred susceptibility to type 1 diabetes  
S.J. Ryhänen, T. Härkönen, H. Siljander, K. Nääntö-Salonen, T. Simell, H. Hyöty, J. Ilonen, R. Veijola, O. Simell, M. Knip

## Pathophysiology/Complications

**1389** Diabetic retinopathy is related to both endothelium-dependent and -independent responses of skin microvascular flow  
T.T. Nguyen, J.E. Shaw, C. Robinson, R. Kawasaki, J.J. Wang, A.J. Kreis, T.Y. Wong

**1394** Incidence and prevalence of unrecognized myocardial infarction in people with diabetes: a substudy of the Rosiglitazone Evaluated for Cardiac Outcomes and Regulation of Glycemia in Diabetes (RECORD) study  
M.R. MacDonald, M.C. Petrie, P.D. Home, M. Komajda, N.P. Jones, H. Beck-Nielsen, R. Gomis, M. Hanefeld, S.J. Pocock, P.S. Curtis, J.J.V. McMurray

**1397** Age of islet autoantibody appearance and mean levels of insulin, but not GAD or IA-2 autoantibodies, predict age of diagnosis of type 1 diabetes: Diabetes Autoimmunity Study in the Young  
A.K. Steck, K. Johnson, K.J. Barriga, D. Miao, L. Yu, J.C. Hutton, G.S. Eisenbarth, M.J. Rewers

**1400** Vitamin D deficiency is associated with retinopathy in children and adolescents with type 1 diabetes  
H. Kaur, K.C. Donaghue, A.K. Chan, P. Benitez-Aguirre, S. Hing, M. Lloyd, J. Cusumano, A. Pryke, M.E. Craig

**1403** Diabetic peripheral neuropathy is associated with increased arterial stiffness without changes in carotid intima-media thickness in type 2 diabetes  
E.S. Kim, S.-d. Moon, H.-S. Kim, D.J. Lim, J.H. Cho, H.S. Kwon, C.W. Ahn, K.H. Yoon, M.I. Kang, B.Y. Cha, H.Y. Son

## Cardiovascular and Metabolic Risk

**1406** One-hour postload plasma glucose levels and left ventricular mass in hypertensive patients  
A. Sciacqua, S. Miceli, G. Carullo, L. Greco, E. Succurro, F. Arturi, G. Sesti, F. Perticone

**1412** Fasting plasma glucose and clustering of cardiometabolic risk factors in normoglycemic outpatient children and adolescents  
P.D. Bonito, E. Sanguigno, C. Forziato, F. Saitta, M.R. Iardino, B. Capaldo

**1415** Trunk versus extremity adiposity and cardiometabolic risk factors in white and African American adults  
G. Hu, C. Bouchard, G.A. Bray, F.L. Greenway, W.D. Johnson, R.L. Newton Jr., E. Ravussin, D.H. Ryan, P.T. Katzmarzyk

## Reviews/Commentaries/ADA Statements

**1419** **Position Statement Executive Summary**  
Position Statement Executive Summary: guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus  
D.B. Sacks, M. Arnold, G.L. Bakris, D.E. Bruns, A.R. Horvath, M.S. Kirkman, A. Lernmark, B.E. Metzger, D.M. Nathan

## ► 1424 Consensus Report

Obesity and type 2 diabetes: what can be unified and what needs to be individualized?  
R.H. Eckel, S.E. Kahn, E. Ferrannini, A.B. Goldfine, D.M. Nathan, M.W. Schwartz, R.J. Smith, S.R. Smith

## 1431 Review

Use of metformin in the setting of mild-to-moderate renal insufficiency  
K.J. Lipska, C.J. Bailey, S.E. Inzucchi

## Editorials

### 1438 Editorial (see Hermida et al., p. 1270)

Chronobiology impacts response to antihypertensive drug regimen in type 2 diabetes  
E.A. Friedman, M.A. Banerji

### 1440 ACS/ADA/AHA Presidential Advisory

Creating a 21st century global health agenda: the General Assembly of the United Nations High Level Meeting on Non-Communicable Diseases  
E.E. Partridge, E.J. Mayer-Davis, R.L. Sacco, A.J. Balch

### 1442 Erratum

### 1443 Issues and Events

## Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

## Position Statement

**e61** Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus  
D.B. Sacks, M. Arnold, G.L. Bakris, D.E. Bruns, A.R. Horvath, M.S. Kirkman, A. Lernmark, B.E. Metzger, D.M. Nathan

## Perspectives on the News

**e100** Insulin concerns and promises  
Z.T. Bloomgarden

## Online Letters: Observations

**e107** Diabetic ketoacidosis complicated with previously unknown Gitelman syndrome in a Tunisian child  
M. Biagioni, M. Marigliano, A. Iannilli, A. Cester, S. Gatti, I. D'Alba, S. Tedeschi, M.-L. Syren, V. Cherubini

**e108** Diabetic ketosis caused by the insulin analog aspart–induced anti-insulin antibody: successful treatment with the newest insulin analog glulisine  
H. Yanai, H. Adachi, H. Hamasaki

**e109** Increasing the low-glucose alarm of a continuous glucose monitoring system prevents exercise-induced hypoglycemia without triggering any false alarms  
K.E. Iscoe, R.J. Davey, P.A. Fournier

## Online Letters: Comments and Responses

**e110** Comment on: Lipsky and Berendt. Hyperbaric oxygen therapy for diabetic foot wounds: has hope hurdled hype?  
Diabetes Care 2010;33:1143–1145  
S.R. van der Staal, D.T. Ubbink, M.J. Lubbers

**e111** Response to comment on: Lipsky and Berendt. Hyperbaric oxygen therapy for diabetic foot wounds: has hope hurdled hype?  
Diabetes Care 2010;33:1143–1145  
B.A. Lipsky

**e112** Response to comment on: Löndahl et al. Hyperbaric oxygen therapy facilitates healing of chronic foot ulcers in patients with diabetes. Diabetes Care 2010;33:998–1003  
M. Löndahl, P. Katzman, A. Nilsson, C. Hammarlund

Table of Contents continues on page vii

**e113** Comment on: Olsson et al. High levels of education are associated with an increased risk of latent autoimmune diabetes in adults: results from the Nord-Trøndelag Health Study. *Diabetes Care* 2011;34:102–107  
*P.T. Sawicki, H. Bastian*

**e114** Response to comment on: Olsson et al. High levels of education are associated with an increased risk of latent autoimmune diabetes in adults: results from the Nord-Trøndelag Health Study. *Diabetes Care* 2011;34:102–107  
*L. Olsson, A. Ahlbom, V. Grill, K. Midthjell, S. Carlsson*