

All articles in *Diabetes Care* are available on the World Wide Web at www.diabetes.org/diabetescare. Cover articles (►) and ADA Statements are available free of charge. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

Commentary

193 Predicting diabetes: our relentless quest for genomic nuggets
S. Dagogo-Jack

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

196 Effect of α -lipoic acid on platelet reactivity in type 1 diabetic patients
R. Mollo, F. Zaccardi, G. Scalone, G. Scavone, P. Rizzo, E.P. Navarese, A. Manto, D. Pitocco, G.A. Lanza, G. Ghirlanda, F. Crea

198 Glucose metabolism in 105 children and adolescents after pancreatotomy for congenital hyperinsulinism
J. Beltrand, M. Caquard, J.-B. Arnoux, K. Laborde, G. Velho, V. Verkarre, J. Rahier, F. Brunelle, C. Nihoul-Fékété, J.-M. Saudubray, J.-J. Robert, P. de Lonlay

204 A randomized clinical trial to assess the efficacy and safety of real-time continuous glucose monitoring in the management of type 1 diabetes in young children aged 4 to <10 years
N. Mauras, R. Beck, D. Xing, K. Ruedy, B. Buckingham, M. Tansey, N.H. White, S.A. Weinzimer, W. Tamborlane, C. Kollman, the Diabetes Research in Children Network (DirecNet) Study Group

211 Insulin secretion and its determinants in the progression of impaired glucose tolerance to type 2 diabetes in impaired glucose-tolerant individuals: the Finnish Diabetes Prevention Study
V.D.F. de Mello, J. Lindström, J. Eriksson, P. Ilanne-Parikka, S. Keinänen-Kiukaanniemi, J. Sundvall, M. Laakso, J. Tuomilehto, M. Uusitupa

218 Benefits and safety of long-term fenofibrate therapy in people with type 2 diabetes and renal impairment: the FIELD Study
R.-D. Ting, A.C. Keech, P.L. Drury, M.W. Donoghoe, J. Hedley, A.J. Jenkins, T.M.E. Davis, S. Lehto, D. Celermajor, R.J. Simes, K. Rajamani, K. Stanton, on behalf of the FIELD Study Investigators

226 Chronic ingestion of flavan-3-ols and isoflavones improves insulin sensitivity and lipoprotein status and attenuates estimated 10-year CVD risk in medicated postmenopausal women with type 2 diabetes: a 1-year, double-blind, randomized, controlled trial
P.J. Curtis, M. Sampson, J. Potter, K. Dhataria, P.A. Kroon, A. Cassidy

233 Food insecurity and glycemic control among low-income patients with type 2 diabetes
H.K. Seligman, E.A. Jacobs, A. López, J. Tschann, A. Fernandez

239 Perceiving need for lifestyle counseling: findings from Finnish individuals at high risk of type 2 diabetes
S.M. Salmela, K.A. Vähäsarja, J.J. Villberg, M.J. Vanhala, T.E. Saaristo, J. Lindström, H.H. Oksa, E.A.-L. Korpi-Hyövähti, L. Moilanen, S. Keinänen-Kiukaanniemi, M.E. Poskiparta

242 A study of patients' perceptions of diabetes care delivery and diabetes: propositional analysis in people with type 1 and 2 diabetes managed by group or usual care
M. Raballo, M. Trevisan, A.F. Trinetta, L. Charrier, F. Cavallo, M. Porta, M. Trento

248 Clinical and metabolic features of adult-onset diabetes caused by ABC8 mutations
J.-P. Riveline, E. Rousseau, Y. Reznik, S. Fetita, J. Philippe, A. Dechaume, A. Hartemann, M. Polak, C. Petit, G. Charpentier, J.-F. Gautier, P. Froguel, M. Vaxillaire

252 Efficacy and safety of exenatide once weekly versus metformin, pioglitazone, and sitagliptin used as monotherapy in drug-naïve patients with type 2 diabetes (DURATION-4): a 26-week double-blind study
D. Russell-Jones, R.M. Cuddihy, M. Hanefeld, A. Kumar, J.G. González, M. Chan, A.M. Wolka, M.K. Boardman, on behalf of the DURATION-4 Study Group

259 When is diabetes distress clinically meaningful? Establishing cut points for the Diabetes Distress Scale
L. Fisher, D.M. Hessler, W.H. Polonsky, J. Mullan

Epidemiology/Health Services Research

265 Nationwide study on trends in hospital admissions for major cardiovascular events and procedures among people with and without diabetes in England, 2004–2009
E.P. Vamos, C. Millett, C. Parsons, P. Aylin, A. Majeed, A. Bottle

273 Declining rates of hospitalization for nontraumatic lower-extremity amputation in the diabetic population aged 40 years or older: U.S., 1988–2008
Y. Li, N.R. Burrows, E.W. Gregg, A. Albright, L.S. Geiss

278 Pioglitazone and bladder cancer: a population-based study of Taiwanese
C.-H. Tseng

281 Serum 1,5-anhydroglucitol concentrations are a reliable index of glycemic control in type 2 diabetes with mild or moderate renal dysfunction
W.J. Kim, C.-Y. Park, K.-B. Lee, S.E. Park, E.J. Rhee, W.Y. Lee, K.W. Oh, S.W. Park

287 Genetic risk assessment of type 2 diabetes-associated polymorphisms in African Americans
J.N. Cooke, M.C.Y. Ng, N.D. Palmer, S.S. An, J.M. Hester, B.I. Freedman, C.D. Langefeld, D.W. Bowden

293 Strong parent–offspring association of metabolic syndrome in Korean families
E.-G. Yoo, S.S. Park, S.W. Oh, G.-B. Nam, M.J. Park

296 Associations among visceral fat, all-cause mortality, and obesity-related mortality in Japanese Americans
M.J. McNeely, J.B. Shofer, D.L. Leonetti, W.Y. Fujimoto, E.J. Boyko

► **299** Mortality after incident cancer in people with and without type 2 diabetes: impact of metformin on survival
C.J. Currie, C.D. Poole, S. Jenkins-Jones, E.A.M. Gale, J.A. Johnson, C.L. Morgan

305 Racial/ethnic- and education-related disparities in the control of risk factors for cardiovascular disease among individuals with diabetes
P. Chatterji, H. Joo, K. Lahiri

313 Short sleep duration and poor sleep quality increase the risk of diabetes in Japanese workers with no family history of diabetes
T. Kita, E. Yoshioka, H. Satoh, Y. Saijo, M. Kawaharada, E. Okada, R. Kishi

319 Diabetes, its treatment, and catastrophic medical spending in 35 developing countries
C.M. Smith-Spangler, J. Bhattacharya, J.D. Goldhaber-Fiebert

Table of Contents continues on page vi

327 Association of biochemical B₁₂ deficiency with metformin therapy and vitamin B₁₂ supplements: the National Health and Nutrition Examination Survey, 1999–2006
L. Reinstatler, Y.P. Qi, R.S. Williamson, J.V. Garn, G.P. Oakley Jr.

334 Lifestyle counseling in routine care and long-term glucose, blood pressure, and cholesterol control in patients with diabetes
F. Morrison, M. Shubina, A. Turchin

Pathophysiology/Complications

342 Two patterns of adipokine and other biomarker dynamics in a long-term weight loss intervention
M. Blüher, A. Rudich, N. Klötting, R. Golan, Y. Henkin, E. Rubin, M. Schwarzfuchs, Y. Gepner, M.J. Stampfer, M. Fiedler, J. Thiery, M. Stumvoll, I. Shai

350 A single nucleotide polymorphism associates with the response of muscle ATP synthesis to long-term exercise training in relatives of type 2 diabetic humans
G. Kacarovsky-Bielez, M. Kacarovsky, M. Chmelik, M. Farukuoye, C. Ling, R. Pokan, H. Tschan, J. Szendroedi, A.I. Schmid, S. Gruber, C. Herder, M. Wolzt, E. Moser, G. Pacini, G. Smekal, L. Groop, M. Roden

358 Circulating brain-derived neurotrophic factor concentration is downregulated by intralipid/heparin infusion or high-fat meal in young healthy male subjects
M. Karczewska-Kupczewska, I. Kowalska, A. Nikolajuk, A. Adamska, M. Zielińska, N. Kamińska, E. Oziomek, M. Górská, M. Strączkowski

▶ **363** Genetic predictors of weight loss and weight regain after intensive lifestyle modification, metformin treatment, or standard care in the Diabetes Prevention Program
L.M. Delahanty, Q. Pan, K.A. Jablonski, K.E. Watson, J.M. McCaffery, A. Shuldiner, S.E. Kahn, W.C. Knowler, J.C. Florez, P.W. Franks, for the Diabetes Prevention Program Research Group

367 Near normalization of metabolic and functional features of the central nervous system in type 1 diabetic patients with end-stage renal disease after kidney-pancreas transplantation
P. Fiorina, P. Vezzulli, R. Bassi, C. Gremizzi, M. Falautano, F. D'Addio, A. Vergani, L. Chabini, E. Altamura, A. Mello, R. Caldara, M. Scavini, G. Magnani, A. Falini, A. Secchi

▶ **375** High fat intake leads to acute postprandial exposure to circulating endotoxin in type 2 diabetic subjects
A.L. Harte, M.C. Varma, G. Tripathi, K.C. McGee, N.M. Al-Daghri, O.S. Al-Attas, S. Sabico, J.P. O'Hare, A. Ceriello, P. Saravanan, S. Kumar, P.G. McTernan

Cardiovascular and Metabolic Risk

383 Clinical usefulness of a new equation for estimating body fat
J. Gómez-Ambrosi, C. Silva, V. Catalán, A. Rodríguez, J.C. Galofré, J. Escalada, V. Valentí, F. Rotellar, S. Romero, B. Ramírez, J. Salvador, G. Frühbeck

389 Nonalcoholic fatty liver disease is associated with left ventricular diastolic dysfunction in patients with type 2 diabetes
S. Bonapace, G. Perseghin, G. Molon, G. Canali, L. Bertolini, G. Zoppini, E. Barbieri, G. Targher

396 Association of C-reactive protein with cardiovascular disease mortality according to diabetes status: pooled analyses of 25,979 participants from four U.K. prospective cohort studies
A.P. Kengne, G.D. Batty, M. Hamer, E. Stamatakis, S. Czernichow

404 High-dose aspirin is required to influence plasma fibrin network structure in patients with type 1 diabetes
S. Tehrani, A. Antovic, F. Mobarrez, K. Mageed, P.-E. Lins, U. Adamson, H.N. Wallén, G. Jöreskog

409 The impact of frequent and unrecognized hypoglycemia on mortality in the ACCORD study
E.R. Seaquist, M.E. Miller, D.E. Bonds, M. Feinglos, D.C. Goff Jr., K. Peterson, P. Senior, for the ACCORD Investigators

415 Total and high-molecular-weight adiponectin and risk of incident diabetes in older people
J.R. Kizer, A.M. Arnold, D. Benkeser, J.H. Ix, L. Djousse, S.J. Ziemann, J.I. Barzilay, R.P. Tracy, C.S. Mantzoros, D.S. Siscovick, K.J. Mukamal

424 Variants in the *SIRT1* gene may affect diabetes risk in interaction with prenatal exposure to famine
I.P.G. Botden, M.C. Zillikens, S.R. de Rooij, J.G. Langendonk, A.H.J. Danser, E.J.G. Sijbrands, T.J. Roseboom

▶ **427** Type 1 diabetes increases the expression of proinflammatory cytokines and adhesion molecules in the artery wall of candidate patients for kidney transplantation
J. Triñanes, E. Salido, J. Fernández, M. Rufino, J.M. González-Posada, A. Torres, D. Hernández

Reviews/Consensus Reports/ADA Statements

434 Systematic Review

Macronutrients, food groups, and eating patterns in the management of diabetes: a systematic review of the literature, 2010

M.L. Wheeler, S.A. Dunbar, L.M. Jaacks, W. Karmally, E.J. Mayer-Davis, J. Wylie-Rosett, W.S. Yancy Jr.

446 Meta-analysis

Quantifying the effect of metformin treatment and dose on glycemic control

J.A. Hirst, A.J. Farmer, R. Ali, N.W. Roberts, R.J. Stevens

455 Erratum

456 Statement of Retraction

457 Issues and Events

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Online Letters: Observations

e4 Association of type B insulin resistance and type 1 diabetes resulting in ketoacidosis

O. Bourron, C. Vigouroux, M. Halbron, E.B. Touati, E. Capel, M. Caron-Debarle, A. Hartemann

e5 Is the frequency of ketoacidosis at onset of type 1 diabetes a child health indicator that is related to income inequality?

E. Limenis, R. Shulman, D. Daneman

e6 Insulin edema in a patient with cystic fibrosis-related diabetes
K.S. O'Neal, B.A. Francis, M.E. Condren, L.J. Chalmers

e7 RS3PE in association with dipeptidyl peptidase-4 inhibitor: report of two cases

K. Yamauchi, Y. Sato, K. Yamashita, Y. Funase, T. Kaneko, T. Hashimoto, T. Aizawa

e8 Possible influence of ileal neobladder on assessment of urinary C-peptide

T. Zenda, M. Miyamoto, T. Misaki, S. Kaneko

Online Letters: Comments and Responses

e9 Comment on: Wehr et al. Low free testosterone levels are associated with all-cause and cardiovascular mortality in postmenopausal diabetic women. *Diabetes Care* 2011;34:1771–1777

N.D. Kuhadiya, S. Dhindsa, P. Dandona

e10 Response to comment on: Wehr et al. Low free testosterone levels are associated with all-cause and cardiovascular mortality in postmenopausal diabetic women. *Diabetes Care* 2011;34:1771–1777

E. Lerchbaum, S. Pilz, W. März, B. Obermayer-Pietsch

e11 Comment on: Leeds et al. High prevalence of microvascular complications in adults with type 1 diabetes and newly diagnosed celiac disease. *Diabetes Care* 2011;34:2158–2163
S.F. Bakker, M.E. Tushuizen, C.J. Mulder, S. Simsek

e12 Response to comment on: Leeds et al. High prevalence of microvascular complications in adults with type 1 diabetes and newly diagnosed celiac disease. *Diabetes Care* 2011;34:2158–2163
J.S. Leeds, A.D. Hopper, M. Hadjivassiliou, S. Tesfaye, D.S. Sanders

e13 Comment on: Ramos-Zavala et al. Effect of diacerein on insulin secretion and metabolic control in drug-naïve patients with type 2 diabetes: a randomized clinical trial. *Diabetes Care* 2011;34:1591–1594
N. Tobar, A.G. Oliveira, D. Guadagnini, R.A. Bagarolli, G.Z. Rocha, T.G. Araujo, P.O. Prada, M.J.A. Saad

e14 Response to comment on: Ramos-Zavala et al. Effect of diacerein on insulin secretion and metabolic control in drug-naïve patients with type 2 diabetes: a randomized clinical trial. *Diabetes Care* 2011;34:1591–1594
M.G. Ramos-Zavala, M. González-Ortiz, E. Martínez-Abundis, J.A. Robles-Cervantes, R. González-López, N.J. Santiago-Hernández

e15 Comment on: Morden et al. Further exploration of the relationship between insulin glargine and incident cancer: a retrospective cohort study of older Medicare patients. *Diabetes Care* 2011;34:1965–1971
E.L. Badrick, I. Buchan, A.G. Renehan

e16 Response to comment on: Morden et al. Further exploration of the relationship between insulin glargine and incident cancer: a retrospective cohort study of older Medicare patients. *Diabetes Care* 2011;34:1965–1971
N.E. Morden, S.K. Liu, J. Smith, T.A. Mackenzie, J. Skinner, M. Korc

e17 Comment on: Lassenius et al. Bacterial endotoxin activity in human serum is associated with dyslipidemia, insulin resistance, obesity, and chronic inflammation. *Diabetes Care* 2011;34:1809–1815
S.R. Koduru, S. Achuthankutty, H. Ghanim, P. Dandona

e18 Response to comment on: Lassenius et al. Bacterial endotoxin activity in human serum is associated with dyslipidemia, insulin resistance, obesity, and chronic inflammation. *Diabetes Care* 2011;34:1809–1815
M.I. Lassenius, P.J. Pussinen, C. Forsblom, P.-H. Groop, M. Lehto, on behalf of the FinnDiane Study Group



The American Diabetes Association (ADA) is the nation's leading voluntary health organization supporting diabetes research, information, and advocacy. Its mission is to prevent and cure diabetes and to improve the lives of all people affected by diabetes. ADA is the leading publisher of comprehensive diabetes information. Its huge library of books and periodicals covers every aspect of diabetes and diabetes care.

To join ADA: Call 1-800-806-7801 or visit www.diabetes.org/membership

To subscribe to ADA journals: Call 1-800-DIABETES or go to www.diabetesjournals.org

To order ADA books: Call 1-800-232-6733 or visit <http://store.diabetes.org>

To access ADA's library of professional resources: Go to professional.diabetes.org

For more information about diabetes or ADA programs and services: Call 1-800-DIABETES. E-mail: AskADA@diabetes.org or visit www.diabetes.org

To locate an ADA/NCQA Recognized Provider of quality diabetes care in your area: Visit <http://web.ncqa.org>

To join the fight to increase funding for diabetes research, end discrimination, and improve insurance coverage: Call 1-800-DIABETES or visit www.diabetes.org/advocate

To find out how you can get involved with the programs in your community: Call 1-800-DIABETES or visit www.diabetes.org/in-my-community

To find out about important research regarding diabetes: Go to www.diabetes.org/news-research

To make a donation or memorial contribution: Call 1-800-DIABETES or visit www.diabetes.org/donate