

All articles in *Diabetes Care* are available online at www.diabetes.org/diabetescare. Cover articles (▶) and ADA Statements are available free of charge. Each cover article is accompanied by a complementary slide set that includes a summary of the article's key points and conclusions as well as associated tables and figures. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

Editorial

663 Steps toward the meaningful translation of prevention strategies for type 2 diabetes
W.T. Cefalu

Commentary

666 Diabetes prevention: how important is geographic divergence regarding the role of fish intake?
J. Wylie-Rosett, K.B. Aebersold, B.A. Conlon

Original Research

Clinical Care/Education/Nutrition/Psychosocial Research

669 Effects of performing resistance exercise before versus after aerobic exercise on glycemia in type 1 diabetes
J.E. Yardley, G.P. Kenny, B.A. Perkins, M.C. Riddell, J. Malcolm, P. Boulay, F. Khandwala, R.J. Sigal

676 Metabolic effects of aerobic training and resistance training in type 2 diabetic subjects: a randomized controlled trial (the RAED2 study)
E. Bacchi, C. Negri, M.E. Zanolin, C. Milanese, N. Faccioli, M. Trombetta, G. Zoppini, A. Cevese, R.C. Bonadonna, F. Schena, E. Bonora, M. Lanza, P. Moghetti

683 Safety and efficacy of once-weekly exenatide compared with insulin glargine titrated to target in patients with type 2 diabetes over 84 weeks
M. Diamant, L. Van Gaal, S. Stranks, B. Guerci, L. MacConnell, H. Haber, J. Scism-Bacon, M. Trautmann

690 The alteration of aspart insulin pharmacodynamics when mixed with detemir insulin
E. Cengiz, K.L. Swan, W.V. Tamborlane, J.L. Sherr, M. Martin, S.A. Weinzimer

693 Use of an automated decision support tool optimizes clinicians' ability to interpret and appropriately respond to structured self-monitoring of blood glucose data
H.W. Rodbard, O. Schnell, J. Unger, C. Rees, L. Amstutz, C.G. Parkin, Z. Jelsovsky, N. Wegmann, M. Axel-Schweitzer, R.S. Wagner

699 Examining the psychological pathways to behavior change in a group-based lifestyle program to prevent type 2 diabetes
C.R. Critchley, E.A. Hardie, S.M. Moore

706 The accuracy benefit of multiple amperometric glucose sensors in people with type 1 diabetes
J.R. Castle, A. Pitts, K. Hanavan, R. Muhly, J. El Youssef, C. Hughes-Karvetski, B. Kovatchev, W.K. Ward

711 Screening for dysglycemia in overweight youth presenting for weight management
K.M. Morrison, L. Xu, M. Tarnopolsky, Z. Yusuf, S.A. Atkinson, S. Yusuf

Epidemiology/Health Services Research

717 Combined influence of insulin resistance, overweight/obesity, and fatty liver as risk factors for type 2 diabetes
K.-C. Sung, W.-S. Jeong, S.H. Wild, C.D. Byrne

▶ **723** The 10-year cost-effectiveness of lifestyle intervention or metformin for diabetes prevention: an intent-to-treat analysis of the DPP/DPPOS
The Diabetes Prevention Program Research Group

▶ **731** Long-term safety, tolerability, and weight loss associated with metformin in the Diabetes Prevention Program Outcomes Study
The Diabetes Prevention Program Research Group

738 Prevalence of diabetes and intermediate hyperglycemia among adults from the first multinational study of noncommunicable diseases in six Central American countries: the Central America Diabetes Initiative (CAMDI)

A. Barcelo, E.W. Gregg, R.B. Gerzoff, R. Wong, E. Perez Flores, M. Ramirez-Zea, E. Cafiero, L. Altamirano, M. Ascencio Rivera, G. de Cosio, M.D. de Maza, R. del Aguila, E. Emanuel, E. Gil, E. Gough, V. Jenkins, P. Orellana, R. Palma, R. Palomo, M. Pastora, R. Peña, E. Pineda, B. Rodriguez, L. Tacsan, L. Thompson, L. Villagra, for the CAMDI Collaborative Study Group

741 One risk assessment tool for cardiovascular disease, type 2 diabetes, and chronic kidney disease
M. Alsema, R.S. Newson, S.J.L. Bakker, C.D.A. Stehouwer, M.W. Heymans, G. Nijpels, H.L. Hillege, A. Hofman, J.C.M. Witteman, R.T. Gansevoort, J.M. Dekker

749 Relationship between A1C and fasting plasma glucose in dysglycemia or type 2 diabetes: an analysis of baseline data from the ORIGIN trial
A. Ramachandran, M.C. Riddle, C. Kabali, H.C. Gerstein, on behalf of the ORIGIN Investigators

754 Diabetes screening among immigrants: a population-based urban cohort study
M.I. Creatore, G.L. Booth, D.G. Manuel, R. Moineddin, R.H. Glazier

762 Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database
E. Martin-Merino, J. Fortuny, E. Rivero, L.A. Garcia-Rodríguez

768 The association between IGF-I and insulin resistance: a general population study in Danish adults
N. Friedrich, B. Thuesen, T. Jørgensen, A. Juul, C. Spielhagen, H. Wallaschofski, A. Linneberg

774 Control of glycemia and cardiovascular risk factors in patients with type 2 diabetes in primary care in Catalonia (Spain)
I. Vinagre, M. Mata-Cases, E. Hermsilla, R. Morros, F. Fina, M. Rosell, C. Castell, J. Franch-Nadal, B. Bolibar, D. Mauricio

▶ **780** The Hyperglycemia and Adverse Pregnancy Outcome Study: associations of GDM and obesity with pregnancy outcomes
P.M. Catalano, H.D. McIntyre, J.K. Cruickshank, D.R. McCance, A.R. Dyer, B.E. Metzger, L.P. Lowe, E.R. Trimble, D.R. Coustan, D.R. Hadden, B. Persson, M. Hod, J.J.N. Oats, for the HAPO Study Cooperative Research Group

787 Poor cognitive function and risk of severe hypoglycemia in type 2 diabetes: post hoc epidemiologic analysis of the ACCORD trial
Z. Punthakee, M.E. Miller, L.J. Launer, J.D. Williamson, R.M. Lazar, T. Cukierman-Yaffe, E.R. Seaquist, F. Ismail-Beigi, M.D. Sullivan, L.C. Lovato, R.M. Bergenstal, H.C. Gerstein, for the ACCORD Group of Investigators and the ACCORD-MIND Investigators

794 Absence of disparities in the quality of primary diabetes care for South Asians and Chinese in an urban Canadian setting
B.R. Shah, K. Cauch-Dudek, S.S. Anand, P.C. Austin, D.G. Manuel, J.E. Hux

797 Spurious high prevalence of prediabetes diagnosed by HbA_{1c} in young Indians partly explained by hematological factors and iron deficiency anemia
P.S. Hardikar, S.M. Joshi, D.S. Bhat, D.A. Raut, P.A. Katre, H.G. Lubree, A. Jere, A.N. Pandit, C.H.D. Fall, C.S. Yajnik

Pathophysiology/Complications

803 More impact of microalbuminuria on retinopathy than moderately reduced GFR among type 2 diabetic patients
Y.-H. Chen, H.-S. Chen, D.-C. Tarng

809 Heart rate variability and sensorimotor polyneuropathy in type 1 diabetes
S. Orlov, V. Bril, A. Orszag, B.A. Perkins

817 Achievement of target A1C levels with negligible hypoglycemia and low glucose variability in youth with short-term type 1 diabetes and residual β -cell function
J. Sherr, W.V. Tamborlane, D. Xing, E. Tsalikian, N. Mauras, B. Buckingham, N.H. White, A.M. Arbelaez, R.W. Beck, C. Kollman, K. Ruedy, the Diabetes Research in Children Network (DirecNet) Study Group

821 Detection of diabetic sensorimotor polyneuropathy by corneal confocal microscopy in type 1 diabetes: a concurrent validity study
A. Ahmed, V. Bril, A. Orszag, J. Paulson, E. Yeung, M. Ngo, S. Orlov, B.A. Perkins

829 Infant and toddler type 1 diabetes: complications after 20 years' duration
S. Salardi, M. Porta, G. Maltoni, F. Rubbi, S. Rovere, F. Cerutti, D. Iafusco, S. Tumini, V. Cauvin, the Diabetes Study Group of the Italian Society of Paediatric Endocrinology and Diabetology (ISPED)

834 Assessment of the medial dorsal cutaneous, dorsal sural, and medial plantar nerves in impaired glucose tolerance and diabetic patients with normal sural and superficial peroneal nerve responses
S. Im, S.-R. Kim, J.H. Park, Y.S. Kim, G.-Y. Park

Cardiovascular and Metabolic Risk

840 Lipoprotein-associated phospholipase A₂ mass and activity and risk of cardiovascular disease in a population with high prevalences of obesity and diabetes: the Strong Heart Study
J.R. Kizer, J.G. Umans, J. Zhu, R.B. Devereux, R.L. Wolfert, E.T. Lee, B.V. Howard

848 Abundance of circulating preadipocyte factor 1 in early life
F. de Zegher, M. Díaz, G. Sebastiani, A. Martín-Ancel, D. Sánchez-Infantes, A. López-Bermejo, L. Ibáñez

850 Pubertal timing and growth influences cardiometabolic risk factors in adult males and females
E. Widén, K. Silventoinen, U. Sovio, S. Ripatti, D.L. Cousminer, A.-L. Hartikainen, J. Laitinen, A. Pouta, J. Kaprio, M.-R. Järvelin, L. Peltonen, A. Palotie

857 Effect of extended-release niacin on new-onset diabetes among hyperlipidemic patients treated with ezetimibe/simvastatin in a randomized controlled trial
J.R. Guyton, S. Fazio, A.J. Adewale, E. Jensen, J.E. Tomassini, A. Shah, A.M. Tershakovec

861 The risk of a persistent glucose metabolism impairment after gestational diabetes mellitus is increased in patients with polycystic ovary syndrome
S. Palomba, A. Falbo, T. Russo, L. Rivoli, M. Orio, A.G. Cosco, R. Vero, C. Capula, A. Tolino, F. Zullo, A. Colao, F. Orio

868 Insulin sensitivity, β -cell function, and incretin effect in individuals with elevated 1-hour postload plasma glucose levels
M.A. Marini, E. Succurro, S. Frontoni, S. Mastroianni, F. Arturi, A. Sciacqua, R. Lauro, M.L. Hribal, F. Perticone, G. Sesti

873 Prevalence of prediabetes and diabetes and metabolic profile of patients with nonalcoholic fatty liver disease (NAFLD)
C. Ortiz-Lopez, R. Lomonaco, B. Orsak, J. Finch, Z. Chang, V.G. Kochunov, J. Hardies, K. Cusi

879 Clinical utility of creatinine- and cystatin C–based definition of renal function for risk prediction of primary cardiovascular events in patients with diabetes
B. Schöttker, C. Herder, H. Müller, H. Brenner, D. Rothenbacher

887 Prevalence of metabolic syndrome among an urban population in Kenya
L.U. Kaduka, Y. Kombe, E. Kenya, E. Kuria, J.K. Bore, Z.N. Bukania, M. Mwangi

894 Elevated properdin and enhanced complement activation in first-degree relatives of South Asian subjects with type 2 diabetes
R. Somani, V.R. Richardson, K.F. Standeven, P.J. Grant, A.M. Carter

▶900 Increased Toll-like receptor activity in patients with metabolic syndrome
I. Jialal, B.A. Huet, H. Kaur, A. Chien, S. Devaraj

905 Metabolic consequences of hepatic steatosis in overweight and obese adolescents
B.A. Wicklow, K.D.M. Wittmeier, A.C. MacIntosh, E.A.C. Sellers, L. Ryner, H. Serrai, H.J. Dean, J.M. McGavock

911 Complement activation and prognosis in patients with type 2 diabetes and myocardial infarction: a report from the DIGAMI 2 trial
L.G. Mellbin, M. Bjerre, S. Thiel, T.K. Hansen

Reviews/Consensus Reports/ADA Statements

918 Meta-analysis

Fish consumption, dietary long-chain n-3 fatty acids, and risk of type 2 diabetes: systematic review and meta-analysis of prospective studies
A. Wallin, D. Di Giuseppe, N. Orsini, P.S. Patel, N.G. Forouhi, A. Wolk

930 Meta-analysis

Fish consumption and incidence of diabetes: meta-analysis of data from 438,000 individuals in 12 independent prospective cohorts with an average 11-year follow-up
P. Xun, K. He

939 Errata

940 Issues and Events

Diabetes Care Electronic Pages

Available at <http://care.diabetesjournals.org>

Online Letters: Observations

e31 A novel model to deliver advanced eye care for people with diabetes living in resource-poor settings: results of care provided to date

K.R. Murthy, P.R. Murthy, S. Rao, G.J. Murthy, A. Kapur, P. Lefebvre

e32 Antepartum oral disposition index as a predictor of glucose intolerance postpartum

Y. Saisho, K. Miyakoshi, M. Tanaka, T. Matsumoto, K. Minegishi, Y. Yoshimura, H. Itoh

Online Letters: Comments and Responses

e33 Comment on: Monami et al. Dipeptidyl peptidase-4 inhibitors and bone fractures: a meta-analysis of randomized clinical trials.

Diabetes Care 2011;34:2474–2476

S.-i. Yamagishi