

Keep up with the latest information from *Diabetes Care* and other ADA titles via Facebook ([f/ADAJournals](#)) and Twitter ([@ADA_Journals](#)).

All articles in *Diabetes Care* are available online at care.diabetesjournals.org. Cover articles (▶) and ADA Statements are available free of charge. Each cover article is accompanied by a complementary slide set that includes a summary of the article's key points and conclusions as well as associated tables and figures. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

In This Issue

1059

Clinical Care/Education/Nutrition/Psychosocial Research

1061 Parenteral nutrition-associated hyperglycemia in non-critically ill inpatients increases the risk of in-hospital mortality (multicenter study)

G. Oliveira, M.J. Tapia, J. Ocón, C. Cabrejas-Gómez, M.D. Ballesteros-Pomar, A. Vidal-Casariago, C. Arraiza-Irigoyen, J. Olivares, M.C. Conde-García, A. García-Manzanares, F. Botella-Romero, R.P. Quílez-Toboso, L. Cabrerizo, P. Matia, L. Chicharro, R. Burgos, P. Pujante, M. Ferrer, A. Zugasti, J. Prieto, M. Diéguez, M.J. Carrera, A. Vila-Bundo, J.R. Urgelés, C. Aragón-Valera, A. Rovira, I. Bretón, P. García-Peris, A. Muñoz-Garach, E. Márquez, D. del Olmo, J.L. Pereira, M.C. Tous, Study Group of Hyperglycemia in Parenteral Nutrition: Nutrition Area of the Spanish Society of Endocrinology and Nutrition (SEEN)

1067 Efficacy and safety of sitagliptin versus glipizide in patients with type 2 diabetes and moderate-to-severe chronic renal insufficiency

J.C. Arjona Ferreira, M. Marre, N. Barzilay, H. Guo, G.T. Golm, C.M. Sisk, K.D. Kaufman, B.J. Goldstein

1074 Zinc- α_2 -glycoprotein is associated with insulin resistance in humans and is regulated by hyperglycemia, hyperinsulinemia, or liraglutide administration: cross-sectional and interventional studies in normal subjects, insulin-resistant subjects, and subjects with newly diagnosed diabetes

M. Yang, R. Liu, S. Li, Y. Luo, Y. Zhang, L. Zhang, D. Liu, Y. Wang, Z. Xiong, G. Boden, S. Chen, L. Li, G. Yang

1083 Postpregnancy glycemic control and weight changes in type 1 diabetic women

K. Cyganek, A. Hebda-Szydło, J. Skupien, I. Janas, J. Walczyk, A. Lipowska, S. Borys, M.T. Malecki

1088 Four-year analysis of cardiovascular disease risk factors, depression symptoms, and antidepressant medicine use in the Look AHEAD (Action for Health in Diabetes) clinical trial of weight loss in diabetes

R.R. Rubin, M. Peyrot, S.A. Gaussoin, M.A. Espeland, D. Williamson, L.F. Faulconbridge, T.A. Wadden, L. Ewing, M. Safford, G. Evans-Hudnall, R.R. Wing, W.C. Knowler, the Look AHEAD Research Group

1095 Physical activity energy expenditure and glucose control in pregnant women with type 1 diabetes: is 30 minutes of daily exercise enough?

K. Kumareswaran, D. Eleri, J.M. Allen, K. Caldwell, K. Westgate, S. Brage, P. Raymond-Barker, M. Nodale, M.E. Wilinska, S.A. Amiel, R. Hovorka, H.R. Murphy

1102 Impact of restricted maternal weight gain on fetal growth and perinatal morbidity in obese women with type 2 diabetes

B. Ásbjörnsdóttir, S.S. Rasmussen, L. Kelstrup, P. Damm, E.R. Mathiesen

1107 Hypoglycemia, with or without insulin therapy, is associated with increased mortality among hospitalized patients

R. Garg, S. Hurwitz, A. Turchin, A. Trivedi

1111 Modeling the independent effects of gestational diabetes mellitus on maternity care and costs

P. Gillespie, J. Cullinan, C. O'Neill, F. Dunne, for the ATLANTIC DIP Collaborators

1117 Linguistic and psychometric validation of the Diabetes-Specific Quality-of-Life Scale in U.K. English for adults with type 1 diabetes

D. Cooke, M.C. O'Hara, N. Beinart, S. Heller, R. La Marca, M. Byrne, P. Mansell, S.F. Dinneen, M. Clark, R. Bond, J. Speight, for the U.K. NIHR DAFNE Study Group

1126 Detectable subclinical myocardial necrosis is associated with cardiovascular risk in stable patients with diabetes

W.H.W. Tang, Y. Wu, E.B. Britt, Jr., N. Iqbal, S.L. Hazen

1132 The effects of carbohydrate, unsaturated fat, and protein intake on measures of insulin sensitivity: results from the OmniHeart Trial

M.D. Gadgil, L.J. Appel, E. Yeung, C.A.M. Anderson, F.M. Sacks, E.R. Miller, III

1138 Performance of HbA_{1c} and fasting plasma glucose in screening for diabetes in patients undergoing coronary angiography

J.-S. Wang, I.-T. Lee, W.-J. Lee, S.-Y. Lin, C.-P. Fu, C.-T. Ting, W.-L. Lee, K.-W. Liang, W.H.-H. Sheu

Epidemiology/Health Services Research

1141 Older subjects with diabetes and prediabetes are frequently unaware of having distal sensorimotor polyneuropathy: the KORA F4 Study

B.W.C. Bongaerts, W. Rathmann, M. Heier, B. Kowall, C. Herder, D. Stöckl, C. Meisinger, D. Ziegler

1147 Performance of primary care physicians and other providers on key process measures in the treatment of diabetes

F. Morrison, M. Shubina, S.I. Goldberg, A. Turchin

1153 Diabetes and risk of fracture-related hospitalization: the Atherosclerosis Risk in Communities Study

A.L.C. Schneider, E.K. Williams, F.L. Brancati, S. Blecker, J. Coresh, E. Selvin

1159 Intimate partner violence and incidence of type 2 diabetes in women

S.M. Mason, R.J. Wright, E.N. Hibert, D. Spiegelman, H.-J. Jun, F.B. Hu, J.W. Rich-Edwards

1166 Impaired fasting plasma glucose and type 2 diabetes are related to the risk of out-of-hospital sudden cardiac death and all-cause mortality

J.A. Laukkanen, T.H. Mäkitallio, K. Ronkainen, J. Karppi, S. Kurl

1172 Health care costs in people with diabetes and their association with glycemic control and kidney function

K.A. McBrien, B.J. Manns, B. Chui, S.W. Klarenbach, D. Rabi, P. Ravani, B. Hemmelgarn, N. Wiebe, F. Au, F. Clement

1181 Early-onset, coexisting autoimmunity and decreased HLA-mediated susceptibility are the characteristics of diabetes in Down syndrome

R.J. Aitken, K.L. Mehers, A.J. Williams, J. Brown, P.J. Bingley, R.W. Holl, T.R. Rohrer, E. Schober, M.M. Abdul-Rasoul, J.P.H. Shield, K.M. Gillespie

1186 Associations between diabetes, leanness, and the risk of death in the Japanese general population: the Jichi Medical School Cohort Study

Y. Yano, K. Kario, S. Ishikawa, T. Ojima, T. Gotoh, K. Kayaba, A. Tsutsumi, K. Shimada, Y. Nakamura, E. Kajii, the JMS Cohort Study Group

1193 Predicting macro- and microvascular complications in type 2 diabetes: the Japan Diabetes Complications Study/the Japanese Elderly Diabetes Intervention Trial risk engine
S. Tanaka, S. Tanaka, S. Imuro, H. Yamashita, S. Katayama, Y. Akanuma, N. Yamada, A. Araki, H. Ito, H. Sone, Y. Ohashi, for the Japan Diabetes Complications Study Group and the Japanese Elderly Diabetes Intervention Trial Group

1200 Neighborhood deprivation and change in BMI among adults with type 2 diabetes: the Diabetes Study of Northern California (DISTANCE)

P.J. Stoddard, B.A. Laraia, E.M. Warton, H.H. Moffet, N.E. Adler, D. Schillinger, A.J. Karter

1209 Variation in prevalence of gestational diabetes mellitus among hospital discharges for obstetric delivery across 23 states in the United States

B.H. Bardenheier, A. Elixhauser, G. Imperatore, H.M. Devlin, E.V. Kuklina, L.S. Geiss, A. Correa

1215 Racial/ethnic differences in the prevalence of proteinuric and nonproteinuric diabetic kidney disease

V. Bhalla, B. Zhao, K.M.J. Azar, E.J. Wang, S. Choi, E.C. Wong, S.P. Fortmann, L.P. Palaniappan

1222 Fetuin-A, type 2 diabetes, and risk of cardiovascular disease in older adults: the Cardiovascular Health Study

M.K. Jensen, T.M. Bartz, K.J. Mukamal, L. Djoussé, J.R. Kizer, R.P. Tracy, S.J. Ziemann, E.B. Rimm, D.S. Siscovick, M. Shlipak, J.H. Ix

1229 Patterns of insulin concentration during the OGTT predict the risk of type 2 diabetes in Japanese Americans

T. Hayashi, E.J. Boyko, K.K. Sato, M.J. McNeely, D.L. Leonetti, S.E. Kahn, W.Y. Fujimoto

1236 Statins and risk of diabetes: an analysis of electronic medical records to evaluate possible bias due to differential survival

G. Danaei, L.A. García Rodríguez, O. Fernandez Cantero, M.A. Hernán

1241 Duration of abdominal obesity beginning in young adulthood and incident diabetes through middle age: the CARDIA Study

J.P. Reis, A.L. Hankinson, C.M. Loria, C.E. Lewis, T. Powell-Wiley, G.S. Wei, K. Liu

Pathophysiology/Complications

1248 Predictive effects of urinary liver-type fatty acid-binding protein for deteriorating renal function and incidence of cardiovascular disease in type 2 diabetic patients without advanced nephropathy

S.-i. Araki, M. Haneda, D. Koya, T. Sugaya, K. Isshiki, S. Kume, A. Kashiwagi, T. Uzu, H. Maegawa

1254 Microaneurysm turnover at the macula predicts risk of development of clinically significant macular edema in persons with mild nonproliferative diabetic retinopathy

M.L. Ribeiro, S.G. Nunes, J.G. Cunha-Vaz

1260 Renal glucose handling: impact of chronic kidney disease and sodium-glucose cotransporter 2 inhibition in patients with type 2 diabetes

E. Ferrannini, S.A. Veltkamp, R.A. Smulders, T. Kadokura

1266 Diabetic retinopathy, its progression, and incident cardiovascular events in the ACCORD trial

H.C. Gerstein, W.T. Ambrosius, R. Danis, F. Ismail-Beigi, W. Cushman, J. Calles, M. Banerji, U. Schubart, E.Y. Chew, for the ACCORD Study Group

1272 Effects of axonal ion channel dysfunction on quality of life in type 2 diabetes

N.C.G. Kwai, R. Arnold, C. Wickremaarachchi, C.S.-Y. Lin, A.M. Poynten, M.C. Kiernan, A.V. Krishnan

1278 Acute macrovascular dysfunction in patients with type 2 diabetes induced by ingestion of advanced glycosylated β -lactoglobulins

A. Stürban, P. Kotsi, K. Franke, U. Strijowski, W. Cai, C. Göting, D. Tschoepe

1283 Presence of macroalbuminuria predicts severe hypoglycemia in patients with type 2 diabetes: a 10-year follow-up study

J.-S. Yun, S.-H. Ko, S.-H. Ko, K.-H. Song, Y.-B. Ahn, K.-H. Yoon, Y.-M. Park, S.-H. Ko

1290 Sex differences in renal responses to hyperglycemia, L-arginine, and L-NMMA in humans with uncomplicated type 1 diabetes

D.Z.I. Cherney, J.W. Scholey, E.B. Sothett

Cardiovascular and Metabolic Risk

1297 Four-year change in cardiorespiratory fitness and influence on glycemic control in adults with type 2 diabetes in a randomized trial: the Look AHEAD Trial

J.M. Jakicic, C.M. Egan, A.N. Fabricatore, S.A. Gaussoin, S.P. Glasser, L.A. Hesson, W.C. Knowler, W. Lang, J.G. Regensteiner, P.M. Ribisl, D.H. Ryan, the Look AHEAD Research Group

1304 Effects of metformin versus glipizide on cardiovascular outcomes in patients with type 2 diabetes and coronary artery disease

J. Hong, Y. Zhang, S. Lai, A. Lv, Q. Su, Y. Dong, Z. Zhou, W. Tang, J. Zhao, L. Cui, D. Zou, D. Wang, H. Li, C. Liu, G. Wu, J. Shen, D. Zhu, W. Wang, W. Shen, G. Ning, on behalf of the SPREAD-DIMCAD Investigators

1312 Glycation of apoprotein A-I is associated with coronary artery plaque progression in type 2 diabetic patients

L.J. Pu, L. Lu, R.Y. Zhang, R. Du, Y. Shen, Q. Zhang, Z.K. Yang, Q.J. Chen, W.F. Shen

1321 Acute-phase serum amyloid A protein and its implication in the development of type 2 diabetes in the KORA S4/F4 study

C. Marzi, C. Huth, C. Herder, J. Baumert, B. Thorand, W. Rathmann, C. Meisinger, H.-E. Wichmann, M. Roden, A. Peters, H. Grallert, W. Koenig, T. Illig

1327 The utility of carotid ultrasonography in identifying severe coronary artery disease in asymptomatic type 2 diabetic patients without history of coronary artery disease

Y. Irie, N. Katakami, H. Kaneto, M. Nishio, R. Kasami, K. Sakamoto, Y. Umayahara, S. Sumitsuji, Y. Ueda, K. Kosugi, I. Shimomura

► **1335** Evaluation of current eligibility criteria for bariatric surgery: diabetes prevention and risk factor changes in the Swedish Obese Subjects (SOS) study

K. Sjöholm, Å. Anveden, M. Peltonen, P. Jacobson, S. Romeo, P.-A. Svensson, L. Sjöström, L.M.S. Carlsson

1341 Systemic oxidative stress is associated with lower aerobic capacity and impaired skeletal muscle energy metabolism in patients with metabolic syndrome

T. Yokota, S. Kinugawa, M. Yamato, K. Hirabayashi, T. Suga, S. Takada, K. Harada, N. Morita, N. Oyama-Manabe, Y. Kikuchi, K. Okita, H. Tsutsui

1347 The midregional fragment of pro-A-type natriuretic peptide, blood pressure, and mortality in a prospective cohort study of patients with type 2 diabetes (ZODIAC-25)

K.J.J. van Hateren, G.W.D. Landman, N. Kleefstra, K.H. Groenier, J. Struck, G.J. Navis, S.J.L. Bakker, S.T. Houweling, K. van der Meer, H.J.G. Bilo

► **1353** The association between hepatic fat content and liver injury in obese children and adolescents: effects of ethnicity, insulin resistance, and common gene variants

N. Santoro, A.E. Feldstein, E. Enoksson, B. Pierpont, R. Kursawe, G. Kim, S. Caprio

1361 Decreased serum concentrations of 25-hydroxycholecalciferol are associated with increased risk of progression to impaired fasting glucose and diabetes

A. Tsur, B.S. Feldman, I. Feldhammer, M.B. Hoshen, G. Leibowitz, R.D. Balicer

1368 Once-weekly exenatide versus once- or twice-daily insulin detemir: randomized, open-label, clinical trial of efficacy and safety in patients with type 2 diabetes treated with metformin alone or in combination with sulfonylureas

M. Davies, S. Heller, S. Sreenan, H. Sapin, O. Adetunji, A. Tahbaz, J. Vora

1377 Associations of insulin resistance with cardiovascular risk factors and inflammatory cytokines in normal-weight Hispanic women
C.A. Vella, X. Burgos, C.J. Ellis, R.Y. Zubia, D. Ontiveros, H. Reyes, C. Lozano

Scientific Statement

- **1384** Hypoglycemia and diabetes: a report of a workgroup of the American Diabetes Association and The Endocrine Society
E.R. Seaquist, J. Anderson, B. Childs, P. Cryer, S. Dagogo-Jack, L. Fish, S.R. Heller, H. Rodriguez, J. Rosenzweig, R. Vigersky

Review Articles

1396 Relationships between gastric emptying, postprandial glycemia, and incretin hormones
C.S. Marathe, C.K. Rayner, K.L. Jones, M. Horowitz

1406 Can new-onset diabetes after kidney transplant be prevented?
H.A. Chakkerla, E.J. Weil, P.-T. Pham, J. Pomeroy, W.C. Knowler

- **1413** Gene-environment and gene-treatment interactions in type 2 diabetes: progress, pitfalls, and prospects
P.W. Franks, E. Pearson, J.C. Florez

Meta-analysis

1422 Blood 25-hydroxy vitamin D levels and incident type 2 diabetes: a meta-analysis of prospective studies
Y. Song, L. Wang, A.G. Pittas, L.C. Del Gobbo, C. Zhang, J.E. Manson, F.B. Hu

Erratum

1429 A systematic review and meta-analysis of the association between depression and insulin resistance. *Diabetes Care* 2013;36:480–489
C. Kan, N. Silva, S.H. Golden, U. Rajala, M. Timonen, D. Stahl, K. Ismail

Issues and Events

1430

Online Letters: Observations

e63 Extended 6-month follow-up of a randomized clinical trial to assess the efficacy and safety of real-time continuous glucose monitoring in the management of type 1 diabetes in young children aged 4 to <10 years
M. Tansley, S. Weinzimer, R. Beck, K. Ruedy, P. Cheng, W. Tamborlane, C. Kollman, N. Mauras, L. Fox, J. Coffey, N.H. White, for the Diabetes Research in Children Network (DirecNet) Study Group

e64 Testing for gestational diabetes mellitus in Australia
A. Nankervis, H.D. McIntyre, R.G. Moses, G.P. Ross, L.K. Callaway

e65 Case report: insulin edema and acute renal failure
S. Laroche, H. Wucher, Y.-L. Nguyen, J. Timsit, E. Langer

e66 Association between fasting blood glucose and carotid intima-media thickness of polycystic ovary syndrome patients with normal glucose tolerance
K.H. Son, N.K. Lim, H.W. Chung, K. Jeong, W.B. Pyun, J.Y. Lee, M.J. Kim, H.-Y. Park

e68 Fulminant type 1 diabetes in the course of drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome
D. Dubois-Laforgue, L. Moachon, H. Laude, J. Timsit

e69 Prevalence and associated factors of diabetic retinopathy in rural central India
J.B. Jonas, V. Nangia, A. Khare, A. Matin, K. Bhojwani, M. Kulkarni, A. Sinha, S. Lambat, R. Gupta, S. Panda-Jonas

e70 The effect of the menstrual cycle on glucose control in women with type 1 diabetes evaluated using a continuous glucose monitoring system
D.S. Barata, L.F. Adan, E.M. Netto, A.C. Ramalho

Online Letters: Comments and Responses

e71 Comment on: Davidson et al. High-dose vitamin D supplementation in people with prediabetes and hypovitaminosis D. *Diabetes Care* 2013;36:260–266
S. Pilz, F. Rutters, J.M. Dekker

e72 Response to comment on: Davidson et al. High-dose vitamin D supplementation in people with prediabetes and hypovitaminosis D. *Diabetes Care* 2013;36:260–266
M.B. Davidson

e73 Comment on: van Dijk et al. Exercise therapy in type 2 diabetes: is daily exercise required to optimize glycemic control? *Diabetes Care* 2012;35:948–954
S.S. Thosar, J.P. Wallace

e74 Response to comment on: van Dijk et al. Exercise therapy in type 2 diabetes: is daily exercise required to optimize glycemic control? *Diabetes Care* 2012;35:948–954
J.-W. van Dijk, L.J.C. van Loon

**Diabetes Care is available online at
care.diabetesjournals.org.**