


DIABETES

The Journal of the American Diabetes Association



VOLUME 5, NUMBER 4




JULY-AUGUST 1956

for maximum convenience
and ease of self-injection




B-D DIABETIC EQUIPMENT



The result of careful planning and experience, Diabetic Injection Kit (No. 70) makes self-injection safer and more convenient for your patients. Designed for easy maintenance of sterile equipment, this handy kit contains STERITUBES® for carrying sterilized syringe and needles, vials for cotton and alcohol, and space for two vials of insulin. Case has been designed to accommodate the Busher Automatic Injector.

B-D Insulin Syringes: Individually gauged and certified for accurate dosage—different colors for different scales simplify administration of various strengths of insulin—scale markings fused on the glass for easier reading.

B-D Needles: Assure easy penetration—minimize seepage and afterpain—precision ground for greatest keenness, uniformity and safety.



BECTON, DICKINSON AND COMPANY, RUTHERFORD, N. J.

B-D AND STERITUBE, T.M. REG. U.S. PAT. OFF.



sweeten it with SUCARYL®...



you save all sugar's calories



and you can't taste the difference!

Lemonade sweetened with SUCARYL has only 8 calories per glass! If it were sweetened with sugar, each glass would contain 56 calories. Can you think of a pleasanter, easier way to save excess calories than by sweetening summertime foods and beverages with calorie-free SUCARYL?

The SUCARYL recipe booklet contains dozens of calorie-saving recipes to bring delicious variety to either diabetic or reducing diets.

Get your free copy at your nearest pharmacy.



ABBOTT LABORATORIES • NORTH CHICAGO, ILLINOIS

alert your diabetic patients to the danger of acidosis

"...It is just as important...for the [diabetic] patient to be able to detect ketone bodies in the urine as it is to do... [a test for urine-sugar with] *Clinitest*[®]."*

ACETEST[®] tablet test for ketonuria
BRAND

Three simple steps—performed in less than one minute—will alert your patients to the danger of acidosis. Recommend *Acetest* to your diabetics for testing when their urine is strongly positive for sugar or whenever intercurrent illness occurs. It is especially important in pregnant diabetics and in diabetic children.

...and in routine urinalysis *Acetest* aids in early detection of ketosis in gastrointestinal disorders, pregnancy, dehydration, surgical patients and sick children.

Acetest Reagent Tablets, bottles of 100 and 250.

*Coleman, F.: J. Kentucky M. A. 52:769, 1954.



AMES COMPANY, INC • ELKHART, INDIANA

Ames Company of Canada, Ltd., Toronto

02556

Please mention DIABETES when writing to advertisers.



VOLUME 5, NUMBER 4


CONTENTS

JULY-AUGUST, 1956

RECENT ADVANCES IN INSULIN RESEARCH <i>The Banting Memorial Lecture 1956</i> <i>William C. Stadie, M.D., Philadelphia</i>	263
A NEWER PATHWAY OF CARBOHYDRATE METABOLISM; THE PENTOSE PHOSPHATE PATHWAY <i>Paul A. Marks, M.D., New York</i>	276
MASSIVE INSULIN HYPOGLYCEMIA AND CAPILLARY VASCULAR PHYSIOLOGY IN MAN <i>John W. Lovett Doust, M.B., B.Sc., and</i> <i>Marta E. Salna, M.D., Toronto</i>	284
THE INTESTINAL TRACT IN DIABETIC DIARRHEA <i>A Pathologic Study</i> <i>Kenneth G. Berge, M.D., Randall G. Sprague,</i> <i>M.D., and Warren A. Bennett, M.D., Rochester,</i> <i>Minnesota</i>	289
PRIMARY OPTIC ATROPHY IN DIABETES MELLITUS <i>R. E. Tunbridge, M.D., and Ronald G.</i> <i>Paley, M.D., Leeds, England</i>	295
A MULTI-INTERVAL BLOOD GLUCOSE METHOD UTILIZING THE CLINITRON <i>E. A. Haunz, M.D., and Jerry Weisberg, M.Sc.,</i> <i>Grand Forks, North Dakota</i>	297
DIABETES AND PREGNANCY <i>Panel Discussion</i> <i>George M. Jones, M.D., Dallas; George M. Guest,</i> <i>M.D., Cincinnati; Blair Holcomb, M.D., Portland,</i> <i>Oregon; Robert L. Jackson, M.D., Columbia,</i> <i>Missouri; Lester J. Palmer, M.D., Seattle;</i> <i>Jules Vieaux, M.D., Dallas</i>	303

Continued on page 5

John Rollo (d. 1809), a military surgeon in the English army, initiated diet therapy for diabetic patients. His vivid description of the response of his first patient to an "animal diet" is a classic in the literature of diabetes. Although his ideas as to the nature of diabetes were often erroneous



and his treatment bizarre, Rollo has won lasting recognition. The photostatic reproduction of the front page of his monograph, which is featured on our cover, is the only memento available to signify Rollo's contribution to medicine, since no portrait or likeness of him has ever been found.

NEW CONCEPT IN URINE-SUGAR TESTING


CLINISTIX[®]

TRADEMARK

REAGENT STRIPS

specific enzyme test for urine glucose

*just dip
and read*



complete specificity...unaffected by non-glucose reducing substances...differentiates glucose from other urine-sugars...thousands of tests reveal no substance causing a false positive.

extreme sensitivity...detects glucose concentrations of 0.1% or less.

utmost simplicity and convenience...a CLINISTIX Reagent Strip moistened with urine turns blue when glucose is present.

qualitative accuracy...used whenever

presence or absence of glucose must be determined rapidly and frequently. CLINISTIX does not attempt to give quantitative results because so many factors in urine influence enzyme reactions.

economy...CLINISTIX saves time and cuts costs...each strip is a complete test rapidly performed without reagents and equipment.


available: Packets of 30 CLINISTIX Reagent Strips in cartons of 12—No. 2830.



AMES COMPANY, INC • ELKHART, INDIANA
Ames Company of Canada, Ltd., Toronto

13356

Please mention DIABETES when writing to advertisers.



CONTENTS

Continued from page 3

SPECIAL ARTICLES	
RECENT STATISTICS ON DIABETES <i>Committee on Statistics, American Diabetes Association</i>	313
THE EARLY HISTORY OF THE AMERICAN DIABETES ASSOCIATION <i>Cecil Striker, M.D., Cincinnati</i>	317
EDITORIALS	
<i>Humoral Antagonism to Insulin</i> <i>DeWitt Stetten, Jr., M.D., Ph.D., and J. B. Field, M.D., Bethesda, Maryland</i>	321
<i>Respiratory Acidosis and Hypochloremic Alkalosis: Origins, Differentiation, Effects and Therapy</i> <i>T. S. Danowski, M.D., Pittsburgh</i>	
JOHN ROLLO <i>Alexander Marble, M.D., Boston</i>	325
CORRESPONDENCE <i>Progress Regarding Diabetes in Italy</i> <i>Elliott P. Joslin, M.D., Boston</i>	328
<i>Normalization of Insulin Tolerance with Sulfonamide in an Eight-Year-Old Child</i> <i>Laurance W. Kinsell, M.D., Oakland, California</i>	
BOOK REVIEWS	330
DIABETES ABSTRACTS	331
ORGANIZATION SECTION <i>Seventeenth Annual Meeting * Fifth Postgraduate Course * Lilly Award * Research Fellowship * Student-Intern Essay Contest * Diabetes Week * A Valuable Library * Meal Planning Publications * New Members</i>	347
NEWS OF AFFILIATE ASSOCIATIONS	349
NEWS NOTES	350

DIABETES

The Journal of the American Diabetes Association

EDITOR, WILLIAM C. STADIE, M.D., *Philadelphia* • ASSOCIATE EDITOR, IRVING GRAEF, M.D., *New York*
ABSTRACTS EDITOR, WILLIAM R. KIRTLEY, M.D., *Indianapolis* • MANAGING EDITOR, EDWARD W. SANDERSON, *New York*
ART EDITOR, W. I. VAN DER POEL, *New York*

EDITORIAL BOARD

CHAIRMAN, CHARLES H. BEST, M.D., *Toronto* VICE CHAIRMAN, FRANK N. ALLAN, M.D., *Boston*
EDWARD L. BORTZ, M.D., *Philadelphia* IRVING H. LEOPOLD, M.D., *Philadelphia* FRANKLIN B. PECK, SR., M.D., *Indianapolis*
ARTHUR R. COLWELL, M.D., *Chicago* FRANCIS D. W. LUKENS, M.D., *Philadelphia* HERBERT POLLACK, M.D., *New York*
GARFIELD G. DUNCAN, M.D., *Philadelphia* E. PERRY MCCULLAGH, M.D., *Cleveland* HENRY T. RICKETTS, M.D., *Chicago*
GEORGE M. GUEST, M.D., *Cincinnati* LELAND S. MCKITTRICK, M.D., *Boston* RANDALL G. SPRAGUE, M.D., *Rochester, Minn.*
HARVEY C. KNOWLES, JR., M.D., *Cincinnati* ALEXANDER MARBLE, M.D., *Boston* WALLACE M. YATER, M.D., *Washington, D.C.*
HERBERT H. MARKS, *New York*
MAX MILLER, M.D., *Cleveland*

CONSULTING FOREIGN EDITORS

GEORG R. CONSTAM, M.D., *Zurich, Switzerland*; B. A. HOUSSAY, M.D., *Buenos Aires, Argentina*;
H. C. HAGEDORN, M.D., *Gentofte, Denmark*; R. D. LAWRENCE, M.D., *London, England*

ABSTRACTORS

RAUL D. ALFARO, M.D., *Indianapolis* JOSEPH L. IZZO, M.D., *Rochester, N. Y.* LEON S. SMELO, M.D., *Birmingham, Ala.*
DONALD I. BELL, M.D., *Evanston, Ill.* ROBERT L. JACKSON, M.D., *Columbia, Mo.* WILLIAM J. STEENROD, JR., M.D., *Seattle*
RICHARD C. CULLEN, M.D., *Denver* BERT F. KELTZ, M.D., *Oklahoma City* JOHN W. STEPHENS, M.D., *Portland, Ore.*
MARTIN G. GOLDNER, M.D., *New York* CHARLES A. ROSENBERG, M.D., *Memphis* ELEANOR A. WASKOW, M.D., *Phoenix*
GEORGE J. HAMWI, M.D., *Columbus, Ohio* ROBERT W. SCHNEIDER, M.D., *Salem, Ore.* GERALD A. WRENSHALL, PH.D., *Toronto*

DIABETES is published by the American Diabetes Association, Inc., to provide an official Journal for the Association and to furnish the medical profession with information concerning diabetes and related fields of medicine.

Contributions are invited from practicing physicians, clinical and laboratory investigators, and others who have data of importance to offer in these fields. Manuscripts, if suitable, will be accepted providing that the text has not been printed elsewhere.

Matter appearing in DIABETES is copyrighted. Permission to reproduce all or part of papers appearing in it may be granted on application, under appropriate conditions and if proper credit is given.

Papers presented at the Annual Meeting of the American Diabetes Association become the property of the Association,

and the manuscripts must be submitted to the Secretary at the time of the Meeting. At the discretion of the Editorial Board, they may be published in full, in part, or by abstract only. If only an abstract is used, permission may be granted on request from the authors to publish elsewhere.

Manuscript Specifications: Manuscripts should be typewritten, with double spacing and, if possible, submitted in duplicate. References should be presented in the style illustrated by the following examples:

For Periodicals—Banting, F. G., and Best, C. H.: The internal secretion of the pancreas. *J. Lab. & Clin. Med.* 7:251-66, Feb. 1922.

For Books—Allen, Frederick M.: *Studies Concerning Glycosuria and Diabetes*. Cambridge, Harvard University Press, 1913, p. 461.

An abstract or summary of the content of the paper in not more than 250 words should usually appear at the end. If possible, this should be self-contained and understandable without reference to the text.

Photographs, drawings and figures should be suitable for reproduction purposes. Photographs should be unmounted, untrimmed glossy prints. The names of authors should appear on the back. The top of photographs and figures should be indicated.

Galley proofs are sent to the principal author of each paper, with a price list and order blank for reprints.

All manuscripts and editorial correspondence should be addressed to the Editorial Office, DIABETES, American Diabetes Association, Inc., 1 East 45th Street, New York 17, New York.

Subscription and Advertising Information

DIABETES, The Journal of the American Diabetes Association, is published every other month by the Association at 1 East 45th Street, New York 17, New York. Entire contents copyright 1956 by the American Diabetes Association, Inc.; all rights reserved. Entered as second-class matter at the post office, New York, New York, under the Act of March 3, 1879, as amended.

Members receive the Journal as part of their membership privileges. The annual subscription

rates for nonmembers are as follows: United States, U. S. Possessions, Canada and the Pan-American Union, \$9.00 per year; elsewhere, \$10.00 per year. Individual copies available at \$2.00 each.

Medical Students, Interns and Residents: \$4.50 per year.


Correspondence concerning subscriptions should be addressed to the Subscription Department, DIABETES. Checks, money orders and drafts for

subscriptions should be made payable to the American Diabetes Association, Inc., and sent to the aforementioned address.

All inquiries about advertising and other business matters should be addressed to the Executive Director of the American Diabetes Association. The publishers reserve in their full discretion the right to accept or reject any proposed advertising and the right to cancel any advertising contract.

ANNOUNCING

SARAKA



Dietetic

*the **sugar-free***

bulk-producing laxative

for diabetics

to restore and maintain bowel fluidity
in the diabetic

Prescribe **SUGAR-FREE**

SARAKA-Dietetic

*Counteracts Irregularity due to
Colonic Dehydration*



Dehydration of the bowel is a frequent cause of constipation among diabetics¹ because intestinal fluid is absorbed in greater quantities in order to help excrete excess sugar through the kidneys.



SARAKA-Dietetic fills the colon with a soft, moist jelly-like mass which restores peristalsis and the evacuation reflex.

CONTAINS NO CALORIES

SARAKA-Dietetic is the only bulk-producing laxative specifically prescribed to meet the non-caloric needs of diabetics. Whatever the total daily dose, SARAKA-Dietetic supplies bulk and motility without adding a single calorie.

MAINTAINS BOWEL FLUIDITY

SARAKA-Dietetic forms and maintains a moist-jelly-like mass and establishes bowel fluidity by counteracting colonic dehydration.

PRODUCES MORE BULK

Teaspoon for teaspoon, SARAKA-Dietetic produces from 3 to 9 times more bulk than other bulk-forming laxatives. Clinical studies³ prove its effectiveness. 3 out of 4 patients experience relief in 24 hours; 4 out of 5 in 48 hours.

ADVANTAGES of SARAKA-Dietetic for your diabetic patients

ADVANTAGES OVER SALINE LAXATIVES

Harsh salts often precipitate situations of extreme urgency. Moreover, they interfere with digestion by rushing food through before its nutrients can be absorbed. Consequently, the patient's metabolic needs suffer. SARAKA-Dietetic, however, is always gentle, pleasant and satisfying. It never deprives the patient of the full nutritional benefits of his meals.

1. Ficarra, B. J., Rev. Gastroenterol 29: (Jan.) 1953
2. Barowsky, H., Rev. Gastroenterol 19: (Feb.) 1952
3. Communications to Union Pharmaceutical Co., Inc.

Send for your free samples of SARAKA-Dietetic and free supply of pocket-size, laminated "Dining Out" calorie counters. Durable and attractive, these cards make a ready reference for patients dining out.

ADVANTAGES OVER LUBRICANTS

Lubricants cause embarrassing leakage, reduce the absorption of fat-soluble vitamins and other nutrients, and may expose the patient to the dangers of lipoid pneumonia. Lubricants were only slightly better in correcting constipation than no therapy at all in 24 cases of distal colonic stasis.² SARAKA-Dietetic carries clinical proof of its effectiveness in the physiologic³ correction of constipation.

Union Pharmaceutical Company, Inc.
Bloomfield, New Jersey


Gentlemen:

Please send a free supply of SARAKA-Dietetic samples and "dining out" calorie counters for my diabetic patients.

Name: _____ M. D.

Address: _____

City _____ Zone _____ State _____



Constipation, Correction of
SARAKA-Dietetic

SARAKA-Dietetic granules (sugar-free)

For diabetics
16 oz. package only

Recommended Dosage:

for adults: 3 teaspoonfuls with 2 full glasses of liquid
2 times daily. Additional liberal quantities
of liquid should be taken during the day.

Clinical Advantages:

Maintains Bowel Fluidity
Sugar-free laxative
Low dosage
Non-irritating bulk
Softage, instead of roughage
Proved effectiveness
No leakage or embarrassing urgency

sugar-free
SARAKA-Dietetic IS SAFE


SARAKA-Dietetic contains two pure vegetable ingredients:
Bassorin and Cortex Frangula. Together they provide soft
bulk and gentle motility.

FOR BULK

Bassorin forms a soft, mobile, non-irritating mass which
promotes gentle peristalsis. SARAKA-Dietetic leaves no
bloated feeling.

FOR MOTILITY

Cortex Frangula provides additional stimulus to the atonic
bowel musculature to overcome chronic constipation. It al-
lows a more satisfactory clinical response than the slow
acting, synthetic bulk evacuants and produces formed stools
of normal consistency.



UNION PHARMACEUTICAL COMPANY, INC.

Bloomfield, New Jersey

CELLU

CELLU PLU

ARTIFICIALLY SWEETENED
FOR SUGAR RESTRICTED DIETS

PLUM JELLY

100% Fruit 100% Natural

No Sugar No Fat

REFRIGERATE AFTER OPENING

MADE IN U.S.A.

CHICAGO BOTTLE CORP. CHICAGO, ILL. U.S.A.



Send for free folder giving interesting information about entire line of foods for diabetics.


metallic aftertaste



“Saxin”[®]
brand
saccharin



A-7



626097

urine sugar test of unmatched simplicity

'Tes-Tape'

(URINE SUGAR TEST TAPE, LILLY)

'Tes-Tape' completely eliminates the need for test tubes, heat, reagents, or any other paraphernalia in quantitative urine sugar determinations. Simply moisten a strip of 'Tes-Tape' with the specimen. After just sixty seconds, compare it with the color chart on the 'Tes-Tape' dispenser. Then read off the percentage of sugar. The selective action of 'Tes-Tape' prevents false positive reactions, assures clinical accuracy.



The convenient size of the 'Tes-Tape' dispenser permits you to carry it on house calls for on-the-spot determinations. Your patients also will welcome the convenience, simplicity, and accuracy of 'Tes-Tape.'

Now available at pharmacies everywhere.

80TH ANNIVERSARY 1876 • 1956 / ELI LILLY AND COMPANY

Please mention DIABETES when writing to advertisers.