


diabetes

A JOURNAL OF THE
AMERICAN DIABETES
ASSOCIATION®

www.diabetes.org/diabetes



METABOLISM

- Metabolic sensors mediate hypoglycemic detection at the portal vein
A.V. MATVEYENKO AND C.M. DONOVAN 1276
- SIGNAL TRANSDUCTION**
- Glucose-dependent transcriptional regulation by an evolutionarily conserved glucose-sensing module
M.V. LI, B. CHANG, M. IMAMURA, N. POUNGVARIN, AND L. CHAN 1179
- Transcription factor FoxO1 mediates glucagon-like peptide-1 effects on pancreatic β -cell mass
J. BUTEAU, M.L. SPATZ, AND D. ACCILI 1190
- Impact of mitochondrial reactive oxygen species and apoptosis signal-regulating kinase 1 on insulin signaling
K. IMOTO, D. KUKIDOME, T. NISHIKAWA, T. MATSUHISA, K. SONODA, K. FUJISAWA, M. YANO, H. MOTOSHIMA, T. TAGUCHI, K. TSURUZOE, T. MATSUMURA, H. ICHijo, AND E. ARAKI 1197
- Insulin signaling and glucose transport in skeletal muscle from first-degree relatives of type 2 diabetic patients
H.K.R. KARLSSON, M. AHLSÉN, J.R. ZIERATH, H. WALLBERG-HENRIKSSON, AND H.A. KOISTINEN 1283
- Methylglyoxal impairs the insulin signaling pathways independently of the formation of intracellular reactive oxygen species
A. RIBOULET-CHAVEY, A. PIERRON, I. DURAND, J. MURDACA, J. GIUDICELLI, AND E. VAN OBBERGHEN 1289
- Imaging of insulin signaling in skeletal muscle of living mice shows major role of t-tubules
H.P.M.M. LAURITZEN, T. PLOUG, C. PRATS, J.M. TAVARÉ, AND H. GALBO 1300
- Phosphatidylinositol 3-kinase-dependent activation of Akt, an essential signal for hyperthermia-induced heat-shock protein 72, is attenuated in streptozotocin-induced diabetic heart
T. SHINOHARA, N. TAKAHASHI, T. OOIE, M. HARA, S. SHIGEMATSU, M. NAKAGAWA, H. YONEMOCHI, T. SAIKAWA, AND H. YOSHIMATSU 1307
- Intestinal insulin resistance and aberrant production of apolipoprotein B48 lipoproteins in an animal model of insulin resistance and metabolic dyslipidemia: evidence for activation of protein tyrosine phosphatase-1B, extracellular signal-related kinase, and sterol regulatory element-binding protein-1c in the fructose-fed hamster intestine
L.M. FEDERICO, M. NAPLES, D. TAYLOR, AND K. ADEL 1316

OBESITY STUDIES

- Mature-onset obesity in interleukin-1 receptor I knockout mice
M.C. GARCÍA, I. WERNSTEDT, A. BERNDTSSON, M. ENGE, M. BELL, O. HULTGREN, M. HORN, B. AHRÉN, S. ENERBACK, C. OHLSSON, V. WALLENIUS, AND J.-O. JANSSON 1205
- Tamoxifen-induced anorexia is associated with fatty acid synthase inhibition in the ventromedial nucleus of the hypothalamus and accumulation of malonyl-CoA
M. LÓPEZ, C.J. LElliOTT, S. TOVAR, W. KIMBER, R. GALLEGó, S. VIRTUE, M. BLOUNT, M.J. VÁZQUEZ, N. FINER, T.J. POWLES, S. O'RAHILLY, A.K. SAHA, C. DIÉGUEZ, AND A.J. VIDAL-PUIG 1327
- Sex-discordant associations with adiponectin levels and lipid profiles in children
K.K. ONG, J. FRYSYK, A. FLYVBJERG, C.J. PETRY, THE AVON LONGITUDINAL STUDY OF PARENTS AND CHILDREN STUDY TEAM, A. NESS, AND D.B. DUNGER 1337
- NFATc4 and ATF3 negatively regulate adiponectin gene expression in 3T3-L1 adipocytes
H.B. KIM, M. KONG, T.M. KIM, Y.H. SUH, W.-H. KIM, J.H. LIM, J.H. SONG, AND M.H. JUNG 1342
- Regional differences in adipose tissue metabolism in women: minor effect of obesity and body fat distribution
A. TCHERNOFF, C. BÉLANGER, A.-S. MORISSET, C. RICHARD, J. MAILLOUX, P. LABERGE, AND P. DUPONT 1353

IMMUNOLOGY AND TRANSPLANTATION

- The class I HLA repertoire of pancreatic islets comprises the nonclassical class Ib antigen HLA-G
V. CIRULLI, J. ZALATAN, M. MCMASTER, R. PRINSEN, D.R. SALOMON, C. RICORDI, B.E. TORBETT, P. MEDA, AND L. CRISA 1214
- Effect of donor age on function of isolated human islets
S.-H. IHM, I. MATSUMOTO, T. SAWADA, M. NAKANO, H.J. ZHANG, J.D. ANSITE, D.E.R. SUTHERLAND, AND B.J. HERING 1361

ISLET STUDIES

- Evidence for a role of the ubiquitin-proteasome pathway in pancreatic islets
M.D. LÓPEZ-AVALOS, V.F. DUVIVIER-KALI, G. XU, S. BONNER-WEIR, A. SHARMA, AND G.C. WEIR 1223
- Activation of glucagon-like peptide-1 receptor signaling does not modify the growth or apoptosis of human pancreatic cancer cells
J.A. KOEHLER AND D.J. DRUCKER 1369
- Dexamethasone induces cell death in insulin-secreting cells, an effect reversed by exendin-4
F. RANTA, D. AVRAM, S. BERCHTOLD, M. DÜFER, G. DREWS, F. LANG, AND S. ULLRICH 1380

Table of contents continues on page ii.



L-Cysteine inhibits insulin release from the pancreatic β -cell: possible involvement of metabolic production of hydrogen sulfide, a novel gasotransmitter Y. KANEKO, Y. KIMURA, H. KIMURA, AND I. NIKI	1391
Pro- and antiapoptotic proteins regulate apoptosis but do not protect against cytokine-mediated cytotoxicity in rat islets and β -cell lines J.J. COLLIER, P.T. FUEGER, H.E. HOHMEIER, AND C.B. NEWGARD	1398
Complete protection against interleukin-1 β -induced functional suppression and cytokine-mediated cytotoxicity in rat pancreatic islets in vitro using an interleukin-1 cytokine trap T. RYDGREN, D. BENGSSON, AND S. SANDLER	1407
Blockade of β 1 integrin-laminin-5 interaction affects spreading and insulin secretion of rat β -cells attached on extracellular matrix G. PARNAUD, E. HAMMAR, D.G. ROUILLER, M. ARMANET, P.A. HALBAN, AND D. BOSCO	1413
Munc13-1 deficiency reduces insulin secretion and causes abnormal glucose tolerance E.P. KWAN, L. XIE, L. SHEU, C.J. NOLAN, M. PRENTKI, A. BETZ, N. BROSE, AND H.Y. GAIANO	1421
PATHOPHYSIOLOGY	
Insulin secretion action in subjects with impaired fasting glucose and impaired glucose tolerance: results from the Veterans Administration Genetic Epidemiology Study M.A. ABDUL-GHANI, C.P. JENKINSON, D.K. RICHARDSON, D. TRIPATHY, AND R.A. DEFRONZO	1430
Obesity blunts insulin-mediated microvascular recruitment in human forearm muscle L.H. CLERK, M.A. VINCENT, L.A. JAHN, Z. LIU, J.R. LINDNER, AND E. J. BARRETT	1436
Zonulin upregulation is associated with increased gut permeability in subjects with type 1 diabetes and their relatives A. SAPONE, L. DE MAGISTRIS, M. PIETZAK, M.G. CLEMENTE, A. TRIPATHI, F. CUCCA, R. LAMPIS, D. KRYSZAK, M. CARTENÌ, M. GENEROSO, D. IAFUSCO, F. PRISCO, F. LAGHI, G. RIEGLER, R. CARRATU, D. COUNTS, AND A. FASANO	1443
COMPLICATIONS	
2-(8-hydroxy-6-methoxy-1-oxo-1H-2-benzopyran-3-yl) propionic acid, an inhibitor of angiogenesis, ameliorates renal alterations in obese type 2 diabetic mice K. ICHINOSE, Y. MAESHIMA, Y. YAMAMOTO, M. KINOMURA, K. HIROKOSHI, H. KITAYAMA, Y. TAKAZAWA, H. SUGIYAMA, Y. YAMASAKI, N. AGATA, AND H. MAKINO	1232
Human vascular smooth muscle cells from diabetic patients are resistant to induced apoptosis due to high Bcl-2 expression E. RUIZ, A. GORDILLO-MOSCOSO, E. PADILLA, S. REDONDO, E. RODRIGUEZ, F. REGUILLO, A.M. BRIONES, C. VAN BREEMEN, E. OKON, AND T. TEJERINA	1243
Diabetes-induced activation of canonical and noncanonical nuclear factor- κ B pathways in renal cortex J.M. STARKEY, S.J. HAIDACHER, W.S. LEJEUNE, X. ZHANG, B.C. TIEU, S. CHOUDHARY, A.R. BRASIER, L.A. DENNER, AND R.G. TILTON	1252
Elevated activity of transcription factor nuclear factor of activated T-cells 5 (NFAT5) and diabetic nephropathy B. YANG, A.D. HODGKINSON, P.J. OATES, H.M. KWON, B.A. MILLWARD, AND A.G. DEMAINE	1450
Insulin resistance and microalbuminuria: a cross-sectional, case-control study of 158 patients with type 2 diabetes and different degrees of urinary albumin excretion A.I. PARVANOVA, R. TREVISON, I.P. ILIEV, B.D. DIMITROV, M. VEDOVATO, A. TIENGO, G. REMUZZI, AND P. RUGGENENTI	1456
The 30-year natural history of type 1 diabetes complications: the Pittsburgh Epidemiology of Diabetes Complications Study experience G. PAMBIANCO, T. COSTACOU, D. ELLIS, D.J. BECKER, R. KLEIN, AND T.J. ORCHARD	1463
Effects of basic fibroblast growth factor on experimental diabetic neuropathy in rats M. NAKAE, H. KAMIYA, K. NARUSE, N. HORIO, Y. ITO, R. MIZUBAYASHI, Y. HAMADA, E. NAKASHIMA, N. AKIYAMA, Y. KOBAYASHI, A. WATARAI, N. KIMURA, M. Horiguchi, Y. TABATA, Y. OISO, AND J. NAKAMURA	1470
Aldose reductase pathway inhibition improved vascular and C-fiber functions, allowing for pressure-induced vasodilation restoration during severe diabetic neuropathy C. DEMIOT, M. TARTAS, B. FROMY, P. ABRAHAM, J.L. SAUMET, AND D. SIGAUDO-ROUSSEL	1478
PHARMACOLOGY & THERAPEUTICS	
Improvement of glucose tolerance and hepatic insulin sensitivity by oligofructose requires a functional glucagon-like peptide 1 receptor P.D. CANI, C. KNAUF, M.A. IGLESIAS, D.J. DRUCKER, N.M. DELZENNE, AND R. BURCELIN	1484
Plasma phospholipid transfer protein activity is decreased in type 2 diabetes during treatment with atorvastatin: a role for apolipoprotein E? G.M. DALLINGA-THIE, A. VAN TOL, H. HATTORI, P.C.N. RENSEN, AND E.J.G. SJIBRANDS, FOR THE DIABETES ATORVASTATIN LIPID INTERVENTION (DALI) STUDY GROUP	1491
GENETICS	
A functional Tyr1306Cys variant in LARG is associated with increased insulin action in vivo P. KOVACS, M. STUMVOLL, C. BOGARDUS, R.L. HANSON, AND L.J. BAIER	1497
Variation in the UCP2-UCP3 gene cluster predicts the development of type 2 diabetes in healthy middle-aged men D.R. GABLE, J.W. STEPHENS, J.A. COOPER, G.J. MILLER, AND S.E. HUMPHRIES	1504
Adiponectin genetic variability, plasma adiponectin, and cardiovascular risk in patients with type 2 diabetes L. QI, A. DORIA, J.E. MANSON, J.B. MEIGS, D. HUNTER, C.S. MANTZOROS, AND F.B. HU	1512
Differential transmission of type 1 diabetes from diabetic fathers and mothers to their offspring V. HARJUTSALO, A. REUNANEN, AND J. TUOMILEHTO	1517

BRIEF GENETICS REPORTS	
Hepatocyte nuclear factor-4 α P2 promoter haplotypes are associated with type 2 diabetes in the Japanese population K. HARA, M. HORIKOSHI, H. KITAZATO, C. ITO, M. NODA, J. OHASHI, P. FROGUEL, K. TOKUNAGA, K. TOBE, R. NAGAI, AND T. KADOWAKI	1260
Multi-SNP analysis of MHC region: remarkable conservation of HLA-A1-B8-DR3 haplotype T.A. ALY, E. ELLER, A. IDE, K. GOWAN, S.R. BABU, H.A. ERLICH, M.J. REWERS, G.S. EISENBARTH, AND P.R. FAIN	1265
The ATGL gene is associated with free fatty acids, triglycerides, and type 2 diabetes V. SCHOENBORN, I.M. HEID, C. VOLLMERT, A. LINGENHEIL, T.D. ADAMS, P.N. HOPKINS, T. ILLIG, R. ZIMMERMANN, R. ZECHNER, S.C. HUNT, AND F. KRONENBERG	1270
No evidence for association of OAS1 with type 1 diabetes in unaffected siblings or type 1 diabetic cases D.J. SMYTH, J.D. COOPER, C.E. LOWE, S. NUTLAND, N.M. WALKER, D.G. CLAYTON, AND J.A. TODD	1525
Variants of the interleukin-10 promoter gene are associated with obesity and insulin resistance but not type 2 diabetes in Caucasian Italian subjects D. SCARPELLI, M. CARDELLINI, F. ANDREOZZI, E. LARATTA, M.L. HRIBAL, M.A. MARINI, V. TASSI, R. LAURO, F. PERTICONE, AND G. SESTI	1529
ERRATUM	
ORGANIZATION SECTION	
SI UNITS TABLE	