

VOLUME 55, NO. 6 DIABETES: A Journal of the American Diabetes Association®


June 2006

Pages 1537–1906

diabetes

A JOURNAL OF THE
AMERICAN DIABETES
ASSOCIATION®

www.diabetes.org/diabetes



LILLY LECTURE 2005

Adipose tissue: from lipid storage compartment to endocrine organ

P.E. SCHERER 1537

METABOLISM

Reversal of type 1 diabetes by engineering a glucose sensor in skeletal muscle

A. MAS, J. MONTANÉ, X.M. ANGUELA, S. MUÑOZ, A.M. DOUAR, E. RIU, P. OTAEGUI, AND F. BOSCH 1546

Inhibition of fructose 1,6-bisphosphatase reduces excessive endogenous glucose production and attenuates hyperglycemia in Zucker diabetic fatty rats

P.D. VAN POELJE, S.C. POTTER, V.C. CHANDRAMOULI, B.R. LANDAU, Q. DANG, AND M.D. ERION 1747

Activation of AMP-activated protein kinase within the ventromedial hypothalamus amplifies counterregulatory hormone responses in rats with defective counterregulation

R.J. MCCRIMMON, X. FAN, H. CHENG, E. MCNAY, O. CHAN, M. SHAW, Y. DING, W. ZHU, AND R.S. SHERWIN 1755

Time-dependent effects of free fatty acids on glucose effectiveness in type 2 diabetes

P. KISHORE, J. TONELLI, S. KOPPAKA, C. FRATILA, A. BOSE, D.-E. LEE, K. REDDY, AND M. HAWKINS 1761

Reduced access to insulin-sensitive tissues in dogs with obesity secondary to increased fat intake

M. ELLMERER, M. HAMILTON-WESSLER, S.P. KIM, K. HUECKING, E. KIRKMAN, J. CHIU, J. RICHEY, AND R.N. BERGMAN 1769

SIGNAL TRANSDUCTION

Exercise-induced phosphorylation of the novel Akt substrates AS160 and filamin A in human skeletal muscle

A. DESHMUKH, V.G. COFFEY, Z. ZHONG, A.V. CHIBALIN, J.A. HAWLEY, AND J.R. ZIERATH 1777

Evidence for a mitochondrial regulatory pathway defined by peroxisome proliferator-activated receptor-γ coactivator-1α, estrogen-related receptor-α, and mitofusin 2

F.X. SORIANO, M. LIESA, D. BACH, D.C. CHAN, M. PALACÍN, AND A. ZORZANO 1783

OBESITY STUDIES

Increased infiltration of macrophages in omental adipose tissue is associated with marked hepatic lesions in morbid human obesity

R. CANCELLA, J. TORDJMAN, C. POITOU, G. GUILHEM, J.L. BOUILLOT, D. HUGOL, C. COUSSIEU, A. BASDEVANT, A.B. HEN, P. BEDOSSA, M. GUERRE-MILLO, AND K. CLÉMENT 1554

Downregulation of electron transport chain genes in visceral adipose tissue in type 2 diabetes independent of obesity and possibly involving tumor necrosis factor-α

I. DAHLMAN, M. FORSGREN, A. SJÖGREN, E.A. NORDSTRÖM, M. KAAMAN, E. NÄSLUND, A. ATTERSAND, AND P. ARNER 1792

IMMUNOLOGY AND TRANSPLANTATION

Lymphocytic infiltration and immune activation in metallothionein promoter-exendin-4 (MT-Exendin) transgenic mice

L.L. BAGGIO, D. HOLLAND, J. WITHER, AND D.J. DRUCKER 1562

Induction of tolerance in type 1 diabetes via both CD4⁺CD25⁺ T regulatory cells and T regulatory type 1 cells

M. BATTAGLIA, A. STABILINI, E. DRAGHICI, B. MIGLIAVACCA, S. GREGORI, E. BONIFACIO, AND M.-G. RONCAROLO 1571

ISLET STUDIES

Glucose regulates Foxo1 through insulin receptor signaling in the pancreatic islet β-cell

S.C. MARTINEZ, C. CRAS-MÉNEUR, E. BERNAL-MIZRACHI, AND M.A. PERMUTT 1581

Metallothionein and catalase sensitize to diabetes in nonobese diabetic mice: reactive oxygen species may have a protective role in pancreatic β-cells

X. LI, H. CHEN, AND P.N. EPSTEIN 1592

Peroxisome proliferator-activated receptor α improves pancreatic adaptation to insulin resistance in obese mice and reduces lipotoxicity in human islets

F. LALLOYER, B. VANDEWALLE, F. PERCEVAULT, G. TORPIER, J. KERR-COLTE, M. OOSTERVEER, R. PAUMELLE, J.-C. FRUCHART, F. KUIPERS, F. PATTOU, C. FIÈVET, AND B. STAELS 1605

The role of phosphoinositide 3-kinase/Akt signaling in low-dose mercury-induced mouse pancreatic β-cell dysfunction in vitro and in vivo

Y.W. CHEN, C.F. HUANG, K.S. TSAI, R.S. YANG, C.C. YEN, C.Y. YANG, S.Y. LIN-SHIUAU, AND S.H. LIU 1614

PATHOPHYSIOLOGY

Islet inflammation and fibrosis in a spontaneous model of type 2 diabetes, the GK rat

F. HOMO-DELARCHE, S. CALDERARI, J.-C. IRMINGER, M.-N. GANGNERAU, J. COULAUD, K. RICKENBACH, M. DOLZ, P. HALBAN, B. PORTHA, AND P. SERRADAS 1625

Nutritional supplementation with *trans*-10, *cis*-12-conjugated linoleic acid induces inflammation of white adipose tissue

H. POIRIER, J.S. SHAPIRO, R.J. KIM, AND M.A. LAZAR 1634

Table of contents continues on page *xiii*. 

Cognitive performance, psychological well-being, and brain magnetic resonance imaging in older patients with type 1 diabetes A.M.A. BRANDS, R.P.C. KESSELS, R.P.L.M. HOGMA, J.M.L. HENSELMANS, J.W. VAN DER BEEK BOTER, L.J. KAPPELLE, E.H.F. DE HAAN, AND G.J. BIESSELS	1800
Hyperglycemia stimulates coagulation, whereas hyperinsulinemia impairs fibrinolysis in healthy humans M.E. STEGENGA, S.N. VAN DER CRABBEN, M. LEVI, A.F. DE VOS, M.W. TANCK, H.P. SAUERWEIN, AND T. VAN DER POLL	1807
Decreased muscle strength and quality in older adults with type 2 diabetes: the Health, Aging, and Body Composition study S.W. PARK, B.H. GOODPASTER, E.S. STROTMAYER, N. DE REKENERE, T.B. HARRIS, A.V. SCHWARTZ, F.A. TYLAVSKY, AND A.B. NEWMAN	1813
The intrauterine environment as reflected by birth size and twin and zygosity status influences insulin action and intracellular glucose metabolism in an age- or time-dependent manner P. POULSEN AND A. VAAG	1819
COMPLICATIONS	
Deletion of p66 ^{Shc} longevity gene protects against experimental diabetic glomerulopathy by preventing diabetes-induced oxidative stress S. MENINI, L. AMADIO, G. ODDI, C. RICCI, C. PESCE, F. PUGLIESE, M. GIORGIO, E. MIGLIACCIO, P. PELICCI, C. IACOBINI, AND G. PUGLIESE	1642
Altered endothelial nitric oxide synthase targeting and conformation and caveolin-1 expression in the diabetic kidney R. KOMERS, W.E. SCHUTZER, J.F. REED, J.N. LINDSLEY, T.T. OYAMA, D.C. BUCK, S.L. MADER, AND S. ANDERSON	1651
Apoptosis signal-regulating kinase 1 mediates cellular senescence induced by high glucose in endothelial cells T. YOKOI, K. FUKUO, O. YASUDA, M. HOTTA, J. MIYAZAKI, Y. TAKEMURA, H. KAWAMOTO, H. ICHIJO, AND T. OGIHARA	1660
Thiazolidinediones ameliorate diabetic nephropathy via cell cycle-dependent mechanisms T. OKADA, J. WADA, K. HIDAKA, J. EGUCHI, I. HASHIMOTO, M. BABA, A. YASUHARA, K. SHIKATA, AND H. MAKINO	1666
Salutary effect of pigment epithelium-derived factor in diabetic nephropathy: evidence for antifibrogenic activities J.J. WANG, S.X. ZHANG, R. MOTT, R.R. KNAPP, W. CAO, K. LAU, AND J.-X. MA	1678
Poly(ADP-ribose) polymerase inhibition alleviates experimental diabetic sensory neuropathy O. ILNYTSKA, V.V. LYZOUBOV, M.J. STEVENS, V.R. DREL, N. MASHTALIR, P. PACHER, M.A. YOREK, AND I.G. OBROSOVA	1686
Diabetic nephropathy is associated with gene expression levels of oxidative phosphorylation and related pathways C. HUANG, Y. KIM, M.L. CARAMORI, J.H. MOORE, S.S. RICH, J.C. MYCHALEKYJ, P.C. WALKER, AND M. MAUER	1826
Risk factors for renal dysfunction in type 2 diabetes: U.K. Prospective Diabetes Study 74 R. RETNAKARAN, C.A. CULL, K.I. THORNE, A.I. ADLER, AND R.R. HOLMAN, FOR THE UKPDS STUDY GROUP	1832
Adiponectin suppression of high-glucose-induced reactive oxygen species in vascular endothelial cells: evidence for involvement of a cAMP signaling pathway R. OUEDRAOGO, X. WU, S.-Q. XU, L. FUCHSEL, H. MOTOSHIMA, K. MAHADEV, K. HOUGH, R. SCALIA, AND B.J. GOLDSTEIN	1840
Gene transfer of an engineered transcription factor promoting expression of VEGF-A protects against experimental diabetic neuropathy S.A. PRICE, C. DENT, B. DURAN-JIMENEZ, Y. LIANG, L. ZHANG, E.J. REBAR, C.C. CASE, P.D. GREGORY, T.J. MARTIN, S.K. SPRATT, AND D.R. TOMLINSON	1847
PHARMACOLOGY & THERAPEUTICS	
Chronic inhibition of dipeptidyl peptidase-4 with a sitagliptin analog preserves pancreatic β -cell mass and function in a rodent model of type 2 diabetes J. MU, J. WOODS, Y.-P. ZHOU, R.S. ROY, Z. LI, E. ZYCBAND, Y. FENG, L. ZHU, C. LI, A.D. HOWARD, D.E. MOLLER, N.A. THORNBERRY, AND B.B. ZHANG	1695
The experimental type 2 diabetes therapy glycogen phosphorylase inhibition can impair aerobic muscle function during prolonged contraction D.J. BAKER, P.L. GREENHAFF, A. MACINNES, AND J.A. TIMMONS	1855
GENETICS	
Mutations at the same residue (R50) of Kir6.2 (<i>KCNJ11</i>) that cause neonatal diabetes produce different functional effects K. SHIMOMURA, C.A.J. GIRARD, P. PROKS, J. NAZIM, J.D. LIPIATI, F. CERUTTI, R. LORINI, S. ELLARD, A.T. HATTERSELY, F. BARBETTI, AND F.M. ASHCROFT	1705
From clinicogenetic studies of maturity-onset diabetes of the young to unraveling complex mechanisms of glucokinase regulation J.V. SAGEN, S. ODILI, L. BJØRKHAUG, D. ZELENTH, C. BUETTGER, J. KWAGH, C. STANLEY, K. DAHL-JØRGENSEN, C. DE BEAUFORT, G.I. BELL, Y. HAN, J. GRIMSBY, R. TAUB, A. MOLVEN, O. SØVIK, P.R. NJØLSTAD, AND F.M. MATSCHINSKY	1713
Genome-wide linkage of plasma adiponectin reveals a major locus on chromosome 3q distinct from the adiponectin structural gene: the IRAS Family Study X. GUO, M.F. SAAD, C.D. LANGEFELD, A.H. WILLIAMS, J. CUI, K.D. TAYLOR, J.M. NORRIS, S. JINAGOUDA, C.H. DARWIN, B.D. MITCHELL, R.N. BERGMAN, B. SUTTON, Y.-D.I. CHEN, L.E. WAGENKNECHT, D.W. BOWDEN, AND J.I. ROTTER	1723
Functional effects of mutations at F35 in the NH ₂ -terminus of Kir6.2 (<i>KCNJ11</i>), causing neonatal diabetes, and response to sulphonylurea therapy P. PROKS, C. GIRARD, H. BÆVRE, P.R. NJØLSTAD, AND F.M. ASHCROFT	1731
Kir6.2 mutations associated with neonatal diabetes reduce expression of ATP-sensitive K ⁺ channels: implications in disease mechanism and sulphonylurea therapy C.-W. LIN, Y.-W. LIN, F.-F. YAN, J. CASEY, M. KOCHHAR, E.B. PRATT, AND S.-L. SHYNG	1738
Combination of HLA-A24, -DQA*103, and -DR9 contributes to acute-onset and early complete β -cell destruction in type 1 diabetes: longitudinal study of residual β -cell function K. NAKANISHI AND H. INOKO	1862

BRIEF GENETICS REPORTS

A novel -192c/g mutation in the proximal P2 promoter of the hepatocyte nuclear factor-4 α gene (<i>HNF4A</i>) associates with late-onset diabetes	M. DESAI, E. ZEGGINI, V.A. HORTON, K.R. OWEN, A.T. HATTERSLEY, J.C. LEVY, G.A. HITMAN, M. WALKER, R.R. HOLMAN, M.I. MCCARTHY, AND A. CLARK	1890
J. EK, S.P. HANSEN, M. LAJER, C. NICOT, T.W. BOESGAARD, S. PRUHOVA, A. JOHANSEN, A. ALBRECHTSEN, K. YDERSTRÆDE, J. LAUENBORG, M. PARRIZAS, S.F. BOJ, T. JØRGENSEN, K. BORCH-JOHNSEN, P. DAMM, J. FERRER, J. LEBL, O. PEDERSEN, AND T. HANSEN	1869	
Fasting insulin and obesity-related phenotypes are linked to chromosome 2p: the Strong Heart Family Study	E.L. EDGHILL, R.J. DIX, S.E. FLANAGAN, P.J. BINGLEY, A.T. HATTERSLEY, S. ELLARD, AND K.M. GILLESPIE	1895
V.P. DIEGO, H.H. GÖRING, S.A. COLE, L. ALMASY, T.D. DYER, J. BLANGER, R. DUGGIRALA, S. LASTON, C. WENGER, T. CANTU, B. DYKE, K. NORTH, T. SCHURR, L.G. BEST, R.B. DEVEREUX, R.R. FABSITZ, B.V. HOWARD, AND J.W. MACCLUE	1874	
Linkage but not association of calpain-10 to type 2 diabetes replicated in northern Sweden	H. RÆDER, L. BJØRKHAUG, S. JOHANSSON, K. MANGSETH, J.V. SAGEN, A. HUNTING, I. FØLLING, O. JOHANSEN, M. BJØRGAAS, P.N. PAUS, O. SØVIK, A. MOLVEN, AND P.R. NJØLSTAD	1899
E. EINARSDOTTIR, S. MAYANS, K. RUIKKA, S.A. ESCHER, P. LINDGREN, Å. ÅGREN, M. ELIASSON, AND D. HOLMBERG	1879	
Significant linkage of BMI to chromosome 10p in the U.K. population and evaluation of <i>GAD2</i> as a positional candidate	C.J. GROVES, E. ZEGGINI, M. WALKER, G.A. HITMAN, J.C. LEVY, S. O'RAHILLY, A.T. HATTERSLEY, M.I. MCCARTHY, AND S. WILTSHERE	1884

The variable number of tandem repeats upstream of the insulin gene is a susceptibility locus for latent autoimmune diabetes in adults

M. DESAI, E. ZEGGINI, V.A. HORTON, K.R. OWEN,
A.T. HATTERSLEY, J.C. LEVY, G.A. HITMAN, M. WALKER,
R.R. HOLMAN, M.I. MCCARTHY, AND A. CLARK

HLA genotyping supports a nonautoimmune etiology in patients diagnosed with diabetes under the age of 6 months

E.L. EDGHILL, R.J. DIX, S.E. FLANAGAN, P.J. BINGLEY,
A.T. HATTERSLEY, S. ELLARD, AND K.M. GILLESPIE

A hepatocyte nuclear-4 α gene (*HNF4A*) P2 promoter haplotype linked with late-onset diabetes: studies of *HNF4A* variants in the Norwegian MODY Registry

H. RÆDER, L. BJØRKHAUG, S. JOHANSSON, K. MANGSETH,
J.V. SAGEN, A. HUNTING, I. FØLLING, O. JOHANSEN,
M. BJØRGAAS, P.N. PAUS, O. SØVIK, A. MOLVEN,
AND P.R. NJØLSTAD

ERRATA**ORGANIZATION SECTION****SI UNITS TABLE**