

VOLUME 57, NO. 10 DIABETES: A Journal of the American Diabetes Association®


October 2008

Pages 2555–2862

diabetes

A JOURNAL OF THE
AMERICAN DIABETES
ASSOCIATION®

www.diabetes.org/diabetes



**American
Diabetes
Association®**

Cure • Care • Commitment®
DIAEAZ 57(10) 2555–2862 (2008)
ISSN 0012-1797

PERSPECTIVES IN DIABETES

The “perfect storm” for type 1 diabetes: the complex interplay between intestinal microbiota, gut permeability, and mucosal immunity
O. VAARALA, M.A. ATKINSON, AND J. NEU

2555

COMMENTARIES

Mary, Mary, quite contrary, how do your β-cells fail?
J.L. LEAHY

2563

Vitamin D and type 2 diabetes: are we ready for a prevention trial?
R. SCRAGG

2565

Role of microRNA in pancreatic β-cells: where more is less
M.D. WALKER

2567

METABOLISM

Metabolism-independent sugar sensing in central orexin neurons
J.A. GONZÁLEZ, L.T. JENSEN, L. FUGGER, AND D. BURDAKOV

2569

Brain glucagon-like peptide-1 regulates arterial blood flow, heart rate, and insulin sensitivity
C. CABOU, G. CAMPISTRON, N. MARSOLLIER, C. LELOUP, C. CRUCIANI-GUGLIELMACCI, L. PÉNICAUD, D.J. DRUCKER, C. MAGNAN, AND R. BURCELIN

2577

Cerebral blood flow and cerebral edema in rats with diabetic ketoacidosis
N. YUEN, S.E. ANDERSON, N. GLASER, D.J. TANCREDI, AND M.E. O'DONNELL

2588

Elevated toll-like receptor 4 expression and signaling in muscle from insulin-resistant subjects
S.M. REYNA, S. GHOSH, P. TANTIWONG, C.S.R. MEKA, P. EAGAN, C.P. JENKINSON, E. CERSOSIMO, R.A. DEFRONZO, D.K. COLETTA, A. SRIWLITKAMOL, AND N. MUSI

2595

Role of central nervous system glucagon-like peptide-1 receptors in enteric glucose sensing
C. KNAUF, P.D. CANI, D.-H. KIM, M.A. IGLESIAS, C. CHABO, A. WAGET, A. COLOM, S. RASTRELLI, N.M. DELZENNE, D.J. DRUCKER, R.J. SEELEY, AND R. BURCELIN

2603

Physical activity and insulin sensitivity: the RISC Study
B. BALKAU, L. MHAMDI, J.-M. OPPERT, J. NOLAN, A. GOLAY, F. PORCELLATI, M. LAAKSO, AND E. FERRANNINI, ON BEHALF OF THE EGIR-RISC STUDY GROUP

2613

SIGNAL TRANSDUCTION

Baseline serum 25-hydroxy vitamin D is predictive of future glycemic status and insulin resistance: the Medical Research Council Ely Prospective Study 1990–2000
N.G. FOROUHI, J. LUAN, A. COOPER, B.J. BOUCHER, AND N.J. WAREHAM

2619

Mechanism of oxidative DNA damage in diabetes: tuberin inactivation and downregulation of DNA repair enzyme 8-oxo-7,8-dihydro-2'-deoxyguanosine-DNA glycosylase

S. SIMONE, Y. GORIN, C. VELAGAPUDI, H.E. ABOUD, AND S.L. HABIB

2626

Integrin-associated protein association with Src Homology 2 Domain Containing Tyrosine Phosphatase Substrate 1 regulates IGF-I signaling in vivo
L.A. MAILE, B.E. CAPPS, E.C. MILLER, A.W. ADAY, AND D.R. CLEMMONS

2637

Muscle-specific IRS-1 Ser→Ala transgenic mice are protected from fat-induced insulin resistance in skeletal muscle

K. MORINO, S. NESCHEN, S. BILZ, S. SONO, D. TSIRIGOTIS, R.M. REZNICK, I. MOORE, Y. NAGAI, V. SAMUEL, D. SEBASTIAN, M. WHITE, W. PHILBRICK, AND G.I. SHULMAN

2644

OBESITY STUDIES

Impaired glucose tolerance and insulin resistance are associated with increased adipose 11β-hydroxysteroid dehydrogenase type 1 expression and elevated hepatic 5α-reductase activity
J.W. TOMLINSON, J. FINNEY, C. GAY, B.A. HUGHES, S.V. HUGHES, AND P.M. STEWART

2652

Diurnal variation of human sweet taste recognition thresholds is correlated with plasma leptin levels
Y. NAKAMURA, K. SANEMATSU, R. OHTA, S. SHIROSAKI, K. KOYANO, K. NONAKA, N. SHIGEMURA, AND Y. NINOMIYA

2661

IMMUNOLOGY AND TRANSPLANTATION

Simultaneous islet and kidney transplantation in seven patients with type 1 diabetes and end-stage renal disease using a glucocorticoid-free immunosuppressive regimen with alemtuzumab induction
J. TAN, S. YANG, J. CAI, J. GUO, L. HUANG, Z. WU, J. CHEN, AND L. LIAO

2666

CD28/CD154 blockade prevents autoimmune diabetes by inducing nondeletional tolerance after effector T-cell inhibition and regulatory T-cell expansion
M.R. RIGBY, A.M. TREXLER, T.C. PEARSON, AND C.P. LARSEN

2672

Transforming growth factor-β suppresses the activation of CD8+ T-Cells when naïve but promotes their survival and function once antigen experienced: a two-faced impact on autoimmunity
C.M. FILIPPI, A.E. JUEDES, J.E. OLDHAM, E. LING, L. TOGHER, Y. PENG, R.A. FLAVELL, AND M.G. VON HERRATH

2684

Table of contents continues on page vi.

A common nonsynonymous single nucleotide polymorphism in the SLC30A8 gene determines ZnT8 autoantibody specificity in type 1 diabetes J.M. WENZLAU, Y. LIU, L. YU, O. MOUA, K.T. FOWLER, S. RANGASAMY, J. WALTERS, G.S. EISENBARTH, H.W. DAVIDSON, AND J.C. HUTTON	2693
ISLET STUDIES	
Decreased fetal size is associated with β -cell hyperfunction in early life and failure with age M.V. CHAKRAVARTHY, Y. ZHU, M.B. WICE, T. COLEMAN, K.L. PAPPAN, C.A. MARSHALL, M.L. McDANIEL, AND C.F. SEMENKOVICH	2698
miR-375 targets 3'-phosphoinositide-dependent protein kinase-1 and regulates glucose-induced biological responses in pancreatic β -cells A. EL OUAAMARI, N. BAROUKH, G.A. MARTENS, P. LEBRUN, D. PIPELERS, AND E. VAN OBBERGHEN	2708
Postnatal expansion of the pancreatic β -cell mass is dependent on survivin Y. JIANG, W. NISHIMURA, D. DEVOR-HENNEMAN, D. KUSEWITT, H. WANG, M.P. HOLLOWAY, T. DOHI, E. SABO, M.L. ROBINSON, D.C. ALTIERI, A. SHARMA, AND R.A. ALTURA	2718
Alterations in microRNA expression contribute to fatty acid-induced pancreatic β -cell dysfunction P. LOVIS, E. ROGGLI, D.R. LAYBUTT, S. GATTESCO, J.-Y. YANG, C. WIDMANN, A. ABDERRAHMANI, AND R. REGAZZI	2728
Spontaneous diabetes in hemizygous human amylin transgenic mice that developed neither islet amyloid nor peripheral insulin resistance W.P.S. WONG, D.W. SCOTT, C.-L. CHUANG, S. ZHANG, H. LIU, A. FERREIRA, E.L. SAAFI, Y.S. CHOONG, AND G.J.S. COOPER	2737
Hepatocyte growth factor enhances engraftment and function of nonhuman primate islets N.M. FIASCHI-TAESCH, D.M. BERMAN, B.M. SICARI, K.K. TAKANE, A. GARCIA-OCAÑA, C. RICORDI, N.S. KENYON, AND A.F. STEWART	2745
Mouse pancreatic endocrine cell transcriptome defined in the embryonic <i>Ngn3</i> -null mouse K. JUHL, S.A. SARKAR, R. WONG, J. JENSEN, AND J.C. HUTTON	2755
PATHOPHYSIOLOGY	
Plasma fetuin-A levels and the risk of type 2 diabetes N. STEFAN, A. FRITSCHE, C. WEIKERT, H. BOEING, H.-G. JOOST, H.-U. HÄRING, AND M.B. SCHULZE	2762
Distinct monocyte gene-expression profiles in autoimmune diabetes R.C. PADMOS, N.C. SCHLOOT, H. BEYAN, C. RUWHOF, F.J.T. STAAL, D. DE RIDDER, H.J. AANSTOOT, W.K. LAM-TSE, H. DE WIT, C. DE HERDER, R.C. DREXHAGE, B. MENART, R.D. LESLIE, AND H.A. DREXHAGE, AND THE LADA CONSORTIUM	2768
COMPLICATIONS	
Neuronatin: a new inflammation gene expressed on the aortic endothelium of diabetic mice N. MZHAVIA, S. YU, S. IKEDA, T.T. CHU, I. GOLDBERG, AND H.M. DANSKY	2774
Potent inhibition of cicatricial contraction in proliferative vitreoretinal diseases by statins S. KAWAHARA, Y. HATA, T. KITA, R. ARITA, M. MIURA, S. NAKAO, Y. MOCHIZUKI, H. ENAIDA, T. KAGIMOTO, Y. GOTO, A. HAFEZI-MOGHADAM, AND T. ISHIBASHI	2784
Correction of HDL dysfunction in individuals with diabetes and the haptoglobin 2-2 genotype R. ASLEH, S. BLUM, S. KALET-LITMAN, J. ALSHIEK, R. MILLER-LOTAN, R. ASAFAF, W. ROCK, M. AVIRAM, U. MILMAN, C. SHAPIRA, Z. ABASSI, AND A.P. LEVY	2794
Sulfasalazine blocks the development of tactile allodynia in diabetic rats L.N. BERTI-MATTERA, T.S. KERN, R.E. SIEGEL, I. NEMET, AND R. MITCHELL	2801
Activation of NF-E2-related factor-2 reverses biochemical dysfunction of endothelial cells induced by hyperglycemia linked to vascular disease M. XUE, Q. QIAN, A. ADAIKALAKOTESWARI, N. RABBANI, R. BABAEI-JADIDI, AND P.J. THORNALLEY	2809
Impaired collateral recruitment and outward remodeling in experimental diabetes J.M. VAN GOLDE, M.S. RUITER, N.C. SCHAPER, S. VÖÖ, J. WALTENBERGER, W.H. BACKES, M.J. POST, AND M.S. HULBERTS	2818
Inducible overexpression of sFlt-1 in podocytes ameliorates glomerulopathy in diabetic mice C.-H. KU, K.E. WHITE, A. DEI CAS, A. HAYWARD, Z. WEBSTER, R. BILOUS, S. MARSHALL, G. VIBERTI, AND L. GNUDI	2824
GENETICS	
Common variants in <i>CDKAL1</i> , <i>CDKN2A/B</i> , <i>IGF2BP2</i> , <i>SLC30A8</i> , and <i>HHEX/IDE</i> genes are associated with type 2 diabetes and impaired fasting glucose in a Chinese Han population Y. WU, H. LI, R.J.F. LOOS, Z. YU, X. YE, L. CHEN, A. PAN, F.B. HU, AND X. LIN	2834
G/T substitution in intron 1 of the <i>UNC13B</i> gene is associated with increased risk of nephropathy in patients with type 1 diabetes D.-A. TRÉGOUET, P.-H. GROOP, S. MCGINN, C. FORSBLOM, S. HADJADJ, M. MARRE, H.-H. PARVING, L. TARNOW, R. TELGMANN, T. GODDEFROY, V. NICAUD, R. ROUSSEAU, M. PARKKONEN, A. HOVERFÄLT, I. GUT, S. HEATH, F. MATSUDA, R. COX, G. KAZEEM, M. FARRALL, D. GAUGUIER, S.-M. BRAND-HERRMANN, F. CAMBIEN, M. LATHROP, AND N. VIONNET, FOR THE EURAGEDIC CONSORTIUM	2843
<i>FTO</i> variants are associated with obesity in the Chinese and Malay populations in Singapore J.T. TAN, R. DORAJOO, M. SEIELSTAD, X.L. SIM, R.T.-H. ONG, K.S. CHIA, T.Y. WONG, S.M. SAW, S.K. CHEW, T. AUNG, AND E.-S. TAI	2851
A human type 1 diabetes susceptibility locus maps to chromosome 21q22.3 P. CONCANNON, S. ONENGUT-GUMUSCU, J.A. TODD, D.J. SMYTH, F. POCIOT, R. BERGHOLDT, B. AKOLKAR, H.A. ERLICH, J.E. HILNER, C. JULIER, G. MORAHAN, J. NERUP, C.R. NIERRAS, W.-M. CHEN, S.S. RICH, AND THE TYPE 1 DIABETES GENETICS CONSORTIUM	2858
ORGANIZATION SECTION	