

VOLUME 60, NO. 1 DIABETES: A Journal of the American Diabetes Association®

January 2011


Pages 1–360

diabetes

JANUARY 2011 VOLUME 60 NUMBER 1

A JOURNAL OF THE
AMERICAN DIABETES
ASSOCIATION®

www.diabetes.org/diabetes



PERSPECTIVES IN DIABETES

Stopping type 1 diabetes: attempts to prevent or cure type 1 diabetes in man
J.S. SKYLER AND C. RICORDI 1

Diabetic retinopathy: targeting vasoregression
H.-P. HAMMES, Y. FENG, F. PFISTER, AND M. BROWNLEE 9

Toward a more complete (and less controversial) understanding of energy expenditure and its role in obesity pathogenesis
K.J. KAIYALA AND M.W. SCHWARTZ 17

COMMENTARIES

Elimination of hypoglycemia from the lives of people affected by diabetes
P.E. CRYER 24

TRP-ing down the path to insulin secretion
P.E. MACDONALD 28

METABOLISM

Enhanced energy expenditure, glucose utilization, and insulin sensitivity in VAMP8 null mice
H. ZONG, C.-C. WANG, B. VAITHEESVARAN, L.J. KURLAND, W. HONG, AND J.E. PESSIN 30

Naloxone, but not valsartan, preserves responses to hypoglycemia after antecedent hypoglycemia: role of metabolic reprogramming in counterregulatory failure
M.M. POPLAWSKI, J.W. MASTAITIS, AND C.V. MOBBS 39

Downregulation of adipose tissue fatty acid trafficking in obesity: a driver for ectopic fat deposition?
S.E. MCQUAID, L. HODSON, M.J. NEVILLE, A.L. DENNIS, J. CHEESEMAN, S.M. HUMPHREYS, T. RUGE, M. GILBERT, B.A. FIELDING, K.N. FRAYN, AND F. KARPE 47

The portal theory supported by venous drainage-selective fat transplantation
J.M. RYTKA, S. WUEEST, E.J. SCHOENLE, AND D. KONRAD 56

Lipid-induced insulin resistance affects women less than men and is not accompanied by inflammation or impaired proximal insulin signaling
L.D. HØEG, K.A. SJØBERG, J. JEPPESEN, T.E. JENSEN, C. FRØSIG, J.B. BIRK, B. BISIANI, N. HISCOCK, H. PILEGAARD, J.F.P. WOJTASZEWSKI, E.A. RICHTER, AND B. KIENS 64

Changes in alcohol consumption and subsequent risk of type 2 diabetes in men
M.M. JOOSTEN, S.E. CHIUVE, K.J. MUKAMAL, F.B. HU, H.F.J. HENDRIKS, AND E.B. RIMM 74

Iron overload and diabetes risk: a shift from glucose to fatty acid oxidation and increased hepatic glucose production in a mouse model of hereditary hemochromatosis
J. HUANG, D. JONES, B. LUO, M. SANDERSON, J. SOTO, E.D. ABEL, R.C. COOKSEY, AND D.A. MCCLAIN 80

Basal and insulin mediated VLDL-triglyceride kinetics in type 2 diabetic men
L.P. SØRENSEN, I.R. ANDERSEN, E. SØNDERGAARD, L.C. GORMSEN, O. SCHMITZ, J.S. CHRISTIANSEN, AND S. NIELSEN 88

Molecular mechanisms for activation of the agouti-related protein and stimulation of appetite
O. ILNYTSKA, A.M. STÜTZ, M. PARK-YORK, D.A. YORK, D.M. RIBNICKY, A. ZUBERI, W.T. CEFALU, AND G. ARGYROPOULOS 97

Hypothalamic nutrient sensing activates a forebrain-hindbrain neuronal circuit to regulate glucose production in vivo
C.K.L. LAM, M. CHARI, G.A. RUTTER, AND T.K.T. LAM 107

Intranasal insulin enhances postprandial thermogenesis and lowers postprandial serum insulin levels in healthy men
C. BENEDICT, S. BREDE, H.B. SCHIÖTH, H. LEHNERT, B. SCHULTES, J. BORN, AND M. HALLSCHMID 114

SIGNAL TRANSDUCTION

Lack of TRPM2 impaired insulin secretion and glucose metabolisms in mice
K. UCHIDA, K. DEZAKI, B. DAMDINDORJ, H. INADA, T. SHIUCHI, Y. MORI, T. YADA, Y. MINOKOSHI, AND M. TOMINAGA 119

Direct recruitment of insulin receptor and ERK signaling cascade to insulin-inducible gene loci
J.D. NELSON, R.C. LEBOEUF, AND K. BOMSZTYK 127

Prep1 controls insulin glucoregulatory function in liver by transcriptional targeting of SHP1 tyrosine phosphatase
F. ORIENTE, S. IOVINO, S. CABARO, A. CASSESE, E. LONGOBARDI, C. MIELE, P. UNGARO, P. FORMISANO, F. BLASI, AND F. BEGUINOT 138

Cyclic GMP kinase I modulates glucagon release from pancreatic α -cells
V. LEISS, A. FRIEBE, A. WELLING, F. HOFMANN, AND R. LUKOWSKI 148

OBESITY STUDIES

Mitochondrial biogenesis and peroxisome proliferator-activated receptor- γ coactivator-1 α (PGC-1 α) deacetylation by physical activity: intact adipocytokine signaling is required
L. LI, R. PAN, R. LI, B. NIEMANN, A.-C. AURICH, Y. CHEN, AND S. ROHRBACH 157

OCT1 expression in adipocytes could contribute to increased metformin action in obese subjects
J.M. MORENO-NAVARRETE, F.J. ORTEGA, J.-I. RODRÍGUEZ-HERMOSA, M. SABATER, G. PARDO, W. RICART, AND J.M. FERNÁNDEZ-REAL 168

Nuclear orphan receptor TAK1/TR4-deficient mice are protected against obesity-linked inflammation, hepatic steatosis, and insulin resistance H.S. KANG, K. OKAMOTO, Y.-S. KIM, Y. TAKEDA, C.D. BORTNER, H. DANG, T. WADA, W. XIE, X.-P. YANG, G. LIAO, AND A.M. JETTEN	177	Enterovirus RNA in blood is linked to the development of type 1 diabetes S. OIKARINEN, M. MARTISKAINEN, S. TAURIANEN, H. HUHTALA, J. ILONEN, R. VELJOLA, O. SIMELL, M. KNIP, AND H. HYÖTY	276
P-selectin glycoprotein ligand-1 deficiency is protective against obesity-related insulin resistance C. SATO, K. SHIKATA, D. HIROTA, M. SASAKI, S. NISHISHITA, S. MIYAMOTO, R. KODERA, D. OGAWA, A. TONE, H.U. KATAOKA, J. WADA, N. KAJITANI, AND H. MAKINO	189	COMPLICATIONS	
ISLET STUDIES		miR-200a prevents renal fibrogenesis through repression of TGF- β 2 expression B. WANG, P. KOH, C. WINBANKS, M.T. COUGHLAN, A. MCCLELLAND, A. WATSON, K. JANDELEIT-DAHM, W.C. BURNS, M.C. THOMAS, M.E. COOPER, AND P. KANTHARIDIS	280
Peroxisome-generated hydrogen peroxide as important mediator of lipotoxicity in insulin-producing cells M. ELSNER, W. GEHRMANN, AND S. LENZEN	200	Diminished superoxide generation is associated with respiratory chain dysfunction and changes in the mitochondrial proteome of sensory neurons from diabetic rats E. AKUDE, E. ZHEREBITSKAYA, S.K. ROY CHOWDHURY, D.R. SMITH, R.T. DOBROWSKY, AND P. FERNYHOUGH	288
Congenital hyperinsulinism and glucose hypersensitivity in homozygous and heterozygous carriers of Kir6.2 (<i>KCNJ11</i>) mutation V290M mutation: K _{ATP} channel inactivation mechanism and clinical management K.J. LOECHNER, A. AKROUH, H.T. KURATA, C. DIONISI-VICI, A. MAIORANA, M. PIZZOFERRO, V. RUPINI, J. DE VILLE DE GOYET, C. COLOMBO, F. BARBETTI, J.C. KOSTER, AND C.G. NICHOLS	209	Glycated hemoglobin and the risk of kidney disease and retinopathy in adults with and without diabetes E. SELVIN, Y. NING, M.W. STEFFES, L.D. BASH, R. KLEIN, T.Y. WONG, B.C. ASTOR, A.R. SHARRETT, F.L. BRANCATI, AND J. CORESH	298
Exendin-4 suppresses Src activation and reactive oxygen species production in diabetic Goto-Kakizaki rat islets in an Epac-dependent manner E. MUKAI, S. FUJIMOTO, H. SATO, C. ONEYAMA, R. KOMINATO, Y. SATO, M. SASAKI, Y. NISHI, M. OKADA, AND N. INAGAKI	218	Insulin resistance, defective insulin-mediated fatty acid suppression, and coronary artery calcification in subjects with and without type 1 diabetes: the CACTI study I.E. SCHAUER, J.K. SNELL-BERGEON, B.C. BERGMAN, D.M. MAAHS, A. KRETOWSKI, R.H. ECKEL, AND M. REWERS	306
β -Cell dysfunctional ERAD/ubiquitin/proteasome system in type 2 diabetes mediated by islet amyloid polypeptide-induced UCH-L1 deficiency S. COSTES, C.-J. HUANG, T. GURLO, M. DAVAL, A.V. MATVEYENKO, R.A. RIZZA, A.E. BUTLER, AND P.C. BUTLER	227	High connectivity between reduced cortical thickness and disrupted white matter tracts in long-standing type 1 diabetes D.T. FRANC, C.T. KODL, B.A. MUELLER, R.L. MUETZEL, K.O. LIM, AND E.R. SEAQUIST	315
IMMUNOLOGY AND TRANSPLANTATION		GENETICS	
Production of functional glucagon-secreting α -cells from human embryonic stem cells A. REZANIA, M.J. RIEDEL, R.D. WIDEMAN, F. KARANU, Z. AO, G.L. WARNOCK, AND T.J. KIEFFER	239	Targeted inactivation of Kinesin-1 in pancreatic β -cells in vivo leads to insulin secretory deficiency J. CUI, Z. WANG, Q. CHENG, R. LIN, X.-M. ZHANG, P.S. LEUNG, N.G. COPELAND, N.A. JENKINS, K.-M. YAO, AND J.-D. HUANG	320
Interleukin-1 β produced in response to islet autoantigen presentation differentiates T-helper 17 cells at the expense of regulatory T-cells: implications for the timing of tolerizing immunotherapy S. BERTIN-MAGHIT, D. PANG, B. O'SULLIVAN, S. BEST, E. DUGGAN, S. PAUL, H. THOMAS, T.W.H. KAY, L.C. HARRISON, R. STEPTOE, AND R. THOMAS	248	Association of a fasting glucose genetic risk score with subclinical atherosclerosis: the Atherosclerosis Risk in Communities (ARIC) study L.J. RASMUSSEN-TORVIK, M. LI, W.H. KAO, D. COUPER, E. BOERWINKLE, S.J. BIELINSKI, A.R. FOLSOM, AND J.S. PANKOW	331
PATHOPHYSIOLOGY		Both polymorphic variable number of tandem repeats and autoimmune regulator modulate differential expression of insulin in human thymic epithelial cells C.Q. CAI, T. ZHANG, M.B. BRESLIN, M. GIRAUD, AND M.S. LAN	336
FTO is increased in muscle during type 2 diabetes, and its overexpression in myotubes alters insulin signaling, enhances lipogenesis and ROS production, and induces mitochondrial dysfunction A. BRAVARD, E. LEFAY, E. MEUGNIER, S. PESENTI, E. DISSE, J. VOUILLARMET, N. PERETTI, R. RABASA-LHORET, M. LAVILLE, H. VIDAL, AND J. RIEUSSET	258	Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: ten-year follow-up of the GLACIER Study F. RENSTRÖM, D. SHUNGIN, I. JOHANSSON, THE MAGIC INVESTIGATORS, J.C. FLOREZ, G. HALLMANS, F.B. HU, AND P.W. FRANKS	345
Coffee and caffeine consumption in relation to sex hormone-binding globulin and risk of type 2 diabetes in postmenopausal women A. GOTO, Y. SONG, B.H. CHEN, J.E. MANSON, J.E. BURING, AND S. LIU	269	<i>mt-Nd2^a</i> modifies resistance against autoimmune type 1 diabetes in NOD mice at the level of the pancreatic β -cell J. CHEN, A.M. GUSDON, J. PIGANELLI, E.H. LETTER, AND C.E. MATHEWS	355

ERRATUM	
ONLINE LETTERS TO THE EDITOR	
http://diabetes.diabetesjournals.org	
Comment on: Kim et al. (2010) Hypothalamic Angptl4/Fiaf is a novel regulator of food intake and body weight. Diabetes;59:2772–2780	
M. WILKINSON, R.E. BROWN, S.A. IMRAN, AND E. UR	e1
Response to comment on: Kim et al. (2010) Hypothalamic Angptl4/Fiaf is a novel regulator of food intake and body weight. Diabetes;59:2772–2780	
M.S. KIM	e2
Comment on: Kaiyala et al. (2010) Identification of Body Fat Mass as a Major Determinant of Metabolic Rate in Mice. Diabetes;59:1657–1666	
P.S. MACLEAN	e3
Response to comment on: Kaiyala et al. (2010) Identification of body fat mass as a major determinant of metabolic rate in mice. Diabetes;59:1657–1666	
K.J. KAIYALA, G.J. MORTON, B.G. LEROUX, K. OGIMOTO, B. WISSE, AND M.W. SCHWARTZ	e4
Comment on: Matsushita et al. (2010) The association of hemoglobin A1c with incident heart failure among people without diabetes: the Atherosclerosis Risk in Communities Study. Diabetes;59:2020–2026	
E. ODA	e5
Response to comment on: Matsushita et al. (2010) The association of hemoglobin A1c with incident heart failure among people without diabetes: the Atherosclerosis Risk in Communities Study. Diabetes;59:2020–2026	
K. MATSUSHITA AND E. SELVIN	e6
Comment on: Lin et al. (2010) Immune cell-derived C3 is required for autoimmune diabetes induced by multiple low doses of streptozotocin. Diabetes;59:2247–2252	
J.A. ØSTERGAARD, S. THIEL, T.K. HANSEN, R. RASCH, AND A. FLYVBJERG	e7
Response to comment on: Lin et al. (2010) Immune cell-derived C3 is required for autoimmune diabetes induced by multiple low doses of streptozotocin. Diabetes;59:2247–2252	
M. LIN, B. MURPHY, M.E. MEDOF, S. SEGERER, P.S. HEEGER, AND B. SCHRÖPPEL	e9