


diabetes

FEBRUARY 2011 VOLUME 60 NUMBER 2

A JOURNAL OF THE
AMERICAN DIABETES
ASSOCIATION®

www.diabetes.org/diabetes



EDITORIAL

- It's time to consider changing the rules: the rationale for rethinking control groups in clinical trials aimed at reversing type 1 diabetes
M.A. ATKINSON 361

PERSPECTIVES IN DIABETES

- Historical perspective: beginnings of the β -cell: current perspectives in β -cell development
P.A. SEYMOUR AND M. SANDER 364

COMMENTARIES

- Glucagon as a critical factor in the pathology of diabetes
D.S. EDGERTON AND A.D. CHERRINGTON 377
- A therapeutic insight in β -cell imaging?
M. GOTTHARDT 381

METABOLISM

- Effects of acute hyperglucagonemia on hepatic and intestinal lipoprotein production and clearance in healthy humans
C. XIAO, M. PAVLIC, L. SZETO, B.W. PATTERSON, AND G.F. LEWIS 383
- Glucagon receptor knockout prevents insulin-deficient type 1 diabetes in mice
Y. LEE, M.-Y. WANG, X.Q. DU, M.J. CHARRON, AND R.H. UNGER 391
- Hepatic glycogen supercompensation activates AMP-activated protein kinase, impairs insulin signaling, and reduces glycogen deposition in the liver
J.J. WINNICK, Z. AN, C.J. RAMNANAN, M. SMITH, J.M. IRIMIA, D.W. NEAL, M.C. MOORE, P.J. ROACH, AND A.D. CHERRINGTON 398
- Normal postprandial nonesterified fatty acid uptake in muscles despite increased circulating fatty acids in type 2 diabetes
S.M. LABBÉ, E. CROTEAU, T. GRENIER-LAROCHE, F. FRISCH, R. OUELLET, R. LANGLOIS, B. GUÉRIN, E. TURCOTTE, AND A.C. CARPENTIER 408
- Diet-induced muscle insulin resistance is associated with extracellular matrix remodeling and interaction with integrin $\alpha_2\beta_1$ in mice
L. KANG, J.E. AYALA, R.S. LEE-YOUNG, Z. ZHANG, F.D. JAMES, P.D. NEUFER, A. POZZI, M.M. ZUTTER, AND D.H. WASSERMAN 416

The adipocyte-expressed forkhead transcription factor Foxc2 regulates metabolism through altered mitochondrial function

M.E. LIDELL, E.L. SEIFERT, R. WESTERGREN, M. HEGLIND, A. GOWING, V. SUKONINA, Z. ARANI, P. ITKONEN, S. WALLIN, F. WESTBERG, J. FERNANDEZ-RODRIGUEZ, M. LAAKSO, T. NILSSON, X.-R. PENG, M.-E. HARPER, AND S. ENERBÄCK 427

Participation of hindbrain AMP-activated protein kinase in glucoprivic feeding

A.-J. LI, Q. WANG, AND S. RITTER 436

Effects of insulin on brain glucose metabolism in impaired glucose tolerance

J. HIRVONEN, K.A. VIRTANEN, L. NUMMENMAA, J.C. HANNUKAINEN, M.-J. HONKA, M. BUCCI, S.V. NESTEROV, R. PARKKOLA, J. RINNE, P. IOZZO, AND P. NUUTILA 443

Distinct roles of endothelial and adipocyte caveolin-1 in macrophage infiltration and adipose tissue metabolic activity

N. BRIAND, S.L. LAY, W.C. SESSA, P. FERRÉ, AND I. DUGAIL 448

SIGNAL TRANSDUCTION

Phosphatidylinositol-4-phosphate-5-kinase α deficiency alters dynamics of glucose-stimulated insulin release to improve glucohomeostasis and decrease obesity in mice

P. HUANG, O. YEKU, H. ZONG, P. TSANG, W. SU, X. YU, S. TENG, M. OSISAMI, Y. KANAHO, J.E. PESSIN, AND M.A. FROHMAN 454

OBESITY STUDIES

Smad3 deficiency in mice protects against insulin resistance and obesity induced by a high-fat diet

C.K. TAN, N. LEUENBERGER, M.J. TAN, Y.W. YAN, Y. CHEN, R. KAMBADUR, W. WAHLI, AND N.S. TAN 464

Effects of metformin on body weight and body composition in obese insulin-resistant children: a randomized clinical trial

J.A. YANOVSKI, J. KRAKOFF, C.G. SALAITA, J.R. MCDUFFIE, M. KOZLOSKY, N.G. SEBRING, J.C. REYNOLDS, S.M. BRADY, AND K.A. CALIS 477

Selective inactivation of c-Jun NH₂-terminal kinase in adipose tissue protects against diet-induced obesity and improves insulin sensitivity in both liver and skeletal muscle in mice

X. ZHANG, A. XU, S.K. CHUNG, J.H.B. CRESSER, G. SWEENEY, R.L.C. WONG, A. LIN, AND K.S.L. LAM 486

A newly identified CG301269 improves lipid and glucose metabolism without body weight gain through activation of peroxisome proliferator-activated receptor α and γ H.W. JEONG, J.-W. LEE, W.S. KIM, S.S. CHOE, K.-H. KIM, H.S. PARK, H.J. SHIN, G.Y. LEE, D. SHIN, H. LEE, J.H. LEE, E.B. CHOI, H.K. LEE, H. CHUNG, S.B. PARK, K.S. PARK, H.-S. KIM, S. RO, AND J.B. KIM	496	Thirty years of prospective nationwide incidence of childhood type 1 diabetes: the accelerating increase by time tends to level off in Sweden Y. BERHAN, I. WAERNBAUM, T. LIND, A. MÖLLSTEN, AND G. DAHLQUIST, FOR THE SWEDISH CHILDHOOD DIABETES STUDY GROUP	577
ISLET STUDIES		COMPLICATIONS	
Hypoxia-induced intrauterine growth restriction increases the susceptibility of rats to high-fat diet-induced metabolic syndrome C.F. RUEDA-CLAUSEN, V.W. DOLINSKY, J.S. MORTON, S.D. PROCTOR, J.R.B. DYCK, AND S.T. DAVIDGE	507	Levels of oxidized LDL and advanced glycation end products-modified LDL in circulating immune complexes are strongly associated with increased levels of carotid intima-media thickness and its progression in type 1 diabetes M.F. LOPES-VIRELLA, K.J. HUNT, N.L. BAKER, J. LACHIN, D.M. NATHAN, G. VIRELLA, AND THE DIABETES CONTROL AND COMPLICATIONS TRIAL/EPIDEMIOLOGY OF DIABETES INTERVENTIONS AND COMPLICATIONS RESEARCH GROUP	582
Hyperglycemia activates caspase-1 and TXNIP-mediated IL-1 β transcription in human adipose tissue T.B. KOENEN, R. STIENSTRA, L.J. VAN TTIS, J. DE GRAAF, A.F.H. STALENHOEF, L.A.B. JOOSTEN, C.J. TACK, AND M.G. NETEA	517	The protective role of Smad7 in diabetic kidney disease: mechanism and therapeutic potential H.Y. CHEN, X.R. HUANG, W. WANG, J.H. LI, R.L. HEUCHEL, A.C.K. CHUNG, AND H.Y. LAN	590
Disruption of hepatocyte growth factor/c-Met signaling enhances pancreatic β -cell death and accelerates the onset of diabetes J. MELLADO-GIL, T.C. ROSA, C. DEMIRCI, J.A. GONZALEZ-PERTUSA, S. VELAZQUEZ-GARCIA, S. ERNST, S. VALLE, R.C. VASAVADA, A.F. STEWART, L.C. ALONSO, AND A. GARCIA-OCAÑA	525	Adrenergic mediation of hypoglycemia-associated autonomic failure R. RAMANATHAN AND P.E. CRYER	602
Interleukin-6 enhances glucose-stimulated insulin secretion from pancreatic β -cells: potential involvement of the PLC-IP $_3$ -dependent pathway T. SUZUKI, J. IMAI, T. YAMADA, Y. ISHIGAKI, K. KANEKO, K. UNO, Y. HASEGAWA, H. ISHIHARA, Y. OKA, AND H. KATAGIRI	537	Progression of carotid artery intima-media thickness during 12 years in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications (DCCT/EDIC) study J.F. POLAK, J.-Y.C. BACKLUND, P.A. CLEARY, A.P. HARRINGTON, D.H. O'LEARY, J.M. LACHIN, AND D.M. NATHAN, FOR THE DCCT/EDIC RESEARCH GROUP	607
The expression and function of glucose-dependent insulinotropic polypeptide in the embryonic mouse pancreas K. PRASADAN, M. KOIZUMI, S. TULACHAN, C. SHIOTA, N. LATH, J. PAREDES, P. GUO, Y. EL-GOHARY, M. MALEK, S. SHAH, AND G.K. GITTES	548	Increased expression and activity of 12-lipoxygenase in oxygen-induced ischemic retinopathy and proliferative diabetic retinopathy: implications in retinal neovascularization M. AL-SHABRAWAY, R. MUSSELL, K. KAHOOK, A. TAWFIK, M. ELADL, V. SARTHY, J. NUSSBAUM, A. EL-MARAKBY, S.Y. PARK, Z. GUREL, N. SHEIBANI, AND K.R. MADDIPATI	614
IMMUNOLOGY AND TRANSPLANTATION		COMPLICATIONS	
Induction of mixed chimerism with MHC-mismatched but not matched bone marrow transplants results in thymic deletion of host-type autoreactive T-cells in NOD mice J. RACINE, M. WANG, C. ZHANG, C.-L. LIN, H. LIU, I. TODOROV, M. ATKINSON, AND D. ZENG	555	Diabetic downregulation of Nrf2 activity via ERK contributes to oxidative stress-induced insulin resistance in cardiac cells in vitro and in vivo Y. TAN, T. ICHIKAWA, J. LI, Q. SI, H. YANG, X. CHEN, C.S. GOLDBLATT, C.J. MEYER, X. LI, L. CAI, AND T. CUI	625
Combined small interfering RNA therapy and in vivo magnetic resonance imaging in islet transplantation P. WANG, M.V. YIGIT, Z. MEDAROVA, L. WEI, G. DAI, C. SCHUETZ, AND A. MOORE	565	PHARMACOLOGY AND THERAPEUTICS	
Reduction in basal nitric oxide activity causes albuminuria C. OTT, M.P. SCHNEIDER, C. DELLES, M.P. SCHLAICH, AND R.E. SCHMIEDER	572	Resveratrol improves oxidative stress and protects against diabetic nephropathy through normalization of mn-SOD dysfunction in AMPK/SIRT1-independent pathway M. KITADA, S. KUME, N. IMAIZUMI, AND D. KOYA	634
		Selective reversible inhibition of liver carnitine palmitoyl-transferase 1 by teglicar reduces gluconeogenesis and improves glucose homeostasis R. CONTI, E. MANNUCCI, P. PESSOTTO, E. TASSONI, P. CARMINATI, F. GIANNESI, AND A. ARDUINI	644

Adiponectin pretreatment counteracts the detrimental effect of a diabetic environment on endothelial progenitors

S.F. LEICHT, T.M. SCHWARZ, P.C. HERMANN, J. SEISSLER,
A. AICHER, AND C. HEESCHEN 652

GENETICS

Resequencing and analysis of variation in the *TCF7L2* gene in African Americans suggests that SNP rs7903146 is the causal diabetes susceptibility variant

N.D. PALMER, J.M. HESTER, S.S. AN, A. ADEYEMO, C. ROTIMI,
C.D. LANGEFELD, B.I. FREEDMAN, M.C.Y. NG, AND
D.W. BOWDEN 662

Links between insulin resistance, adenosine A_{2B} receptors, and inflammatory markers in mice and humans

R.A. FIGLER, G. WANG, S. SRINIVASAN, D.Y. JUNG, Z. ZHANG,
J.S. PANKOW, K. RAVID, B. FREDHOLM, C.C. HEDRICK,
S.S. RICH, J.K. KIM, K.F. LANOUE, AND J. LINDEN 669

The same chromosome 9p21.3 locus is associated with type 2 diabetes and coronary artery disease in a Chinese Han population

X. CHENG, L. SHI, S. NIE, F. WANG, X. LI, C. XU, P. WANG,
B. YANG, Q. LI, Z. PAN, Y. LI, H. XIA, C. ZHENG, Y. KE, Y. WU,
T. TANG, X. YAN, Y. YANG, N. XIA, R. YAO, B. WANG, X. MA,
Q. ZENG, X. TU, Y. LIAO, AND Q.K. WANG 680

An interferon-induced helicase (*IFIH1*) gene polymorphism associates with different rates of progression from autoimmunity to type 1 diabetes

C. WINKLER, C. LAUBER, K. ADLER, H. GRALLERT, T. ILLIG,
A.-G. ZIEGLER, AND E. BONIFACIO 685

ERRATUM

ISSUES AND EVENTS

ONLINE LETTERS TO THE EDITOR

Comment on: Soranzo et al. Common variants at 10 genomic loci influence hemoglobin A_{1C} levels via glycemic and nonglycemic pathways. Diabetes 2010;59:3229–3239

R. CORCOY e10

Response to comment on: Soranzo et al. Common variants at 10 genomic loci influence hemoglobin A_{1C} levels via glycemic and nonglycemic pathways. Diabetes 2010;59:3229–3239

J.B. MEIGS FOR N. SORANZO AND THE REST OF THE MAGIC HBA_{1C} GWAS CO-AUTHORS e11

Comment on: Meagher et al. Neutralization of interleukin-16 protects nonobese diabetic mice from autoimmune type 1 diabetes by a CCL4-dependent mechanism. Diabetes 2010;59:2862–2871

F. VENDRAME AND F. DOTTA e12

Response to comment on: Meagher et al. Neutralization of interleukin-16 protects nonobese diabetic mice from autoimmune type 1 diabetes by a CCL4-dependent mechanism. Diabetes 2010;59:2862–2871

C. MEAGHER, W. CRUIKSHANK, AND T.L. DELOVITCH e13